MAGSAT #445

ENTS: 79-094A-01A-02A CHRONINT
01B/02B CHRONSC
01C/02C ORBIT RET. SUBROUTINE
01D/02D " " "
01E/02H MAG ANALYSIS PROGRAMS
01F/02I FINE ATTITUDE DATA
01G/02J INVESTIGATOR B TAPE
01H/02K CONDENSED ORBIT ATTITUDE
01I/02M SELECT FIELD MODEL W/ATT. ADJ
01J/02N " " " W/O ATT. ADJ
) : MG-1BA 01K/02O INVES. B QUIET TIME DATA

MAGSAT

THIS CATALOG CONTAINS VARIOUS MAGSAT DATA SETS. EACH DATA SET IS LISTED WITH DOCUMENTATION. THE MAGSAT USERS GUIDE (B33579-000A) IS AVAILABLE FOR DISTRIBUTION. THERE ARE 3 OTHER DOCUMENTS AVAILABLE ON REQUEST, DEVELOPMENT OF INTERPRETIVE ANOMALY MAGNETIZATION MODELS AND COMPILATION OF MAGSAT CORRELATIVE DATA BASE, VOL.1 (B35144-000A) AND VOL. 2 (B35145-000A), AND MAGNETIC ANOMALIES AT SATELITTE ELEVATION OVER AUSTRALIA (B35143-000A).

Refer to 79-094A-01B

MAGSAT

CHRONINT (CHRONICLE INTERMED), TAPE

79-094A-01A,02A

THESE DATA SETS HAVE BEEN RESTORED. ORIGINALLY THERE WERE 34 9-TRACK, 6250 BPI TAPES WRITTEN IN BINARY. THERE ARE 31 RESTORED TAPES. THREE OF THE ORIGINAL TAPES ARE MISSING, D040908, D047244 AND D047245. THE DR TAPES ARE 3480 CARTRIDGES AND THE DS TAPES ARE 9-TRACK, 6250 BPI. THE ORIGINAL TAPES WERE CREATED ON AN IBM 360 COMPUTER AND WERE RESTORED ON THE IBM 9021 COMPUTER. THE DR AND DS NUMBERS ALONG WITH THE CORRESPONDING D NUMBERS AND THE TIME SPANS ARE AS FOLLOWS:

DR#	DS#	D#	FILES	TIME SPAN
DR004126	DS004126	D035165	1	11/04/79 - 11/04/79
DR004127	DS004127	D037948	1	11/02/79 - 11/09/79
DR004128	DS004128	D040415	1	11/02/79 - 11/07/79
DR004129	DS004129	D040416	1	11/08/79 - 11/15/79
DR004130	DS004130	D040417	1	11/16/79 - 11/23/79
DR004131	DS004131	D040418	1	11/24/79 - 12/01/79
DR004132	DS004132	D040419	1	12/02/79 - 12/09/79
DR004133	DS004133	D040420	1	12/10/79 - 12/17/79
DR004134	DS004134	D040421	1	12/18/79 - 12/25/79
DR004135	DS004135	D042016	1	12/25/79 - 01/02/80
DR004136	DS004136	D040422	1	01/02/80 - 01/10/80
DR004137	DS004137	D042017	1	01/18/80 - 01/26/80
DR004138	DS004138	D042018	1	01/26/80 - 02/03/80
DR004139	DS004139	D041970	1	02/03/80 - 02/11/80
DR004140	DS004140	D041971	1	02/11/80 - 02/19/80
DR004141	DS004141	D041972	1	02/19/80 - 02/27/80
DR004142	DS004142	D041973	1	02/27/80 - 03/06/80
DR004143	DS004143	D043351	1	03/06/80 - 03/14/80
DR004144	DS004144	D041974	1	03/14/80 - 03/22/80

79-094A-01A,02A

DR#	DS#	D#	FILES	TIME SPAN
DR004145	DS004145	D041975	1	03/22/80 - 03/30/80
DR004146	DS004146	D043025	1	03/30/80 - 04/07/80
DR004147	DS004147	D042019	1	04/07/80 - 04/15/80
DR004148	DS004148	D043026	1	04/15/80 - 04/23/80
DR004149	DS004149	D042020	1	04/23/80 - 05/01/80
DR004150	DS004150	D043352	1	05/01/80 - 05/09/80
DR004151	DS004151	D043080	1	05/09/80 - 05/17/80
DR004152	DS004152	D043081	1	05/18/80 - 05/25/80
DR004153	DS004153	D047242	1	05/20/80 - 05/25/80
DR004154	DS004154	D043082	1	05/25/80 - 06/02/80
DR004155	DS004155	D047243	1	05/26/80 - 06/02/80
DR004311	DS004311	D043353	1	06/03/80 - 06/09/80

D-35165

79-094A-01A/02A

Mag. Int.

CHRONINT

DUMP OF TAPE X453

INPUT TAPE X453 ON MT2

DATA INPUT H9 FL 1 2 2

NOV 4, 1979

FILE 1 RECORD 1 LENGTH 28886BYTES

(0)	70D60000	0C1C0000	00010000	0000AC95	03BCB9E0	0CC0EA60	44AC9100	40A883B2	43CFC046	43C1589F
(40)	43B21002	43A1F7A5	439121D0	437FA1C5	436D8BAA	435AF476	4347F1D4	43349A09	432103DB	42D4673E
(80)	C2686BE1	C31A4C24	C32DF21D	C3416121	C3548ID7	C3673D3F	C3797CC8	C38B2A73	C39C30E0	C3AC7BBB
(120)	C3BBF73A	C3CA9DD4	C3D8370D	C3E4D99F	C3F0698F	C3FAD93F	C41041C8	C41CC28A	C4112F48	C411878A
(160)	C411CAF1	C411F938	C4121234	C41215D7	C412042B	C411DD54	C411A18F	C4115134	C410ECB1	C410748B
(200)	C3FE9603	C3F4BDFF	C3E9CD05	C3DDD099	C3D8D759	C3C2F0E4	C3B42DCB	C3A49F77	C3945812	C3836A75
(240)	C371EA0D	C35FEAC8	C34D8DFE	C33AC15B	C327C0CF	C314946E	C215167D	4311F314	432523E9	43382C1C
(280)	434AF6EC	435D6FE4	436F82E9	43811C52	439228F4	43A29639	43B2522B	43C14B89	43CF71D5	43DCB567
(320)	43E9C779	43F45A34	43FEA0C9	44107CF7	4410FDB8	44116BB9	43F699F5	44100E03	44109AC2	44111835
(360)	44118207	4411D9F8	44121D5B	44124C98	44126760	44126DAD	44125F43	44123C2F	4412048B	4411B884
(400)	44115861	4410E461	44105D58	43FC372F	43F17728	43E5A0FE	43D8C18B	43CAE6F5	43BC209E	43AC7E18
(440)	439C140D	438AF233	43792D33	4366D993	43540C9C	4340DC47	432D5F19	4319AC11	425DA83E	C2DFE005
(480)	C321C5CE	C3356530	C348C4C1	C35BCD14	C36E674D	C3258590	C3392068	C34C76CE	C35E7191	C371F9D8
(520)	C383F94D	C3955A40	C3A607C1	C3B5EDBD	C3C4F919	C3D317CE	C3ED3901	C3EC4D18	C3F745D1	C4101165
(560)	C4109B34	C411112C	C41172CA	C411BFA2	C411F765	C41219DD	C41226EF	C4121E99	C41200F5	C411CE36
(600)	C4118BA8	C4112AAF	C410BAC8	C4103785	C3FA18F1	C3FF9A2B	C3E4090C	C3D773BE	C3C9E97A	C3BB7A72
(640)	C3AC37BA	C39C3333	C38B7E79	C37A2FC4	43F2A6B8	43FFB7F3	4410B97C	4411638A	4411F8E7	441278ED
(680)	4412E313	441336E8	44137419	44139A6F	4413A9CE	4413A237	4413383C7	44134EB3	4413034D	4412A200
(720)	44122B4F	44119FD6	44110046	44104D66	43F88140	43EB13C6	43DC9E09	43CD3119	43BCDEF7	43ABBA80
(760)	4399D756	438749CC	437426CD	4360B3C8	434C769B	4338157D	432376E6	42EB17F3	C2623F98	C31AF2BF
(800)	C32FA41D	C3442187	C35854A7	C36C2777	C37F8451	C3925605	C3A487ED	C3B60601	C3C6BCE7	C3D69A09
(840)	C3E58BA8	C3F380ED	C410069F	C410C380	C3D93D80	C3E7FDC6	C3F5BEE9	C4102713	C410E062	C4118704
(880)	C4121A33	C412993F	C413038E	C413589A	C41397F4	C413C144	C413D66D	C413DDE6	C413B703	C41386AF
(920)	C4134011	C412E368	C412710D	C411E973	C4114D28	C4109CD1	C3FD92C6	C3F030FF	C3E1B698	C3D233CA
(960)	C3C1BA22	C3B05C6C	C39E2E9E	C38B45C1	C377B7D9	C3639BCB	C34F093E	C33A1884	C324E273	C2F804CB
(1000)	425F465E	431BC1F4	4330AEAB	C320D28A	C2B701AA	42A00053	431F6622	4334A2A1	4349A1EA	435E48C1
(1040)	43727E4F	43862A43	439934FA	43AB879D	43BD0C3D	43CDADF6	43DD5905	43EBFAE9	43F98277	44105DFE
(1080)	44111051	4411AE53	44123754	4412AABE	44130816	44134EFD	44137F30	44139887	44139AF7	4413868F
(1120)	44135B7C	44131A03	4412C283	44125574	4411D367	44113D04	44108307	43ED6643	43E079EE	43628DFE
(1160)	43D38A05	43C3A689	43F22C6D	43C98E69	43AFFEFA	43959D1C	437A88B2	435EE25D	4342CB4D	43266514
(1200)	429D177A	C312CDBC	C32F56E0	C34BA899	C367A206	C38322EA	C39EDBCA	C3B83E18	C3D19C51	C3EA0A1A
(1240)	C41016C6	C4117A97	C412CA92	C414054C	C4152974	C41635D6	C412295F	C41802FA	C41BC1E1	C41D054A
(1280)	C419EC91	C41A5732	C41AA4C6	C41AD506	C41AE7CA	C41ADD07	C41AB4D3	C41A6F61	C41A0D03	C4198E27
(1320)	C418F35A	C4183D46	C4176CAF	C4168276	C4157F99	C414652B	C413345D	C411EE76	C41094D3	C3F28E91
(1360)	C3DAC40D	C3C2C76D	C411AE6F	C4105133	C3EE1F9D	C3D624E5	C3BD3D10	C3A3833A	C389137F	C36CE0B3
(1400)	C352873D	C336A70F	C31A8970	421B2178	431DEBB0	433A0354	4355D8F0	43714C8D	438C3E71	43A68F48
(1440)	43C02045	43D8D34F	43F08B1E	441072B6	4411C990	44130BA1	44143761	44154B61	4416464D	441726ED
(1480)	4417EC27	44189CC3	441920A7	44198E5E	4419DD99	441A0DEA	441A1F0B	441A10DC	4419E363	4419960F
(1520)	44192B74	441A1EB4	441A0A87	4419D717	44198498	44191366	44188405	4417D71B	4417CD77	4416280B
(1560)	441527EA	44140E4B	4412DC84	44119408	441.3668	43EC54E6	43D427A8	43BAFC36	43A0F118	438625D1
(1600)	436ABAB4	434ED0B5	4332893E	431605FF	C26973C8	C3232CBD	C33F9906	C35BBB06	C3777238	C3929ED1
(1640)	C3AD21E2	C3C6DD75	C3DFB4B5	C3F78C06	C410E492	C4123D32	C413812D	C414AF26	C415C5DB	C416C428
(1680)	40743AA4	4062BDEC	40513021	403FD3EC	402EE4F4	401F1EEE	4013E262	40163E99	4023CEDA	4034CD19
(1720)	4046E411	40596F0C	406C3906	407F2F35	40925115	40A57767	40B89A1D	40CBACOC	40DEAD1E	40F1909A
(1760)	41104461	41116BE5	41128EA6	4113ABAD	4114C1BD	4115CEAE	4116CD1B	4117A9F5	411815E8	4117A5DC
(1800)	4116C886	4115DB72	4114E7C9	4113F55A	411305BA	41121978	41113088	41104B72	40F6987F	40E8ADA5
(1840)	40DAF600	40CD74BD	40C05ECE	40B3AFB3	40A754EC	409B52A7	408FE6FC	40851F3D	407B1AD5	407205D1
(1880)	406E8429	408354E1	4078DF1B	406F4129	4066AA4A	405F785A	405A17E0	4056EDBF	405647AE	40584C43
(1920)	405CE5A0	4063D4C8	406CC735	40775EF0	4083544F	409058E1	409E2B82	40AC80AA	40BB5EF9	40CAA481
(1960)	40DA28D1	40E9CF73	40F9903D	411094F3	41118EF1	41128511	41137530	41145CB6	411537B2	4115FECD
(2000)	4116A2CE	41170798	41170BFB	4116B0B2	41161581	411557DC	41148701	4113A985	4112C1F2	41158DFC
(2040)	4114FF61	41144EB2	41138611	4112AE47	4111C194	4110CB08	40FC942B	40EBDE3C	40DA9B31	40C8C31E
(2080)	40B6741F	40A3C550	4090BCAE	407B30D8	40696320	4C55563A	4040D968	402B71E7	4012BBF3	C4270F00
(2120)	C427CF00	401738EA	402FCF62	40439C3B	4057758D	406AB7C3	407D76D4	408FA99E	40A1219A	40B1B80F
(2160)	40C18369	40D085EF	40DEDAC9	40EC6474	40F91B00	41105061	41110A1	4111A8CC	4138C1BC	41380584
(2200)	413756DC	4136B2E1	4136174F	4135422B	4134F102	413464D1	41330DD4	41326586	4130C400	40B23070
(2240)	4131A913	41311547	41307B91	412FDA0D	412F2EA3	412E76C2	412DAF30	412CD3E0	412BDF70	412ACAD9

Record 187

(22760)	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	
(22800)	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	
(22840)	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	3
(22880)	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	4
(22920)	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	C7600C1C	00000007	00000000	5
(22960)	AC95C409	A165C5C0	EA6044AC	91D040A8	83B24412	3F644412	0BA14411	C3784411	672A4410	E7114410	6
(23000)	739E43F0	D58D43F3	4DDA43E7	AE1743DB	02DC43CD	5A0B43BE	C2CA43AF	4D6B439F	0B61438E	0F29437C	7
(23040)	6C3A436A	36EC4357	84604344	6A674330	FF6A431D	5A4B4299	24A7C2A4	1191C31E	083DC331	AB7BC345	8
(23080)	134AC358	2859C36A	D3B1C37C	FED6C38E	93E0C39F	7D9CC3AF	A7ACC3BE	FE9CC3CD	7004C3DA	EA9CC3E7	9
(23120)	5C55C3F2	BC7CC3FC	F791C410	603CC410	DD6CC411	4679C411	9AEFC411	DA76C412	04CEC412	19D1C412	10
(23160)	1974C412	03C7C411	D8F3C411	993BC411	44FAC410	DCA3C410	60C0C3FD	1F35C3F3	0EFFC3E7	E8D0C3DB	11
(23200)	B7F5C3CE	8DB1C3C0	7905C3B1	8AAFC3A1	D440C391	680AC380	5904C36F	BABBC35C	A136C34A	20E2C337	12
(23240)	4E80C324	3F0BC311	07A54224	27DE4315	8A294328	BA40433B	BDCD434E	80154360	ECAC4372	EF874384	
(23280)	75C4395	6A2743A5	BC5743B5	59C243C4	314443D2	328243DF	4DE543EB	74EF43F6	99F54410	0B034410	
(23320)	9AC24411	18354411	82C74411	D9F84412	1D5B4412	4C984412	676D4412	6DAD4412	5F434412	3C2F4412	
(23360)	0488411	88844411	58614410	E4814410	5D5843FC	372F43F1	772843E5	A0FE43D8	C18B43CA	E6E543BC	
(23400)	209E43AC	7F18439C	140D438A	F2334379	2D334366	D9934354	0C9C4340	DC47432D	5F194319	AC11425D	
(23440)	A83EC2DF	E0C5C321	C5CEC335	653CC348	C4C1C35B	CD14C36E	674DC380	7D03C391	F869C3A2	C46BC3B2	
(23480)	CCD1C3C1	FE54C3D0	46BAC3DD	94F0C3E9	D922C3F5	04D0C3FF	0ADCC410	7DFAC410	F790C411	5CE7C411	
(23520)	AD90C411	E936C412	0F9EC412	20A8C412	1C4EC412	02A4C411	D3D9C411	9033C411	3813C410	CBF0C410	
(23560)	4C59C3FB	9F39C3F1	5773C3E5	FB1AC3D9	9820C3CC	3D8EC3BD	FB65C3AE	E28DC39F	04C1C38E	7476C37D	
(23600)	44C6C36B	8959C359	564FC346	C02EC333	DBC7C320	BE22C2D7	C6C5425D	41EA4319	1E48432C	4CF3433F	
(23640)	4B2E43F4	FB4E4410	1D114410	D7304411	7D3F4412	0E814412	8A564412	F0394413	3FBF4413	789A4413	
(23680)	9A994413	A5A54413	99C54413	77194413	3DDC4412	EE664412	89254412	0EA24411	7F7B4410	DC674410	
(23720)	263043F5	DB6743E8	3EAF43D9	9D1843CA	07D943B9	911943A8	4BD74396	4BD14383	A5714370	6DB9435C	
(23760)	BA264346	A0A44334	376F431F	950642AD	00F8C2A0	0B8FC31E	C696C333	6AE1C347	D719C35B	F4FDC36F	
(23800)	AE9CC382	EE6AC395	9F55C3A7	ACD6C3B9	0309C3C9	8EBAC3D9	3D80C3E7	FDC6C3F5	BEE9C410	2713C410	
(23840)	E062C411	8704C412	1A33C412	993FC413	038EC413	589AC413	97F4C413	C144C413	D44DC413	D0E6C413	
(23880)	B703C413	86AFC413	4011C412	E368C412	710DC411	E973C411	4D28C410	9CD1C3FD	92C6C3F0	30FFC3E1	
(23920)	B698C3D2	33CAC3C1	BA22C3B0	5C6CC39E	2E9EC38B	45C1C377	B7D9C363	9BCBC34F	093EC33A	1884C324	
(23960)	E273C2F8	04CB425F	465E431B	61F44330	AEAB4345	C0F2435A	7F73436E	D1364382	9DCC4395	CD6643A8	
(24000)	48FD43B9	FA6F43CA	CC9B43DA	AB8143E9	845943F7	45B14410	3DF74410	F4334411	963C4412	235F4412	
(24040)	9AFE4412	FC9A4413	47CF4413	7C544413	99FC4413	A0B64413	908E4413	69A94413	2C484412	D8C74412	
(24080)	0F984411	F1494411	5E7C4410	B7EC43FF	E66F43F3	2CEC43E5	618E43D6	94B743C6	D7C943B6	3D1043A4	
(24120)	D7AA4392	BB71437F	FCE8436C	B1234358	EDB14344	C8874330	57EC431B	B25E426E	E87243DD	864E43C4	
(24160)	B7D843AA	FDEC4390	77874375	44DC4359	869D433D	5E104320	ECD14245	4AB9C318	4899C334	C962C351	
(24200)	CC69C36C	F0EDC388	56D2C3A3	1ECBC3BD	2A7CC3D6	5C9AC3EE	9909C410	5C4FC411	BC70C413	0875C414	
(24240)	3EF6C415	5EAAC416	6660C417	5503C418	299DC418	E354C419	816CC41A	0348C41A	6867C41A	B06BC41A	
(24280)	DB11C41A	E837C41A	D7D9C41A	AA11C41A	5F18C419	F746C419	7310C418	D306C418	17D8C417	4250C416	
(24320)	5354C415	4BE6C414	2D1FC412	F833C411	AE6FC410	5133C3EE	1F9DC3D6	24E5C3BD	3D1CC3A3	833AC389	
(24360)	137EC36E	0AE3C352	873DC336	A70FC31A	8970421B	2178431D	EBB0433A	03544355	D8F04371	4C8D438C	
(24400)	3E7143A6	8F4843C0	204543D8	D34F43F0	8B1E4410	72B64411	C99D4413	0BA14414	37614415	4B614416	
(24440)	464D4417	26ED4417	EC274418	95034419	20A74419	8E5E4419	DD99441A	0DEA441A	1F0B441A	10DC4419	
(24480)	E3634419	96CF4419	2B744418	A1CC4417	FA794417	36414416	560E4415	5AF04414	46144413	18CC4411	
(24520)	D4854410	7ACB43F0	D42843D8	DA7D43BF	DCDD43A5	F99D438B	50164370	00794354	2B9F4337	F2E2431B	
(24560)	77EAC212	37CFC31D	BD91C33A	34C6C356	67EFC372	3666C38D	8039C3A8	2647C3C2	0A67C3DB	0F8AC3F3	
(24600)	19D3C410	A0EBC411	FD51C413	4555C414	7796C415	92CEC416	95D2C417	7F93C418	4F1FC419	03A3C419	
(24640)	9C68C41A	18D6C41A	7874C41A	BAE7C41A	DFF4C41A	E77EC41A	D187406C	C34D4059	19C04044	AD23402E	
(24680)	AF184012	CF76C427	0F00C427	0F00C427	0F004015	15404030	CE4C4047	631C405C	9AB14071	3C424085	
(24720)	89464099	8BFF40AD	30C140C0	7E5740D3	7A5040E6	0B7440F8	236A4110	9B3E4111	AAB24112	AEF64113	
(24760)	A5874114	8A2B4115	55674115	F9D04116	61344116	715A4116	25514115	96DA4114	E18F4114	161C4113	
(24800)	3D994112	5D2D4111	7804411C	904C40FA	7A6840EB	F67840DD	8BA540CF	4C2040C1	52004083	F82B40A7	
(24840)	07C5409A	8212408E	84294083	54E14078	DF1B406F	41294066	AA4A405F	785A405A	17ED4056	EDBF4056	
(24880)	47AE4058	4C434C5C	E5A04063	D4C8406C	C7354077	5EF04083	544F4090	58E1409E	2BB240AC	80AA40BB	
(24920)	5EF940CA	A48140DA	28D140E9	CF7340F9	903D4110	94F34111	8EF14112	85114113	75304114	5CB64115	
(24960)	37B24115	FECD4116	A2CE4117	07984117	0BFB4116	BCB24116	15814115	57DC4114	87D14113	A9854112	
(25000)	C1E24111	D0C04110	D62440FD	222A40EC	569840DA	FC7340C8	FB4740B6	69B840A3	5BAE408F	B2CB407B	
(25040)	61AA4066	0F0A4050	BAAD4039	785F401D	9D9CC427	0F00C427	0F00C427	0F00C427	0F00401E	C3FE4039	
(25080)	72C2404F	E4A74064	DFE94079	1183408C	A6A3409F	88C640B1	D9BC40C3	99AD40D4	C23540E5	42024 0F5	
(25120)	CCED4110	41914111	25A04111	FBC64112	C20D4113	75364114	10034114	8A7E4114	DA534114	F5E94114	
(25160)	D99F4114	89D64114	0FBC4113	75824112	C42E4138	A5834137	EC1D4137	3FB34136	9D6F4136	03324135	
(25200)	6F0C4134	DF6B4134	52E24133	C8134133	3DCB4132	B2D54132	25E94131	95C14131	00E84130	65CB412F	
(25240)	C284412F	14E5412E	5A3D412D	8F32412C	AF74412B	B56E412A	99A24129	51C54127	CF3F4125	FCBC4123	
(25280)	B98D4120	D1EC411C	EECB4117	741F40F3	9F0C401F	F2204216	C1E14214	D49D4213	11644211	F21C4211	
(25320)	48264210	DDAF4210	95F84210	62934210	3BE24210	1D954210	051341FF	0BAA41FD	F72141FD	07A841FC	
(25360)	34B841FB	781841FA	CD2041FA	302E41F9	9E6F41F9	159B41F8	93D741F8	179441F7	9F6C41F7	2A2B41F6	

MAGSAT

CHRONSE (CHRONICLE SPACECRAFT)

79-094A-01B,02B

THIS DATA SET HAS BEEN RESTORED. ORIGINALLY IT CONTAINED 29 9-TRACK, 6250 BPI TAPES WRITTEN IN BINARY. THERE ARE 29 RESTORED TAPES. THE DR TAPES ARE 3480 CARTRIDGES AND THE DS TAPES ARE 9-TRACK, 6250 BPI. THE ORIGINAL TAPES WERE CREATED ON AN IBM 360 COMPUTER AND WERE RESTORED ON AN IBM 9021 COMPUTER. THE DR AND DS NUMBERS ALONG WITH THE CORRESPONDING D NUMBERS AND THE TIME SPANS ARE AS FOLLOWS:

DR#	DS#	D#	FILES	TIME SPAN
DR004264	DS004264	D040423	1	11/02/79 - 11/07/79
DR004265	DS004265	D035166	1	11/04/79 - 11/04/79
DR004266	DS004266	D040424	1	11/08/79 - 11/15/79
DR004267	DS004267	D040425	1	11/16/79 - 11/23/79
DR004268	DS004268	D040426	1	11/24/79 - 12/01/79
DR004269	DS004269	D040427	1	12/02/79 - 12/09/79
DR004270	DS004270	D040428	1	12/10/79 - 12/17/79
DR004271	DS004271	D040429	1	12/18/79 - 12/25/79
DR004272	DS004272	D042021	1	12/25/79 - 01/02/80
DR004273	DS004273	D040909	1	01/02/80 - 01/10/80
DR004274	DS004274	D040430	1	01/10/80 - 01/18/80
DR004275	DS004275	D042022	1	01/18/80 - 01/26/80
DR004276	DS004276	D042023	1	01/26/80 - 02/03/80
DR004277	DS004277	D041976	1	02/03/80 - 02/11/80
DR004278	DS004278	D041977	1	02/11/80 - 02/19/80
DR004279	DS004279	D041978	1	02/19/80 - 02/27/80
DR004280	DS004280	D041979	1	02/27/80 - 03/06/80
DR004281	DS004281	D043354	1	03/06/80 - 03/14/80
DR004282	DS004282	D041980	1	03/14/80 - 03/22/80

74-094A-01B,02B

DR#	DS#	D#	FILES	TIME SPAN
DR004283	DS004283	D041981	1	03/22/80 - 03/30/80
DR004284	DS004284	D043027	1	03/30/80 - 04/07/80
DR004285	DS004285	D042024	1	04/07/80 - 04/15/80
DR004286	DS004286	D043028	1	04/15/80 - 04/23/80
DR004287	DS004287	D042025	1	04/23/80 - 05/01/80
DR004288	DS004288	D043355	1	05/01/80 - 05/09/80
DR004289	DS004289	D043077	1	05/09/80 - 05/17/80
DR004290	DS004290	D043078	1	05/18/80 - 05/25/80
DR004291	DS004291	D043079	1	05/26/80 - 06/02/80
DR004292	DS004292	D043356	1	06/03/80 - 06/09/80

REQ. AGENT	RAND #	ACQ. AGENT
DEW	V0105 V0118	HKH

MAGSAT

SCALAR MAGNETOMETER
CHRONOLOGICAL INTERMEDIATE DATA
CHRONOLOGICAL SPACECRAFT DATA
79-094A-01A,01B

VECTOR MAGNETOMETER
CHRONOLOGICAL INTERMEDIATE DATA
CHRONOLOGICAL SPACECRAFT DATA
79-094A-02A,02B

THIS DATA SET CONSISTS OF 34 CHRONINT AND 29 CHRONSC DATA TAPES. THE TAPES ARE 9-TRACK, 6250 BPI, WITH 1 FILE OF DATA. THE TAPES WERE CREATED ON AN IBM 360 COMPUTER. THE D AND C NUMBERS ALONG WITH THE TIME SPANS FOLLOW:

79-094A-01A,02A
CHRONINT

D#	C#	TIME SPAN
D-35165	C-20796	11/04/79 - 11/04/79
D-37948	C-20895	11/02/79 - 11/09/79
D-40415		11/02/79 - 11/07/79
D-40416		11/08/79 - 11/15/79
D-40417		11/16/79 - 11/23/79
D-40418		11/24/79 - 12/01/79
D-40419		12/02/79 - 12/09/79
D-40420		12/10/79 - 12/17/79
D-40421		12/18/79 - 12/25/79
D-42016		12/25/79 - 01/02/80
D-40422		01/02/80 - 01/10/80
D-40908		01/10/80 - 01/18/80
D-42017		01/18/80 - 01/26/80
D-42018		01/26/80 - 02/03/80
D-41970		02/03/80 - 02/11/80
D-41971		02/11/80 - 02/19/80

CHRONINT 79-094A-01A/02A

D#	C#	TIME SPAN
D-41972		(02/19/80-02/27/80)
D-41973		02/27/80-03/06/80
D-43351		03/06/80-03/14/80
D-41974		03/14/80-03/22/80
D-41975		03/22/80-03/30/80
D-43025		03/30/80-04/07/80
D-42019		04/07/80-04/15/80
D-43026		04/15/80-04/23/80
D-42020		04/23/80-05/01/80
D-43352		05/01/80-05/09/80
D-43080		05/09/80-05/17/80
D-43081		05/18/80-05/25/80
D-43082		05/26/80-06/02/80
D-43353		06/03/80-06/09/80
D-47242		05/20/80-05/25/80
D-47243		05/26/80-06/02/80
D-47244		06/03/80-06/09/80
D-47245		06/10/80

79-094A-01B/02B

CHRONSC

D#	C#	TIME SPAN
D-35166	C-20797	11/04/79-11/04/79
D-40423		11/02/79-11/07/79
D-40424		11/08/79-11/15/79
D-40425		11/16/79-11/23/79
D-40426		11/24/79-12/01/79
D-40427		12/02/79-12/09/79
D-40428		12/10/79-12/17/79
D-40429		12/18/79-12/25/79
D-42021		12/25/79-01/02/80
D-40909		01/02/80-01/10/80
D-40430		01/10/80-01/18/80
D-42022		01/18/80-01/26/80
D-42023		01/26/80-02/03/80
D-41976		02/03/80-02/11/80
D-41977		02/11/80-02/19/80
D-41978		02/19/80-02/27/80
D-41979		02/27/80-03/06/80
D-43354		03/06/80-03/14/80
D-41980		03/14/80-03/22/80
D-41981		03/22/80-03/30/80
D-43027		03/30/80-04/07/80
D-42024		04/07/80-04/15/80
D-43028		04/15/80-4/23/80
D-42025		04/23/80-05/01/80

79-094A-01B/02B

CHRONSC

D#	C#	TIME SPAN
D-43355		05/01/80-05/09/80
D-43077		05/09/80-05/17/80
D-43078		05/18/80-05/25/80
D-43079		05/26/80-06/02/80
D-43356		06/03/80-06/09/80

Attachment 1 - Chronicle Tape Format

Internal Format (IED Data Base)

6250 bpi binary
Blocked - max block size 28,886 bytes

Investigator Formats

Various densities
Blocked and unblocked

Pad Data Denoted by 99999.0

CHRONICAL TAPE FORMAT - BINARY

TIME ORDERED

FORTRAN READABLE

A. ORBIT DATA RECORD (128 minutes)

B.* SCALAR DATA RECORD (512 values)

C.* 3 VECTOR COMPONENT DATA RECORDS (1024 values each)

each 128 minor frames or ~62.9 sec

D. ATTITUDE QUALITY (If in fine topocentric coordinates 256-values)

E. ITEMS B-D REPEATED FOR TIME PERIOD OF ORBIT RECORD

F. SEQUENCE A-E REPEATED

G. EOF

*NOTE: ~~There is no guarantee of the order of B and C~~

THE ORBIT DATA RECORD FORMAT IS AS FOLLOWS:

Displacement (bytes)	Parameter	Type
0	Data type: = 0, indicating satellite position data	*L*1
1	Data type of next record	**L*1
2	Spare	
4	Date of first observation (MJD)	I*4
8	Milliseconds of day for first observation	I*4
12	Time increment between observations (MS)	I*4
16	Reference time (epoch) of coordinate system (MJD ~~+ fraction of day~~) at 0h UTC	R*4
20	Greenwich hour angle at epoch (in radians)	R*4
24	X inertial coordinate (km, 128 values)	R*4
536	Y inertial coordinate (km, 128 values)	R*4
1048	Z inertial coordinate (km, 128 values)	R*4
1560	Invariant Latitude (128 values), degrees	R*4
2072	Geomagnetic time (128 values), hours	R*4
2584	Dip latitude (128 values), degrees	R*4

*8 bit binary value
** On investigator copy only

Definition of MJD:

Day number of 1979 is (MJD − 43873).

Thus MJD = 44181 denotes Day 308, 1979 (Nov. 4).

THE CHRONICLE SCALAR DATA RECORD FORMAT IS AS FOLLOWS:

Displacement (bytes)	Parameter	Type
0	Data type: = 1, indicating scalar observations	*L*1
1	Data type of next record	**L*1
2	Spacecraft status (5 digit integer - abcde) a = 1, calibration on b = 1, electronic flip on c = 1, x coil on d = 1, y coil on e = 1, z coil on	I*2
4	Date of first observation (MJD)	I*4
8	Milliseconds of day of first observation	I*4
12	Time increment between observation (ms)	R*4
16	Time offset (ms)	R*4
20	Spare	I*4
24	Scalar observations (gammas - 512 values	R*4
2072	Number of points in this record that overlap with the next scalar record	I*2

*8 bit binary value
**On investigator copy only

THE VECTOR DATA (SENSOR PLATFORM COORDINATES) CHRONICLE RECORD FORMAT IS AS FOLLOWS:

Displacement (bytes)	Parameter	Type
0	Data type: = 2, 3, 4, indicating vector a, b, or c observations, respectively	*L*1
1	Data type of next record	**L*1
2	Spacecraft status (5 digit integer - abcde) a = 1, calibration on b = 1, electronic flip on c = 1, x coil on d = 1, y coil on e = 1, z coil on	I*2
4	Modified Julian Day of first observation	I*4
8	Milliseconds of day of first observation	I*4
12	Time increment between observations (ms)	R*4
16	Time offset (ms)	R*4
20	Spares	I*4
24	Fine counts (1024 values, pad = 9999)	I*2
2072	Coarse counts (1024 values, pad = 255)	L*1
3096	Number of points in this record that overlap with the next record of this type	I*2

*8 bit binary value
**On investigator copy only

THE VECTOR DATA (NEV COORDINATES) CHRONICLE RECORD FORMAT IS AS FOLLOWS:

Displacement (bytes)	Parameter	Type
0	Data type: =5, 6, 7, indicating vector x,y, or z observations, respectively, generated from intermediate attitude data =8, 9, 10, for data generated from fine attitude data	*L*1
1	Data type of next record	**L*1
2	Spacecraft status (see record types 2-4)	I*2
4	Modified Julian Day of first observation	I*4
8	Milliseconds of day of first observation	I*4
12	Time increment between observations (ms)	R*4
16	Time Offset (ms)	R*4
20	Spare	-
24	Vector component observations (gammas; 1024 values)	R*4
4120	Number of points in this record that overlap with the next record of this type	I*2

*8 bit binary value
**On investigator copy only

THE ATTITUDE QUALITY CHRONICLE RECORD FORMAT IS AS FOLLOWS:

Displacement (bytes)	Parameters	Type
0	Data type: =16, indicating attitude quality data	*L*1
1	Data type of next record	**L*1
2	Spare	I*2
4	Modified Julian Day of first observation	I*4
8	Milliseconds of day of first observation	I*4
12	Time increment between observations (ms)	R*4
16	Time offset (ms)	R*4
20	Spare	I*4
24	Attitude processing flags (synchronized with every fourth vector observation starting with first observation of record)	I*2

*8 bit binary value
**On investigator copy only

PROCESSING FLAG DEFINITION

A five-character processing flag, ±abcde, is defined as follows:

Character	Description
a	Smoothing character (level of smoothing of final attitude): = 0, no smoothing = 1, linear smoothing = 2, nonlinear smoothing
b	Residual character: = 0, all residuals within boundaries = 1, QUEST* residual and SC1 acceptable, SC2 bad = 2, QUEST residual acceptable, SC1 bad, SC2 acceptable = 3, QUEST residual acceptable, SC1 and SC2 bad = 4, QUEST residual bad, SC1 and SC2 acceptable = 5, QUEST residual bad, SC1 acceptable, SC2 bad = 6, QUEST residual and SC1 bad, SC2 acceptable = 7, QUEST residual SC1, and SC2 bad
c	Gyro and ATS character: = 0, observed gyro point, observed ATS point = 1, observed gyro point, interpolated ATS point = 2, observed gyro point, default ATS value = 3, interpolated gyro data, observed ATS point = 4, interpolated gyro data, interpolated ATS point = 5, interpolated byro data, default ATS value = 6, gyro data point invalid, observed ATS point = 7, gyro data point invalid, interpolated ATS point = 8, gyro data point invalid, default ATS value

*QUEST referes to the attitude determination least squares program.

PROCESSING FLAG DEFINITION (cont'd)

d	Attitude computation character (method of final attitude computation): = 0, with QUEST, using three vectors = 1, with QUEST, using SC1 and SC2 = 2, with QUEST, using SC1 and FSS = 3, with QUEST, using SC2 and FSS = 4, using SC1 and gyro = 5, using SC2 and gyro = 6, using FSS and gyro = 7, not computed

Character	Description
e	Pattern matching character: = 0, SC1 and SC2 valid, identified = 1, SC1 valid, identified; SC2 valid, not identified = 2, SC1 valid, identified; SC2 not valid = 3, SC1 valid, not identified; SC2 valid, identified = 4, SC1 valid, not identified; SC2 valid, not identified = 5, SC1 valid, not identified; SC2 not valid = 6, SC1 not valid; SC2 valid, identified = 7, SC1 not valid; SC2 valid, not identified = 8, SC1 not valid; SC2 not valid

HEX DUMP OF 40423 11/1/79

DRIDS004264

FILE 1 RECORD 1 28886 BYTES

(0)	70D60000	0C1C0000	00010000	0000~~6C93~~ 305	006DDD00	0000EA60	44AC9300	40B5B9EB	C3F31A44	C3E9C99E
(40)	C3DF6A78	C3D409BC	C3C7B567	C3BA7C76	C3AC6ECE	C39D9D2A	C38E1904	C37DF47D	C36D4248	C35C1593
(80)	C34A81F3	C3389B4E	C32675C3	C3142599	C21BF2A7	4310A932	4322FF3B	43352ED7	43472426	4358CB95
(120)	436A11EF	437AE46F	438B30CE	439AE557	43A9F0F4	43B8433F	43C5CC91	43D27E0E	43DE49BA	43E9227E
(160)	43F2FC3E	43FBCBDC	44103875	4410A25A	4410F9F1	44113ED0	441170A1	44118F22	44119A25	44119192
(200)	44117566	441145B3	441102A1	4410AC6E	4410436C	43FC805F	43F3AB89	43E9C17D	43DECCBC	43D2D906
(240)	43C5F355	43B829CE	43A98BB2	439A2952	438A13FE	43795DEF	43681A38	43565CB0	434439D6	4331C6C1
(280)	431F18FF	42C46814	C269A848	C31973B2	C32C2E9A	C33EB4DF	C350F051	C362CB07	C3742F85	C38508CD
(320)	C3954288	C3A4C918	C3B389B8	C3C17297	C3CE72EE	C3DA7B19	C3E57CAD	C3EF6A8B	C3F838F1	C3FFDD8D
(360)	C41064F8	C410B879	C410F7FE	C4112346	C4113A26	C4113C90	C4112A8C	C411043D	C410C9E0	C4107BC7
(400)	C4101A5D	C3FA624D	C3F1FB46	C3E87B7F	C3DDEEED	C3D262AC	C3C5E4E7	C3B884C5	C3AA5254	C39B5E74
(440)	C38BBABE	C37B7970	C36AAD57	C35969B7	C347C23A	C335CAD3	C32397B0	C3113D21	42130789	43139CC4
(480)	4325F37E	43382090	434A101E	435BAE9E	436CE8E7	437DAC3E	438DE670	439D85D9	43AC797A	43BAB102
(520)	43C81CE6	43D4AE68	43E057A8	43EB0BB2	43F4BE8E	43FD6545	4413BA6C	44135810	4412DF53	441250D3
(560)	4411AD49	4410F583	44102A65	43F4CE81	43E5E168	43D5F0DC	43C50FAC	43B3518D	43A0CB06	438D9156
(600)	4379BA5B	43655C7E	43508E99	433B67E0	4325FFCA	43106DF9	C2535DA7	C31AD3FA	C33054C4	C345A0C2
(640)	C35AA0C1	C36F3DE1	C38361B0	C396F639	C3A9E619	C3BC1C96	C3CD85B0	C3DE0E35	C3EDA3D1	C3FC3528
(680)	C4109B1D	C41160AB	C4121318	C412B197	C4133B6F	C413AFFA	C4140EAB	C414570A	C41488B9	C414A370
(720)	C414A702	C414935A	C414687D	C414268B	C413CDBE	C4135E69	C412D8FB	C4123DFB	C4118E0C	C410C9E9
(760)	C3FF264F	C3F086AB	C3E0CFD2	C3D0134A	C3BE63E6	C3ABD5B6	C3987DEF	C38472D1	C36FCB91	C35AA03A
(800)	C3450994	C32F2103	C319006B	C22C20D8	43137F9A	4329A9F4	433FA273	43554EB6	436A94AA	437F5AB1
(840)	439387C1	43A70389	43B9B692	43CB8A60	43DC6990	43EC3FF5	43FAFAB4	44108885	44114D90	4411FDE5
(880)	441298BB	44131D62	44138B47	4413E1F5	44142113	44144866	441457D0	44144F51	44142F07	4413F729
(920)	4413A80E	44134224	4412C5F6	44123428	44118D74	4410D2AD	441004B9	43F24940	43E334B9	43D31FF1
(960)	43C21DD9	43B04243	439DA1D0	438A51D3	4376683D	4361FB85	434D228E	4337F493	4322890B	42CF79AA
(1000)	C28A80CD	C31E3E3A	C333B357	C348EFFD	C35DDD09	C37263B1	C3866D99	C399E4E7	C3ACB456	C3BEC74B
(1040)	C3D009EA	C3E06926	C3EFD2D6	C3FE35C6	C3968BA4	C3B100AF	C3CAA862	C3E365CE	C3FB1D47	C4111B48
(1080)	C412712B	C413B20A	C414DC8B	C415EF70	C416E997	C417C9FC	C4188FB9	C4193A04	C419C835	C41A39C0
(1120)	C41A8E3B	C41AC558	C41ADEED	C41ADAEA	C41AB960	C41A7A81	C41A1E9A	C419A617	C4191181	C4186180
(1160)	C41796D5	C416B25E	C415B515	C414A00C	C413746D	C412337E	C410DE98	C3F772B3	C3DFEBC0	C3C76E24
(1200)	C3AE1476	C393FA50	C3793C38	C35DF782	C3424A39	C32652FC	C2A30E47	4311FC9D	432E15E0	4349FB24
(1240)	43658CB8	4380AB19	439B3718	43B511FF	43CE1DB4	43E63CDD	43FD5306	4411344C	44127F7D	4413B535
(1280)	4414D3FB	4415DA71	4416C752	44179977	44184FD8	4418E98B	441965CA	4419C3F1	441A037E	441A2415
(1320)	441A2581	441A07B1	4419CABC	44196EDE	4418F47A	44185C1B	4417A66F	4416D44B	4415E6A7	4414DE9D
(1360)	4413BD6B	4412846D	4411351D	43FD111E	43E59FA2	43CD19E1	43B39D9F	439949C5	437E3E35	43629B9C
(1400)	43468344	432A16E9	42D7885E	C2F35D8D	C32BD23F	C3483B04	C3644EED	C37FED5D	C39AF67B	C3B54B54
(1440)	C3CECE02	C3E761C9	C3FEEB3A	C4115504	C412A786	C413E4CA	C4150B7A	C4161A5E	C4171057	C417EC68
(1480)	C418ADAE	C4195365	C419DCE9	C41A49B5	C41A9961	C41ACBA9	C41AE062	C41AD785	C41AB129	C41A6D81
(1520)	C41A0CE0	C4198FB9	C418F698	C4184229	C4177333	C4168A98	C4158955	C4147081	C413414B	C411FCFB
(1560)	C410A4EE	C3F3A986	42212152	4224E9BC	42287986	422BD4EE	422EFE7C	4231FE2E	4234D419	4237790A
(1600)	4239EFF0	423C3B60	423E5BE5	42404E76	42420B5C	424385DD	4244AD70	42457076	4245C018	424593FA
(1640)	4244EC78	4243D2D8	424256AF	42408994	423E7BC9	423C3B2A	4239D315	42374CA1	4234AEB4	4231FE6E
(1680)	422F3F8B	422C756D	4229A24C	4226C785	4223E6AF	422102AA	421E220F	421B4CC8	42188C67	4215EF73
(1720)	42138CE2	42118503	42100210	41F31F9F	41F368B2	42101309	4211AA9B	4213CFA5	42165901	4219265A
(1760)	421C21B0	421F3BF5	422269B6	4225A1A8	4228DF63	422C20F8	422F66B2	4232AE42	4235F41E	423935E8
(1800)	423C6F08	423F986B	4242A721	42458A41	4248277B	424A566C	424BDDF7	424C7F0E	424C12B3	424AAA9A
(1840)	42487F4C	4245CA60	4242B7F2	423F6666	423BE9A4	42384E2B	42349B4E	4230D51A	422CFDD6	42291599
(1880)	4225194C	4221082A	421CD328	42188CB5	42144D41	42103668	41C773F3	4198491E	4184F0CF	4195EFE0
(1920)	41C3EEBE	41FE353E	4213C5EA	4217A6F2	421B6ECB	421F1174	422287DD	4225CFB4	4228E4A0	422BBB25
(1960)	422E56EC	4230C0AE	423300DB	42352B86	423732CC	42391C60	423AED48	423CA82D	423E4C48	423FD4F9
(2000)	424139BF	42426EB7	4243657C	42440E4E	424459E6	42443C17	4243AEA0	4242B22B	42414DBC	423F8CDA
(2040)	423D7D0C	423B2BCF	4238A558	4235F41E	423320BC	4230322B	422D2E8C	422A1BEA	4226FDC1	4223D611
(2080)	41552E82	4153B99E	4152274B	415070BA	414E8D66	414C7283	414A1228	41475A2E	41443295	41407B55
(2120)	413C0994	4136A485	4130037C	4127D19A	411DC12B	4111BC77	4042EA9B	42176223	42168E06	4215D50C
(2160)	42153B84	4214BEDB	421459E6	42140778	4213C344	421389F7	42135912	42132EB9	42130983	4212E862

```
(28600)   0A070A08  0A090A09  0A0A0A0B  0A0C0A0D  0A0D0A0E  0A0F0A10  0A100A11  0A120A13  0A140A14  0A150A16
(28640)   0A170A17  0A180A19  0A1A0A1A  0A1B0A1C  0A1D0A1E  0A1E0A1F  0A200A21  0A210A22  0A230A24  0A250A25
(28680)   0A260A27  0A280A29  0A290A2A  0A2B0A2C  0A2C0A2D  0A2E0A2F  0A2F0A30  0A310A32  0A330A33  0A340A35
(28720)   0A360A37  0A370A38  0A390A39  0A3A0A3B  0A3C0A3D  0A3D0A3E  0A3F0A40  0A410A41  0A420A43  0A440A45
(28760)   0A450A46  0A470A48  0A480A49  0A4A0A4B  0A4B0A4C  0A4D0A4E  0A4F0A4F  0A500A51  0A520A52  0A530A54
(28800)   0A550A55  0A560A57  0A580A59  0A590A5A  0A5B0A5C  0A5C0A5D  0A5E0A5F  0A5F0A60  0A610A62  0A620A63
(28840)   0A640A65  0A660A66  0A670A68  0A690A69  0A6A0A6B  0A6C0A6C  0A6D0A6E  0A6F0A6F  0A700A71  0A720A73
(28880)   0A730A74  0A75
```

HEX DUMP OF 40423

FILE 1 RECORD 3119 24972 BYTES

```
(    0)   618C0000  08980200  09CE09D0  09D209D4  09D609D8  09D909DB  09DD09DF  09E109E2  09E409E6  09E809EA
(   40)   09EC09ED  09EF09F1  09F309F4  09F609F8  09F909FB  09FD270F  270F270F  0A050A07  0A090A0A  0A0C0A0E
(   80)   0A100A12  0A140A15  0A170A19  0A1B0A1D  0A1F0A21  0A220A24  0A260A28  0A2A0A2B  0A2D0A2F  0A300A32
(  120)   0A340A36  0A380A3A  0A3C0A3E  0A400A42  0A430A45  0A470A49  0A4B0A4D  0A4F0A50  0A520A54  0A560A58
(  160)   0A5A0A5C  0A5D0A5F  0A610A62  0A640A66  0A680A6A  0A6C0A6E  0A700A71  0A730A75  0A770A79  0A7B0A7D
(  200)   0A7F0A81  0A830A84  0A860A88  0A8A0A8C  0A8E0A90  0A920A93  0A950A97  0A990A9A  0A9C0A9E  0AA00AA2
(  240)   0AA40AA6  0AA80AA9  0AAC0AAD  0AAF0AB1  0AB30AB5  0AB70AB9  0ABB0ABD  0ABF0AC1  0AC20AC4  0AC60AC8
(  280)   0ACA0ACC  0ACE0AD0  0AD10AD3  0AD50AD7  0AD80ADA  0ADC0ADE  0AE00AE2  0AE40AE6  0AE80AEA  0AEC0AEE
(  320)   0AF00AF2  0AF40AF5  0AF70AF9  0AFB0AFD  0AFF0B01  0B030B05  0B070B08  0B0A0B0C  0B0E0B10  0B110B13
(  360)   0B150B17  0B190B1B  0B1D0B1F  0B210B23  0B250B27  0B290B2B  0B2D0B2F  0B310B32  0B340B36  0B380B3A
(  400)   0B3C0B3E  0B400B41  0B430B45  0B470B49  0B4B0B4D  0B4F0B51  0B530B55  0B570B59  0B5B0B5D  0B5F0B61
(  440)   0B620B64  0B660B68  0B6A0B6C  0B6E0B70  0B720B74  0B760B78  0B790B7B  0B7D0B7F  0B810B83  0B850B87
(  480)   0B890B8B  0B8D0B8F  0B910B93  0B950B97  0B990B9B  0B9D0B9F  0BA00BA2  0BA40BA6  0BA80BAA  0BAC0BAE
(  520)   0BB00BB2  0BB40BB5  0BB70BB9  0BBB0BBD  0BBF0BC1  0BC30BC5  0BC70BC9  0BCC0BCD  0BCF0BD1  0BD30BD5
(  560)   0BD70BD9  0BDB0BDD  0BDF0BE1  0BE30BE5  0BE70BE9  0BEB0BEC  0BEE0BF0  0BF20BF4  0BF60BF8  0BFA0BFC
(  600)   0BFE0C01  270F270F  270F0815  08170818  081A081C  081E0820  08220824  08260828  082A082C  082E0830
(  640)   08310833  08350837  0839083B  083D083F  08410844  08460848  084A084C  084E0850  08520854  08560858
(  680)   085A085C  085E0860  08620864  08660868  0869086B  086D086F  08710873  08750877  0879087C  087E0880
(  720)   08820884  08860888  088A088C  088E0890  08920894  08960898  089A089C  089E08A0  08A208A4  08A508A7
(  760)   08A908AC  08AE08B0  08B208B4  08B608B8  08BA08BC  08BE08C0  08C208C4  08C608C8  08CA08CD  08CF08D1
(  800)   08D308D5  08D708D9  08DB08DD  08DF08E1  08E208E4  08E608E8  08EA08ED  08EF08F1  08F308F5  08F708F9
(  840)   08FB08FD  08FF0901  09040906  0908090A  090C090E  09100912  09140916  0918091A  091C091E  09200922
(  880)   09240926  0928092A  270F270F  270F0932  09350937  0939093B  093D093F  09410943  09450947  0949094C
(  920)   094D0950  09520954  09560958  095A095C  095E0960  09620964  09660968  096A096C  096E0971  09730975
(  960)   09770979  097B097D  097F0981  09840986  0988098A  098C098E  09900992  09940996  0998099A  099C099E
( 1000)   09A009A2  09A409A6  09A909AB  09AD09AF  09B109B3  09B609B8  09BA09BC  09BE09C0  09C209C4  09C609C8
( 1040)   09CB09CD  09CF09D1  09D309D5  09D709D9  09DB09DD  09DF09E1  09E309E6  09E809EA  09EC09EE  09F009F3
( 1080)   09F509F7  09F909FB  09FD09FF  0A010A03  0A060A08  0A0A0A0C  0A0E0A10  0A120A14  0A160A18  0A1A0A1C
( 1120)   0A1F0A21  0A230A25  0A270A29  0A2C0A2E  0A300A32  0A340A36  0A380A3B  0A3D0A3F  0A410A43  0A450A47
( 1160)   0A4A0A4C  0A4E0A50  0A520A54  0A560A58  0A5A7171  71717171  71717171  71717171  71717171  71717171
( 1200)   71717171  71717171  71717171  71717171  71717171  71717171  717171FF  FFFF7171  71717171  71717171
( 1240)   71717171  71717171  71717171  71717171  71717171  71717171  71717171  71717171  71717171  71717171
( 1280)   71717171  71717171  71717171  71717171  71717171  71717171  71717171  71717171  71717171  71717171
( 1320)   71717171  71717171  71717171  71717171  71717171  71717171  71717171  71717171  71717171  7171FFFF
( 1360)   FF707070  70707070  70707070  70707070  70707070  70707070  70707070  70707070  70707070  70707070
( 1400)   70707070  70707070  70707070  70707070  70707070  70707070  70707070  70707070  70707070  70707070
```

DUMP OF TAPE X-442

chronsc

INPUT TAPE X-442 ON MT4
DATA INPUT H9 FL 1 1 1

Nov 4 1979

FILE 1 RECORD 1 LENGTH 3096BYTES

44181
Day 1 = -43874
307
days after day

(0)	[illegible]	[illegible]	[illegible]AC95	[illegible]3BCB9E	[illegible]EA6	44AC91[illegible]	40A883B2	43CFC046	43C1589F	43B21[illegible]02	43A1F7A5
(40)	439121D[illegible]	437FA1C5	436D8BAA	435AF476	4347F1D4	43349A09	4321[illegible]3DB	42D4673E	C2686BE1	C31A4C24	
(80)	C32DF21D	C3416121	C3545[illegible]D7	C3673D3F	C3797CC8	C38E2A73	C39C30F0	C3AC7BBB	C3BBF73A	C3CA90D4	
(120)	C3D[illegible]37[illegible]D	C3E4D99F	C3E[illegible]98F	C3FA[illegible]93F	C41041C8	C41[illegible]C28A	C4112F48	C411878A	C411CAF1	C411E938	
(160)	C4121234	C4121[illegible]D7	C412[illegible]42B	C411DD54	C411A18F	C4115134	C410ECB1	C410748B	C3FE9603	C3F4BDFF	
(200)	C3E9CD05	C3DDD[illegible]99	C3D[illegible]D759	C3C2F[illegible]E4	C3B42DCB	C3A49F77	C3945812	C3836A75	C371EA0D	C35FEAC8	
(240)	C34D60FE	C33AC158	C327C0CE	C314946E	C215167D	4311F314	432523E9	43382C1C	434AF6EC	435D6FE4	
(280)	436F82E9	43811C52	439228F4	43A29639	43B2522B	43C14B89	43CF71D5	43DCB567	43E90778	43F45A34	
(320)	43FEA[illegible]C9	441[illegible]7CF7	441[illegible]FDB8	44116BB9	43F699F5	441[illegible]CB[illegible]3	44109AC2	44111835	441182C7	4411D9F8	
(360)	44121D5B	44124C98	4412676D	44126DAD	44125F43	44123C2F	4412048B	4411B884	44115861	441[illegible]E481	
(400)	44105D58	43FC372F	43F17728	43E5A0FE	43D8C18B	43CAE6F5	43BC209E	43AC7F18	439C140D	438AF233	
(440)	43792D33	4366D993	4354[illegible]C9C	434[illegible]DC47	432D5F19	4319AC11	425DA83E	C2DFE[illegible]5	C321C5CE	C335653C	
(480)	C348C4C1	C35BCD14	C36E674D	C3258[illegible]9D	C3392[illegible]68	C34C76CE	C35F7191	C371F9D8	C383F94D	C3955A40	
(520)	C3A607C1	C3B5EDBD	C3C4F919	C3D317CE	C3E[illegible]3901	C3EC4D18	C3F745D1	C41D1165	C41[illegible]9B34	C411112C	
(560)	C41172CA	C411BFA2	C411F765	C41219DD	C41226EF	C4121E99	C41200F5	C411CE36	C41186A8	C4112AAF	
(600)	C41[illegible]BAC3	C41[illegible]3785	C3FA18F1	C3EF9A2B	C3E4[illegible]90C	C3D773BE	C3C9E97A	C3BB7A72	C3AC37BA	C39C3333	
(640)	C38B7F79	C37A2FC4	43F2A6B8	43FFB7F3	441[illegible]B97C	4411638A	4411F8E7	441278ED	4412E313	441336E8	
(680)	44137419	44139A6F	4413A9CE	4413A237	441383C7	44134EB3	44130340	4412A20D	44122B4F	44119FD6	
(720)	4411[illegible]46	441[illegible]4D66	43F8814[illegible]	43EB13C6	43DC9E[illegible]9	43CD3119	43BCDEF7	43ABBA80	4399D756	438749CC	
(760)	437426CD	436[illegible]83C8	434C769B	4338157D	432376E6	42EB17F3	C2623F98	C31AF2BF	C32FA41D	C3442187	
(800)	C35854A7	C36C2777	C37F8451	C3925605	C3A487ED	C3B6[illegible]601	C3C6BCE7	C3D69A09	C3E58BA8	C3F380ED	
(840)	C41[illegible]69F	C41[illegible]C380	C3D93D8[illegible]	C3E7FDC6	C3F5BEE9	C41C2713	C410E062	C41187C4	C4121A33	C412993F	
(880)	C413[illegible]38E	C4135[illegible]9A	C41397F4	C413C144	C413D44D	C413D[illegible]E6	C413B7D3	C41386AF	C4134011	C412E368	
(920)	C4127[illegible]0D	C411E973	C4114D28	C41[illegible]9CD1	C3FD92C6	C3F[illegible]30FF	C3E1B698	C3D233CA	C3C1BA22	C3B05C6C	
(960)	C39E2E9E	C38B45C1	C377B7D9	C3639BCB	C34F093E	C33A1884	C324E273	C2F804CB	425F465E	431B61F4	
(1000)	433[illegible]AEAB	C32[illegible]D28A	C2B7[illegible]1AA	42A[illegible]53	431F6427	4334A2A1	4349A1EA	435E48C1	43727E4F	43862A43	
(1040)	439934FA	43AB879D	43BD[illegible]C3D	43CDADF6	43DD59[illegible]5	43FBFAE9	43F98277	441[illegible]5DFE	44111051	4411AE53	
(1080)	44123754	4412AABE	44130816	44134EFD	44137F30	44139887	44139AF7	4413868F	44135B7C	44131A03	
(1120)	4412C283	44125574	4411D367	44113D04	441[illegible]9307	43FD6443	43F079EE	43E280FF	43D38A05	43C3A689	
(1160)	43E22C6D	43C98E69	43AFFEFA	43959D1C	437A88B2	435EE25D	4342CB4D	43266514	429D177A	C312CDBC	
(1200)	C32F56E0	C34BA899	C367A2C6	C38322EA	C39E[illegible]BCA	C3B83E18	C3D19C51	C3EA[illegible]A1A	C41016C6	C4117A97	
(1240)	C412CA92	C4140540	C4152974	C41635D6	C4172957	C418C2FA	C418C1E1	C419654A	C419EC91	C41A5732	
(1280)	C41AA4C6	C41AD5[illegible]6	C41AE7CA	C41ADD[illegible]7	C41AB4D3	C41A6F61	C41A0D[illegible]3	C419BE27	C418F35A	C4183D46	
(1320)	C4176CAF	C4168276	C4157F99	C4146528	C413345D	C411EE76	C41094D3	C3F28E91	C3DAC4[illegible]D	C3C2[illegible]76D	
(1360)	C411AE6F	C41[illegible]5133	C3EE1F9D	C3D624E5	C3BD3D1[illegible]	C3A3833A	C389137E	C36E[illegible]AE3	C352873D	C336A70F	
(1400)	C31A897[illegible]	421B2178	431DEBB[illegible]	433A[illegible]354	4355D8F[illegible]	43714C8D	438C3E71	43A68F48	43C02045	43D8D34F	
(1440)	43F[illegible]8B1E	441[illegible]72B6	4411C99[illegible]	4413[illegible]BA1	44143761	44154B61	4416464D	441726ED	4417EC27	44189503	
(1480)	441920A7	44198E5E	4419DD99	441A0DEA	441A1F[illegible]B	441A1[illegible]DC	4419E363	441996CF	44192B74	441A1EB4	
(1520)	441A0A87	4419D717	44196498	44191366	44188405	4417D71B	44170D77	4416280B	441527EA	4414CE4B	
(1560)	4412DC84	441194[illegible]8	441[illegible]3668	43EC54E6	43D427A8	43BAFC36	43A0F118	438625D1	436ABAB4	434EDOB5	
(1600)	4332893E	4316[illegible]5FF	C26973C8	C3232CBD	C33F99[illegible]6	C35EBB[illegible]6	C3777238	C3929ED1	C3AD21E2	C3C6DD75	
(1640)	C3DFB4B5	C3F78C06	C410E492	C4123D32	C4138[illegible]2D	C414AF26	C415C5DB	C416C428	40743AA4	4062BDEC	
(1680)	40513021	403FD3EC	402EE4F4	401F1EEE	4013E262	4C163E99	4023CEDA	4034CD19	4046E411	40596F0C	
(1720)	4[illegible]6C39[illegible]6	4[illegible]7F2F35	4[illegible]925115	40A57767	40B89A1D	4[illegible]CBAC[illegible]C	40DEAD1E	4[illegible]F19[illegible]9A	41[illegible]4461	41116BE5	
(1760)	41128EA6	4113ABAD	4114C1BD	4115CEAE	4116CD1B	4117A9F5	411815F8	4117A5DC	4116CB86	4115DB72	
(1800)	4114E7C9	4113F55A	411305BA	41121978	41113088	411C4B72	40F6987F	40E8ADA5	40DAF600	40CD74BD	
12 (1840)	4[illegible]C[illegible]5E[illegible]E	4[illegible]B3AFB3	4[illegible]A754EC	409B52A7	408FE6FC	4C851F3D	407B1AD5	407[illegible]05D1	408E8429	408354E1	
11 (1880)	4[illegible]78DF1B	4[illegible]6F4129	4[illegible]66AA4A	405F785A	405A17E[illegible]	4[illegible]56EDBF	405647AE	4[illegible]584C43	405CE5A[illegible]	4[illegible]63D4C8	
10 (1920)	406CC735	40775EF[illegible]	4083544F	409[illegible]58E1	409E2B82	4CAC80AA	40BB5EF9	4[illegible]CAA481	40DA28D1	40E9CF73	
9 (1960)	40F9903D	411C94F3	41118EF1	41128511	41137530	41145CB6	411537B2	4115FECD	4116A2CE	41170798	
8 (2000)	411[illegible]FB	4116B[illegible]B2	41161581	41157DC	41148[illegible]1	4113A985	4112C1E2	41158DFC	4114FF61	41144EB2	
7 (2040)	41138611	4112AB47	4111C194	411[illegible]CB08	40FC942B	4CFBDE3C	4CDA9B31	4[illegible]C8C31E	40B6741F	4[illegible]A3C550	
6 (2080)	4090B[illegible]AE	407D30D8	4[illegible]696320	4055563A	404[illegible]D968	4C2B71E7	4012BBF3	C4270F00	C4270F00	401738EA	
5 (2120)	4[illegible]2ECF62	4[illegible]439C3B	40577758D	4[illegible]6AB7C3	407D76D4	4C8FA99E	40A1219A	40B1B80F	40C18369	4[illegible]D085EF	
4 (2160)	4[illegible]DEDAC9	4[illegible]EC6474	4[illegible]F91B[illegible]	411[illegible]5[illegible]61	4111[illegible]2A1	4111A8[illegible]C	4138C1BC	41380584	413756DC	4136B2E1	
3 (2200)	4136174F	4135822B	4134F1D2	413464D1	4133D9D1	41334F96	4132C4E2	4132387D	4131A913	41311548	
(2240)	413[illegible]7B91	412FDA[illegible]D	412F2EA8	412E76C2	412DAF3C	412CD3E0	412BDF70	412ACAD9	41298C72	4128169E	
(2280)	4126558C	41242B4A	41216892	411DBECF	411[illegible]A33[illegible]	411111[illegible]C1	4[illegible]509A9B	4217115F	42153691	42135AAF	

(2320)	42121DA2	42116626E	421 EEC5	421 A1E1	421 6B5E	421042AC	421023D6	421 0992	41FF4890	41FE2BCD
(2360)	41FD3614	41FC5F51	41FB9DE4	41FAEFE6	41FA508F	41F9BCE5	41FC34B6	41FB7816	41FACD20	41FA302E
(2400)	41F99E6F	41F9159B	41F893D7	41F81794	41F79F6C	41F72A2B	41F6B6B4	41F643FC	41F5D0FD	41F55CAC
(2440)	41F4E5F	41F46B9A	41F3EC5D	41F366AE	41F2D8C8	41F24077	41F19B06	41FDE50C	41F 1A11	41EF342B
(2480)	41EE2B32	41ECF3B7	41EB7D05	41E9ADEB	41E75E5D	41E44B46	41DFFCA7	41D98B03	41CF1771	41BCDAA0
(2520)	419EC0FF	417C9C67	416506CD	41574EDE	414EFFD6	4197DFE6	41772043	4161D0DD	41556EAA	414DD19D
(2560)	4148C10B	41452771	4142749D	4140 5887	413EA3A9	413D3844	413C02B8	413AF5B0	413A07A1	413931A6
(2600)	41386E9A	4137BA88	4137124A	41367358	4135DB9F	41354962	4134BB1B	41342F63	4133A4EE	41331A8B
(2640)	41328EFC	41320106	41316F48	4130D840	41303A48	412F935E	412EE124	412E20B0	412D4E58	412C655B
(2680)	412B5F80	412A345E	4128D840	41273A48	C0C085AA	CCA74DAC	C08B4025	C06C56E4	C04ACF3D	C0273750
(2720)	BF26A164	40228E04	4046A648	4069025D	4089 0C2	40A68CEB	40C16FD9	40D9DA7D	40F003BC	411042BC
(2760)	41116957	4112781D	411372DE	41145CEA	41538C3	41160793	4116C804	411772F0	4117F0B6	4118C3D
(2800)	4117B938	411733C3	4116A0A2	41160C28	41157A3A	4114EB9E	41145FC2	4113D588	41134BC6	4112C1A5
(2840)	411236B5	4111AADD	41111E15	411 8FFD	40FFF7E1	40F6A75F	40ECDA6D	40E24CB6	40D6AE63	40C9A96B
(2880)	40BAE5F9	40AA0FBF	4096DB6F	40811368	40B22947	40AC5B7B	408C8389	40766879	405DF50B	40434500
(2920)	4026AE1C	3F8BBCA3	C015DE1F	C0345EDC	C052160E	C06E78BD	C0892BD5	C0A2039F	C0B8FAF1	C0CE2882
(2960)	C0E1B4D6	C0F3D16A	C1104B1A	C1114851	C1123733	C113198D	C113F064	C114BBF0	C1157BA8	C1162E54
(3000)	C116D21F	C11764AE	C117E303	C1184BC2	C1188DA5	C118A532	C11893D2	C1187071	C118467E	C1181688
(3040)	C117DD0E	C117956E	C1173B5A	C1183453	C1182E60	C118072B	C117BCAD	C1175312	C116CF37	C11634A8
(3080)	C1158595	C114C2E6	C113EC2D	C112FF8F						

FILE 1 RECORD 1551 LENGTH 3 96BYTES

(0)	00FF0000	0000AC95	0409A160	0000EA60	44AC910C	4CA883B2	44123F64	44120BA1	4411C378	4411672A
(40)	4410F711	4410739E	43FDD58D	43F34DDA	43E7AE17	43DBC2DC	43CD5A0B	43BEC2CA	43AF4D6B	439F0B61
(80)	438E0F29	437C6C3A	436A36EC	43578460	43446A67	4330FF6A	431D5A4B	429924A7	C2A41191	C31E083D
(120)	C331AB7B	C345134A	C3582859	C36AD3B1	C37CFED6	C38E93E0	C39F7D9C	C3AFA7AC	C3BEFE9C	C3CD7004
(160)	C3DAEA9C	C3E75E55	C3F2BC70	C3FCF791	C410603C	C41CDD6C	C4114679	C4119AEF	C411DA76	C41204CE
(200)	C41219D1	C4121974	C4120C7	C411D8F3	C411993B	C41144FA	C410DCA3	C4106CC0	C3FD1F35	C3F3CEFF
(240)	C3E7E800	C3DBB7F5	C3CE8DB1	C3C07905	C3B18AAF	C3A1D440	C39168CA	C3805904	C36EBABB	C35CA136
(280)	C34A20E2	C3374E80	C3243F0B	C31107A5	422427DE	43158A29	4328BA40	433BBDCD	434E8015	436 ECAC
(320)	4372EF87	43847500	43956A27	43A3BC57	43B559C2	43C43144	43D23282	43DF4DF5	43EB74FF	43F699F5
(360)	441 0B03	441 9AC2	44111835	441182C7	4411D9F8	44121D5B	44124C98	4412676D	44126DAD	44125F43
(400)	44123C2F	4412048B	4411B884	44115861	4410F481	4410C5D58	43FC372F	43F17728	43E5A0FE	43D8C18B
(440)	43CAE6F5	43BC209E	43AC7F18	439C140D	438AF233	43792D33	4366D993	43540C9C	4340DC47	432D5F19
(480)	4319AC11	425DA83E	C2DFE005	C321C5CE	C335653C	C348C4C1	C35BCD14	C36E674D	C3807D03	C391F869
(520)	C3A2C46B	C3B2CCD1	C3C1FE54	C3D046BA	C3DD94F0	C3E9D922	C3F504D0	C3FF0ADC	C4107DFA	C410F790
(560)	C4115CE7	C411AD90	C411E936	C4120F9E	C41220A8	C4121C4E	C41202A4	C411D3D9	C4119033	C4113813
(600)	C4100BF0	C4104C59	C3FB9F39	C3F15773	C3E5FB1A	C3D99820	C3CC3D8E	C3BDFB65	C3AEE28D	C39F04C1
(640)	C38E7476	C37D44C6	C36B8959	C359564F	C346C02E	C333DBC7	C320BE22	C2D7C6C5	425D41EA	43191E48
(680)	432C4CF3	433F4B2F	43F4FB4E	44101D11	4410D730	44117D3F	44120E81	44128A56	4412F039	44133FBF
(720)	4413789A	44139A99	4413A5A5	441399C5	44137719	44133DDC	4412EE66	44128925	4412 0EA2	44117F7B
(760)	441 DC67	441 2630	43F5DB67	43E83EAF	43D99D18	43CAC7D9	43B99119	43A84BD7	43964BD1	4383A571
(800)	437 6DB9	435CBA26	4343ADA4	4334376F	431F9506	42ADC0F8	C2A00B8F	C31EC696	C3336AE1	C3470719
(840)	C35BF4FD	C36FAE9C	C382EE6A	C3959F55	C3A7ACD6	C3B903C9	C3C98EBA	C3D93D8C	C3E7FDC6	C3F5BEE9
(880)	C4102713	C410E362	C4118704	C4121A33	C412993F	C413038E	C413589A	C41397F4	C413C144	C413D44D
(920)	C413D0E6	C413B703	C41386AF	C4134011	C412E368	C412710D	C411E973	C4114D28	C4109CD1	C3FD92C6
(960)	C3F030FF	C3E1B698	C3D233CA	C3C1BA22	C3B05C6C	C39E2F9E	C38B45C1	C377B7D9	C3639BCB	C34F093E
(1000)	C33A1864	C324E273	C2F804CB	425F465E	431B61F4	433CAEAB	4345C0F2	435A7F73	436ED136	43829DCC
(1040)	4395CD66	43A848FD	43B9FA6F	43CACC9B	43DAAB81	43E98459	43F745B1	44103DF7	4410F433	4411963C
(1080)	4412235F	44129AFE	4412FC9A	441347CF	44137C54	441399FC	4413A0B6	4413908E	441369A9	44132C48
(1120)	4412D8C7	44126F98	4411F149	44115E7C	4410B7EC	43FFE66F	43F32CEC	43E5618E	43D694B7	43C6D7C9
(1160)	43B63D10	43A4D7AA	4392BB71	437FFCE8	436CB123	4358EDB1	4344C887	433057EC	431BB25E	426EE872
(1200)	43DD864E	43C4B7DB	43AAFDE0	43907787	437544DC	4359869D	433D5E10	4320ECD1	42454AB9	C3184899
(1240)	C334C962	C3510C69	C36CF0ED	C3B656D2	C3A31ECB	C3BD2A7C	C3D65C9A	C3EE9909	C4105C4F	C411BC70
12 (1280)	C4130875	C4143EF6	C4155EAA	C4166660	C4175503	C418299D	C418E354	C419816C	C41A0348	C41A6867
11 (1320)	C41AD06B	C41ADB11	C41AE837	C41AD7D9	C41AAA11	C41A5F18	C419F746	C4197310	C418D3C6	C41817D8
10 (1360)	C4174250	C4165354	C4154BE6	C4142D1F	C412F833	C411AE6F	C4105133	C3EE1F9D	C3D624E5	C3BD3D10
9 (1400)	C3A3833A	C389137E	C36F0AE3	C352873D	C336A7CF	C31A8970	421B2178	431DEBB0	433A0354	4355D8F0
8 (1440)	43714C8D	438C3E71	43A68F48	43C02045	43D6D34F	43FC8B1E	44107286	4411C990	44130BA1	44143761
7 (1480)	44154B61	4416464D	441726ED	4417EC27	441895 3	44192CA7	44198E5E	4419DD99	441A0DEA	441A1F0B
6 (1520)	441A1 DC	4419E363	44199CCF	44192B74	4418A1CC	4417FA79	44173641	441656 E	44155AF0	44144614
5 (1560)	44131CC	4411D485	441 7ACB	43F D428	43D2DA7D	43BFDCDD	43A5F99D	438B5016	43700079	43542B9F
4 (1600)	4337F2E2	431B77EA	C21237CF	C31DBD91	C33A34C6	C35667EF	C3723666	C38D8039	C3A82647	C3C20A67
3 (1640)	C3DB 8A	C3E319D3	C41 ACEB	C411FD51	C4134555	C4147796	C41592CE	C41695D2	C4177F93	C4184F1F
(1680)	C4199C3A	C4199C08	C41A18D6	C41A7874	C41ABAE7	C41ADFF4	C41AE77E	C41AD187	40CC34D	405919C0
(1720)	4044AD23	402EAF18	4012CF76	C427CF00	C427CF00	C427CF00	40151540	4030CE4C	4047631C	405C9AB1

MAGSAT

MAGSAT ORBIT RET SUBROUTINE, TAPE

79-094A-01C,02C

THESE DATA SETS HAVE BEEN RESTORED. ORIGINALLY THERE WAS ONE 9-TRACK, 1600 BPI TAPE WRITTEN IN EBCDIC. THERE IS ONE RESTORED TAPE WRITTEN IN ASCII. THE DR TAPE IS A 3480 CARTRIDGE AND THE DS TAPE IS 9-TRACK, 6250 BPI. THE ORIGINAL TAPE WAS CREATED ON AN IBM 360 COMPUTER AND WAS RESTORED ON THE MRS SYSTEM. THE DR AND DS NUMBER ALONG WITH THE CORRESPONDING D NUMBER IS AS FOLLOWS:

DR#	DS#	D#	FILES
DR004658	DS004658	D038184	1

MAGSAT

PURDUE MAG FIELD ROUTINES, TAPE

79-094A-01D/02D

This data set has been restored. There was originally one 7-track, 800 BPI tape written in BCD. There is one restored tape written in ASCII. The DR tape is a 3480 cartridge and the DS tape is 9-track, 6250 BPI. The original tape was created on an IBM 360 computer and the restored tape was created on an IBM 9021 computer. The DR and DS numbers along with the corresponding D number are as follows:

DR#	DS#	D#	FILES
DR004368	DS004368	D038185	3

REQ. AGENT	RAND #	ACQ. AGENT
DEW	V0105	HKH

MAGSAT

ORBIT RET. SUBROUTINE

PURDUE PROGRAM AND DATA TAPE

79-094A-01C/02C

79-094A-01D/02D

79-094A-01C/02C

THIS TAPE IS 9-TRACK, 1600 BPI, EBCDIC, AND CONTAINS 1 FILE. THE TAPE WAS CREATED ON AN CDC COMPUTER. DOCUMENTATION: "MAGSAT ORBIT RETRIEVAL SUBROUTINES SOURCE LISTINGS" B32936-000A DLO=A! HCK=D! THE D AND C NUMBERS FOLLOW:

D#	C#
D-38184	C-20964

79-094A-01D/02D

THIS TAPE IS 7-TRACK, 800 BPI, BCD, AND CONTAINS 3 FILES. THE TAPE WAS CREATED ON AN CDC COMPUTER. THE D AND C NUMBERS FOLLOW:

D#	C#
D-38185	C-20965

79-094A-01C, 02C
(1st page of TRF B32936-000A)

MAGSAT ORBIT RETRIEVAL SUBROUTINES

A set of routines has been prepared to permit retrieval of orbit data from orbit records on CHRONICLE tapes.

These routines assume that the most recent orbit record encountered on the CHRONICLE tape resides in COMMON /ORBCRN/. The satellite position in cartesian (x, y, and z in kilometers) geographic (latitude and longitude in degrees and altitude in kilometers) or geomagnetic coordinates (invariant latitude in degrees, magnetic local time in hours, and dip latitude in degrees) may be obtained by calling subroutine FLDORB, specifying the time as modified Julian Day and milliseconds of day. This is the same format in which time is specified in the CHRONICLE data records.

Subroutine FLDORB also returns a field value estimate from a field model. The four field parameters are total field and x, y and z components in gammas.

An additional routine, CONDAT, is provided to facilitate conversions from calendar date to modified Julian Day and vice versa.

Additional information may be obtained from the self-documenting prologues in the source code listings.

MGINV4 performs the final stage of the inversion process which calculates the unknown sources.

MODELG calculates the gravitational field on the gridded region of a sphere due to a spherical distribution of single point sources.

MODELM calculates the magnetic field on the gridded region of a sphere due to a spherical distribution of dipole sources.

PLTCON2 uses the CALCOMP plotter or VERSATEC electrostatic printer to contour data matrices in an equal-area, stereographic polar projection.

79-094H-01D, 02D

3/19/80

Program and Data Tape from Purdue University

A catalog listing summarizing the contents of the three files that are included on the magnetic tape that was produced on the CDC computer at Purdue University is given here as Attachment 1.

The first file on the tape contains updated versions of the various processing programs that were included in Volume 2 of the report written in 1978 References 1 and 2 . In addition to the updated versions of the programs, a few of the program names were changed after the original report was written. It is thought that this should not cause a problem since the purpose of the programs is included with the self-documented code.

The second file on the tape includes data used in preparation of selected figures of the 1978 report.

The third file on the tape contains the program for computing the gravity and magnetic anomaly fields of non-idealized shaped sources within the spherical earth.

A sheet concerning 'Transferring Magnetic Tapes Between Computer Installations' that accompanied the latest tape from Purdue is given as Attachment 2.

Additional descriptive information concerning the package of programs on file 1 of the tape is included as Attachment 3. This attachment gives the program names and a brief description of the various program functions.

References

1. Bowman, P. L., L. W. Braile, Val W. Chandler, W. J. Hinze, A. J. Luca, and Ralph R. B. von Frese, Magnetic and Gravity Anomaly Correlation and Its Application to Satellite Data, Department of Geosciences, Purdue University, West Lafayette, Indiana, August 1978. NASA/GSFC TM79702, JAN. 1979

2. _____, Volume 2, Computer Codes, August 1978.

```
      CATALOG OF TAPE      FILE 1      02/05/80. 11.11.14.                    PAGE 1
REC   NAME        TYPE        LENGTH    SECTORS    CKSUM     DATE    COMMENTS

 1          P   TEXT          4446B        37       2055          PROGRAM BANDPS (INPUT,OUTPUT,PUNCH,TAPE1,TAPE7=PUNCH,TAPE5=INPUT,T
 2          P   TEXT          1430B        13       4676          PROGRAM DERIVA(INPUT,OUTPUT,PUNCH,TAPE7=PUNCH,TAPE5=INPUT,
 3          P   TEXT          2337B        20       2566          PROGRAM MAGPOL(INPUT,OUTPUT,PUNCH,TAPE5=INPUT,TAPE6=OUTPUT,TAPE7=
 4          P   TEXT          4163B        34       4641          PROGRAM UPCON (INPUT,OUTPUT,PUNCH,TAPE1,TAPE7=PUNCH,TAPE5=INPUT,TA
 5          P   TEXT          4476B        37       1536          PROGRAM STRASS (INPUT,OUTPUT,PUNCH,TAPE1,TAPE7=PUNCH,TAPE5=INPUT,T
 6          P   TEXT          1475B        13       5565          PROGRAM MPOILG (INPUT,OUTPUT,TAPE7,TAPE1,TAPE2,TAPE3,TAPE5=INPUT,T
 7          P   TEXT           617B         7       2665          PROGRAM BLOCK (INPUT,OUTPUT,PUNCH,TAPE1,TAPE8,TAPE5=INPUT,TAPE6=OU
 8          P   TEXT          4135B        34       1464          PROGRAM MAPVAR (INPUT,OUTPUT,PUNCH,TAPE5=INPUT,TAPE6=OUTPUT,TAPE7=
 9          P   TEXT          2251B        19       3241          PROGRAM CLUSTR (INPUT,OUTPUT,PUNCH,TAPE5=INPUT,TAPE6=OUTPUT,TAPE7=
10          P   TEXT           316B         4       4552          PROGRAM SKUZZ (INPUT,OUTPUT,PLOT,TAPE5=INPUT,TAPE6=OUTPUT)
11          P   TEXT          4550B        38       0202          PROGRAM PROVAR(INPUT,OUTPUT,TAPE5=INPUT,TAPE6=OUTPUT)
12          P   TEXT          5560B        46       2060          PROGRAM MGINV1(INPUT,OUTPUT,MATRIX1,MATRIX2,YDATA,
13          P   TEXT           714B         8       2132          PROGRAM MGINV2(OUTPUT,MATRIX1,MATRIX2,ATRANSA,YDATA,TAPE1=
14          P   TEXT          2234B        19       6500          PROGRAM MGINV3(OUTPUT,ATRANSA,YDATA,EIGENS,VMATRIX,TAPE12=
15          P   TEXT          1274B        11       2353          PROGRAM MGINV4(INPUT,OUTPUT,PUNCH,MATRIX1,VMATRIX,YDATA,EIGENS,
16          P   TEXT          4253B        35       4542          PROGRAM MODELM(INPUT,OUTPUT,PUNCH,TAPE10,TAPE5=INPUT,
17          P   TEXT          2245B        19       4511          PROGRAM MODELG(INPUT,OUTPUT,PUNCH,TAPE5=INPUT,TAPE6=
18          P   TEXT          4147B        34       6370          PROGRAM PLTCON2.(INPUT,OUTPUT,PLOT,TAPE5=INPUT,TAPE6=OUTPUT,PUNCH)

19    * EOF *          SUM =   64441B       429
      LENGTH OF THIS FILE IN FEET: 33
```

Attachment 1

```
      CATALOG OF TAPE      FILE 2      02/05/80. 11.11.14.
REC   NAME        TYPE        LENGTH    SECTORS    CKSUM     DATE    COMMENTS

 1    C           TEXT         13343B        92       5571  C         FIGURE D-1
 2    C           TEXT         13107B        90       0445  C         FIGURE D-4
 3    C           TEXT          2631B        23       5617  C         FIGURE D-9
 4    C           TEXT          6717B        56       2177  C         FIGURE D-6
 5    C           TEXT          2635B        23       4222  C         FIGURE D-10
 6    C           TEXT          2632B        23       7151  C         FIGURE D-11
 7    C           TEXT          1771B        16       3316  C         FIGURE D-12
 8    C           TEXT          1771B        16       3316  C         FIGURE D-12
 9    C           TEXT          1770B        16       1256  C         FIGURE D-13
10    C           TEXT          1351B        12       4044  C         FIGURE D-14
11    C           TEXT          1352B        12       3637  C         FIGURE D-17
12    ORIGINA     TEXT         13341B        92       7017  ORIGINAL NASA 1-DEG AVGD GRAV DATA (Z=0.0 KM), (-40,60-CI=10), BNDPS=0,,2
13    ORIGINA     TEXT         13337B        92       6452  ORIGINAL NASA 1-DEG AVGD ELEVATIONS  (-6000,3000-CI=300 M)

14    * EOF *          SUM =  105506B       564
      LENGTH OF THIS FILE IN FEET: 43
```

```
      CATALOG OF TAPE      FILE 3      02/05/80. 11.11.14.
REC   NAME        TYPE        LENGTH    SECTORS    CKSUM     DATE    COMMENTS

 1          P   TEXT          50607B       327       3362          PROGRAM SPHERE (INPUT,OUTPUT,GAUSS,FIELD,IGRF,TAPE10,TAPE5=INPUT,T
 2    GAUSS -   TEXT            251B         3       5563  GAUSS -------THIS LINE MUST BE DELETED BEFORE USING WITH SPHERE
 3    00 1965   TEXT            422B         5       3004  00 1965,   IGRF COEFFICIENTS
```

Attachment. c

6. Transferring Magnetic Tapes Between Computer Installations

Since magnetic tape provides a compact medium for storing information in an easily portable form, it is frequently used as the medium for transferring information (e.g., programs and/or data) between computer installations. On the surface this appears safe, but in reality there are problems involved because of differences in: (a) number of recording tracks, (b) selections of recording densities, (c) representation of characters, (d) length of physical records, (e) tape labelling, and (f) various other strange things. In order to minimize the problems in magnetic tape interchange, observe the following recommendations if possible or unless you know otherwise:

(1) Use ~~7~~ 9-track, half-inch magnetic tape at a recording density of 6250 ~~800~~ bpi.
(2) Use external ~~BCD~~ ASCII format.
(3) Don't block the tape.
(4) Send a description of the tape including:
  (a) Manufacturer and model number of the source computer;
  (b) The number of tape reels sent;
  (c) The number of tracks on each reel; ~~7~~ 9
  (d) The recording density of each reel (in bpi); ~~800~~ 6250
  (e) The number of logical files (or file marks) on each reel; FILE #
  (f) The parity of each logical file; ~~EVEN~~ (?) ODD
  (g) The number of physical records in each logical file; REC-see catalog
  (h) The blocking factor;
  (i) The maximum number of characters per physical record; 80
  (j) The number of bits per character or byte.
(5) Send a listing of <u>at least</u> the first 250 unit records (line images, etc.) of <u>each</u> file.
(6) Send a table describing the character code used to write the tape.
(7) Place an informative tape label on each tape reel.

It is not always possible to follow all of the above recommendations but it is not within the scope of this document to discuss all the problems that can arise when tapes are transferred between computer installations. The reader is referred to PUCC document ZO-CNVRTAP for more complete information about interchanging information between computer installations on magnetic tape.

Program Names and Descriptions

Brief descriptions for the processing programs on file 1 of the tape furnished by Purdue University are given below.

BANDPS performs bandpass filtering on uniformly gridded one or two dimensional data sets.

DERIVA performs Nth order vertical or horizontal differentiation of uniformly gridded one or two dimensional data sets.

MAGPOL reduces to vertical polarization uniformly gridded one or two dimensional magnetic data sets.

UPCON performs upward or downward continuation on uniformly gridded one or two dimensional data sets.

STRASS performs strike-sensitive filtering on uniformly gridded two dimensional data sets.

MPOILG performs internal correspondence analysis (ICA) on uniform two dimensional magnetic data reduced to the pole and the first vertical derivative of gravity.

BLOCK plots two dimensional ICA results as line printer contour maps.

MAPVAR performs initial stage of cluster analysis which divides uniform two dimensional data spaces into square subareas and calculates up to 18 statistical and vector characteristics for each subarea.

CLUSTER performs the final stage of cluster analysis which clusters the two dimensional gravity and magnetic variables calculated by program MAPVAR.

SKUZZ plots the two dimensional clustering results using the CALCOMP plotter or VERSATEC electrostatic printer as plotter devices.

PROVAR calculates up to 14 statistical and vectorial characteristics of uniformly gridded one dimensional gravity and magnetic profiles and performs the cluster analysis.

MGINV1 performs the first stage of the inversion process which reads the magnetic or gravity field data and calculates the matrix A.

MGINV2 performs the second stage of the inversion process which calculates the product A^T*A and writes it onto file ATRANSA.

MGINV3 performs the third state of the inversion process which determines the eigenvalues of matrix A and writes them onto file EIGEN.

Fig 1

E- 3. . . . . BAND performs high-cut, low-cut or bandpass filtering in the frequency domain of uniformly gridded one or two dimensional data sets.



Compiler Errors

1 level 8
Data initialization syntax error in subroutine CONTR
2 level 4 — word size
2 level 4 — equivalence
[illegible] external references

E11 . . . CONTR2 generates line printer contour maps of gridded data input in successive west to east rows, starting in the southwest corner.

PROGRAM CONTR2

(Single routine)

///

E-36. . . . . BLOCK plots two dimensional ICA results as line printer contour maps.

File 2

PROGRAM BLOCK

(Single routine)

Compiler Errors

1 level 8 - data initialization
1 level 8 - 1b - (EOF) end of file unit?

File 3

E-45. . . . . CLUSTER performs the final stage of cluster analysis which clusters the two dimensional gravity and magnetic variables calculated by program MAPVAR.



Compiler Errors

none

E- 9. . . . . GRAV2D performs Nth order vertical or horizontal differentiation in the frequency domain of uniformly gridded one or two dimensional data sets. F.4 4



Compiler Errors

2 level 4 word size
25 level 04 variable longer than 6 characters
8 level 4 - skipping write statements

E-13. . . . . POLE2D reduces to vertical polarization uniformly gridded one or two dimensional magnetic data sets in the frequency domain.

Fig 5



⊛ CALCOMP routines

E-38. . . . . MAPVAR performs initial stage of cluster analysis which divides uniform two dimensional magnetic and gravity data spaces into square subareas and calculates up to 18 statistical and vector characteristics for each subarea.



Compiler Errors

none

File 7

E-61. . . . . MGINV1 performs the first stage of the inversion process which reads the magnetic or gravity field data and calculates the matrix A.



Compiler Errors

4 level 4 — word size

File 8

E-71. . . . . MGINV2 performs the second stage of the inversion process which calculates the product A^T*A and writes it onto file ATRANSA.



(**) System routines

Compiler Errors

no Errors

E-73. . . . . MGINV3 performs the third state of the inversion process which determines the eigenvalues of matrix A and writes them onto file EIGEN.

File 9



(**) System routine(s)

Compiler Errors

1	level 8	data initialization
3	level 4	word size Error

E-78. . . . . MGINV4 performs the final stage of the inversion process which calculates the unknown sources.

File 10



** System routine

Compiler Errors

1 level 4 word size

E-81. . . . . MODELG calculates the radial component of the gravitational field on the gridded region of a sphere due to a spherical distribution of single point masses. File 11



Compiler Errors

1 level 8 data intialization
1 level 4 word size

File 12

E-86. . . . . MODELM calculates the total magnetic field on the gridded region of a sphere due to a spherical distribution of dipole sources. This program also differentially reduces equivalent source magnetic fields to radial polarization.



Compiler Errors

3	level	4	wordsize
1	level	8	data initialization

File 13

E-32. . . . . MPOILG performs internal correspondence analysis (ICA) between the uniform two dimensional magnetic data reduced to the pole and the first vertical derivative of gravity.



Compiler Errors

1 level 4 - word size

File 14

E-94. . . . . PLTCON2 uses the CALCOMP plotter or VERSATEC electrostatic printer to contour data matrices in an equal-area, stereographic polar projection.



⊛ CALCOMP routine

Compiler Errors

2 level 4 word size
1 level 4 due to 1 level 8
1 level 8 - 1b (EOF) end of file on unit code ?
1 level 8 — double = signs

E-52. . . . . PROVAR calculates up to 14 statistical and vectorial characteristics of uniformly gridded one dimensional gravity and magnetic profiles and performs the cluster analysis.



⊗ CALCOMP routines

Compiler Errors

2 level 4 word size

E-51. . . . . SKUZZ plots the two dimensional clustering results using the CALCOMP plotter or VERSATEC electrostatic printer as plotting devices.

File 6



⊛ CALCOMP Routines

Compiler Errors.

4 level 4 — variable name longer that 6 characters
3 level 8 — DO loop delimeter invalid
can be fixed

File 18

E-25. . . . . STRASS performs strike-sensitive filtering in the frequency domain of uniformly gridded two dimensional data sets.



Compiler Errors

1 level 8 - data initialization syntax error in subroutine CONT
2 level 4 - word size
2 level 4 - equivalence

File 19

E-20. . . . . UCON2D performs upward or downward continuation in the frequency domain of uniformly gridded one or two dimensional data sets.



Compiler Errors

3 level 4 — word size
2 level 4 — equivalence
1 level 4 — wrong type function — must be corrected

Magsat program

DRC 438

DSC # 445

```
FAST ANALYSIS OF TAPE AND RECOVERY -- FATAR   VER 4.3.5   -- INNOVATION DATA PROCESSING  AUTHORIZED  10/15/93   PAGE  1

FATS070 CONTROL CARD TABLE SIZE IS   4096 BYTES

FATAR CONTROL CARDS

   1--ANALYZE
   2--    PRINT LF=1,B=1-250,CHAR
   3--    PRINT LF=2,B=1-250,CHAR
   4--    PRINT LF=3,B=1-250,CHAR

FATS071 TAPE BUFFER SIZE IS 65535 BYTES

FATS040 TAPEIN IS NOT LABELED - LABELS=NO ASSUMED

                                        CHARACTERISTICS OF THE TAPE TO BE ANALYZED
                                                UNIT  SERIAL  DEN  TRTCH
                                                 5BD  NC2001  38000

                                                  FATAR DETAIL REPORT

 BLOCK  LNGTH/  MESSAGE/                1...5...10...15...20...25...30...35...40...45...50...55...60...65...70...75...80
 NUMBER DISPL   BLOCK TYPE                   (COLUMN GRID IS VALID ONLY FOR CHARACTER FORMATTED DATA)

* * * * * * *  START FILE       1

               FATS038 DATA FILE IN ISCII/ASCII - TRANSLATED TO EBCDIC

      1    80  PRINT REQUESTED                PROGRAM BANDPS %INPUT,OUTPUT,PUNCH,TAPE1,TAPE7#PUNCH,TAPE5#INPUT,T

      2    80  PRINT REQUESTED               1APE6#OUTPUT<

      3    80  PRINT REQUESTED          C*****************************************************************************

      4    80  PRINT REQUESTED          C                   PROGRAM BAND

      5    80  PRINT REQUESTED          C*****************************************************************************

      6    80  PRINT REQUESTED          C

      7    80  PRINT REQUESTED          C     ***************************************************************************

      8    80  PRINT REQUESTED          C     PROGRAM BANDPS PERFORMS BAND PASS FILTERING ON UNIFORMLY GRIDDED

      9    80  PRINT REQUESTED          C     ONE OR TWO DIMENSIONAL DATA SETS.  THIS PROGRAM CALCULATES AND RE-

     10    80  PRINT REQUESTED          C     MOVES THE MEAN VALUE OF THE INPUT DATA PRIOR TO PROCESSING.  USER

     11    80  PRINT REQUESTED          C     SPECIFIED OUTPUTS %SEE DATA CARD 3< INCLUDE LISTINGS AND/OR PUN-

     12    80  PRINT REQUESTED          C     CHED DECKS AND/OR LINE PRINTER %LP< CONTOUR MAPS OF THE ORIGINAL

     13    80  PRINT REQUESTED          C     INPUT DATA AND/OR THE FILTERED DATA AND/OR THE FILTER.  THE FIL-

     14    80  PRINT REQUESTED          C     TERED DATA MAY BE OUTPUT WITH OR WITHOUT THE MEAN VALUE RETURNED.

     15    80  PRINT REQUESTED          C     ***************************************************************************
```

```
  1   MGST(6/80)  NCV 5,6 SCALAR + FINE ATT.   FORMAT(2I3,6F11.4)
  2   2  1-29989.6000     0.0        0.0        0.0        0.0        0.0
  3   2  2 -1958.5900  5608.0500     0.0        0.0        0.0        0.0
  4   3  1 -1994.8100     0.0        0.0        0.0        0.0        0.0
  5   3  2  3027.2400 -2127.3300     0.0        0.0        0.0        0.0
  6   3  3  1661.5500  -196.0600     0.0        0.0        0.0        0.0
  7   4  1  1279.9000     0.0        0.0        0.0        0.0        0.0
  8   4  2 -2179.8400  -334.4090     0.0        0.0        0.0        0.0
  9   4  3  1251.4200   270.6580     0.0        0.0        0.0        0.0
 10   4  4   833.0320  -251.0980     0.0        0.0        0.0        0.0
 11   5  1   938.2940     0.0        0.0        0.0        0.0        0.0
 12   5  2   782.4820   211.6350     0.0        0.0        0.0        0.0
 13   5  3   358.4200  -256.7480     0.0        0.0        0.0        0.0
 14   5  4  -419.2190    52.0013     0.0        0.0        0.0        0.0
 15   5  5   199.2610  -297.6150     0.0        0.0        0.0        0.0
 16   6  1  -217.3690     0.0        0.0        0.0        0.0        0.0
 17   6  2   357.5530    45.1858     0.0        0.0        0.0        0.0
 18   6  3   261.0170   149.4470     0.0        0.0        0.0        0.0
 19   6  4   -73.8681  -150.2620     0.0        0.0        0.0        0.0
 20   6  5  -162.0130   -78.0919     0.0        0.0        0.0        0.0
 21   6  6   -48.2513    91.8463     0.0        0.0        0.0        0.0
 22   7  1    48.3327     0.0        0.0        0.0        0.0        0.0
 23   7  2    65.1825   -14.5014     0.0        0.0        0.0        0.0
 24   7  3    41.3863    93.3856     0.0        0.0        0.0        0.0
 25   7  4  -192.2180    70.6072     0.0        0.0        0.0        0.0
 26   7  5     3.5149   -42.8526     0.0        0.0        0.0        0.0
 27   7  6    13.7031    -2.3682     0.0        0.0        0.0        0.0
 28   7  7  -107.5670    16.8745     0.0        0.0        0.0        0.0
 29   8  1    71.6800     0.0        0.0        0.0        0.0        0.0
 30   8  2   -58.9966   -82.4096     0.0        0.0        0.0        0.0
 31   8  3     1.6067   -27.5058     0.0        0.0        0.0        0.0
 32   8  4    20.5053    -4.9366     0.0        0.0        0.0        0.0
 33   8  5   -12.6077    16.1242     0.0        0.0        0.0        0.0
 34   8  6    -0.5904    18.0758     0.0        0.0        0.0        0.0
 35   8  7    10.6249   -22.9375     0.0        0.0        0.0        0.0
 36   8  8    -1.9699    -9.9301     0.0        0.0        0.0        0.0
 37   9  1    18.4394     0.0        0.0        0.0        0.0        0.0
 38   9  2     6.7631     6.9056     0.0        0.0        0.0        0.0
 39   9  3    -0.1489   -17.8990     0.0        0.0        0.0        0.0
 40   9  4   -10.8002     4.0257     0.0        0.0        0.0        0.0
 41   9  5    -7.0326   -22.2823     0.0        0.0        0.0        0.0
 42   9  6     4.2919     9.1702     0.0        0.0        0.0        0.0
 43   9  7     2.7468    16.1325     0.0        0.0        0.0        0.0
 44   9  8     6.2539   -13.1125     0.0        0.0        0.0        0.0
 45   9  9    -1.1676   -14.8342     0.0        0.0        0.0        0.0
 46  10  1     5.5558     0.0        0.0        0.0        0.0        0.0
 47  10  2    10.3702   -21.0515     0.0        0.0        0.0        0.0
 48  10  3     1.1118    15.1903     0.0        0.0        0.0        0.0
 49  10  4   -12.6489     8.9302     0.0        0.0        0.0        0.0
 50  10  5     9.5247    -4.8391     0.0        0.0        0.0        0.0
 51  10  6    -3.3030    -6.5392     0.0        0.0        0.0        0.0
 52  10  7    -1.2556     8.9786     0.0        0.0        0.0        0.0
 53  10  8     6.7714     9.5449     0.0        0.0        0.0        0.0
 54  10  9     1.3578    -5.8746     0.0        0.0        0.0        0.0
 55  10 10    -5.0942     2.1059     0.0        0.0        0.0        0.0
 56  11  1    -3.2831     0.0        0.0        0.0        0.0        0.0
 57  11  2    -3.4900     1.4044     0.0        0.0        0.0        0.0
 58  11  3     2.47[illegible]   [illegible].3988   0.0        0.0        0.0        0.0
```

59	11	4	-5.3443	2.6444	0.0	0.0	0.0	0.0
60	11	5	-2.0779	5.6026	0.0	0.0	0.0	0.0
61	11	6	4.5630	-4.2165	0.0	0.0	0.0	0.0
62	11	7	3.1328	-0.4397	0.0	0.0	0.0	0.0
63	11	8	0.6139	-1.2644	0.0	0.0	0.0	0.0
64	11	9	1.8402	3.4847	0.0	0.0	0.0	0.0
65	11	10	2.8489	-0.5119	0.0	0.0	0.0	0.0
66	11	11	-0.5456	-6.1986	0.0	0.0	0.0	0.0
67	12	1	2.4353	0.0	0.0	0.0	0.0	0.0
68	12	2	-1.3253	0.7421	0.0	0.0	0.0	0.0
69	12	3	-1.9499	1.7053	0.0	0.0	0.0	0.0
70	12	4	2.2248	-1.1394	0.0	0.0	0.0	0.0
71	12	5	0.0532	-2.7056	0.0	0.0	0.0	0.0
72	12	6	-0.4381	0.5994	0.0	0.0	0.0	0.0
73	12	7	-0.3155	-0.1395	0.0	0.0	0.0	0.0
74	12	8	1.6908	-2.3812	0.0	0.0	0.0	0.0
75	12	9	1.8305	-0.3055	0.0	0.0	0.0	0.0
76	12	10	-0.5874	-1.4414	0.0	0.0	0.0	0.0
77	12	11	2.1200	-1.5751	0.0	0.0	0.0	0.0
78	12	12	3.5175	0.6205	0.0	0.0	0.0	0.0
79	13	1	-1.5746	0.0	0.0	0.0	0.0	0.0
80	13	2	0.3904	0.5739	0.0	0.0	0.0	0.0
81	13	3	-0.1293	0.6441	0.0	0.0	0.0	0.0
82	13	4	-0.1230	2.3219	0.0	0.0	0.0	0.0
83	13	5	0.5830	-1.5213	0.0	0.0	0.0	0.0
84	13	6	0.5310	0.4778	0.0	0.0	0.0	0.0
85	13	7	-0.5517	0.1566	0.0	0.0	0.0	0.0
86	13	8	-0.4034	-0.4120	0.0	0.0	0.0	0.0
87	13	9	0.1287	0.0044	0.0	0.0	0.0	0.0
88	13	10	-0.4352	-0.0072	0.0	0.0	0.0	0.0
89	13	11	-0.2169	-1.4700	0.0	0.0	0.0	0.0
90	13	12	0.6542	0.3176	0.0	0.0	0.0	0.0
91	13	13	-0.0422	0.7006	0.0	0.0	0.0	0.0
92	14	1	0.0014	0.0	0.0	0.0	0.0	0.0
93	14	2	-0.4890	-0.3715	0.0	0.0	0.0	0.0
94	14	3	0.3090	0.3883	0.0	0.0	0.0	0.0
95	14	4	-0.6988	1.5578	0.0	0.0	0.0	0.0
96	14	5	-0.0122	0.0007	0.0	0.0	0.0	0.0
97	14	6	1.1511	-0.5763	0.0	0.0	0.0	0.0
98	14	7	-0.4207	-0.0886	0.0	0.0	0.0	0.0
99	14	8	0.4438	0.8332	0.0	0.0	0.0	0.0
100	14	9	-0.5596	0.1782	0.0	0.0	0.0	0.0
101	14	10	0.1910	0.7747	0.0	0.0	0.0	0.0
102	14	11	0.1321	0.4524	0.0	0.0	0.0	0.0
103	14	12	0.3599	-0.0995	0.0	0.0	0.0	0.0
104	14	13	-0.3901	-0.0499	0.0	0.0	0.0	0.0
105	14	14	-0.0220	-0.1485	0.0	0.0	0.0	0.0
106								
107			20.3506	-.57065	-.403			

EXI

$WEO LPS

MAGSAT

USER PROGRAMS, TAPE

79-094A-01E,02H

THIS DATA SET HAS BEEN RESTORED. ORIGINALLY IT CONTAINED ONE 9-TRACK, 1600 BPI TAPE WRITTEN IN EBCDIC. THERE IS ONE RESTORED TAPE WRITTEN IN ASCII. THE DR TAPE IS A 3480 CARTRIDGE AND THE DS TAPE IS 9-TRACK, 6250 BPI. THE ORIGINAL TAPE WAS CREATED ON AN IBM 360 COMPUTER AND WAS RESTORED ON THE MRS SYSTEM. THE DR AND DS NUMBER ALONG WITH THE CORRESPONDING D NUMBER AND THE TIME SPAN IS AS FOLLOWS:

DR#	DS#	D#	FILES
DR004405	DS004405	D041557	1-37

REQ. AGENT	RAND NO.	ACQ. AGENT
RSH	Y0105	HKH

MAGSAT
79-094A-01E/02H
MAGNETIC ANALYSIS PROGRAMS

This data set consists of 1 tape containing 37 files of data. This tape was created on an IBM 360 computer, is 1600 BPI, 9 TRACK, and written in EBCDIC. The D and C numbers are as follows.

D#	C#
D-41557	C-21065

MAGNETIC ANALYSIS PROGRAMS & DOCUMENTATION

PROGRAM	B#	DOCUMENTATION
1. RDCHRN		INTERNAL
2. TIB		INTERNAL
3. FLDORB	B-32926-000A	MAGSAT ORBIT RETRIEVAL SUBROUTINES SOURCE LISTINGS
4. CVTJUL	B-32936-000A	MAGSAT ORBIT RETRIEVAL SUBROUTINES SOURCE LISTINGS
5. FIT	B-32942-000A	FIT PROGRAM & USER'S GUIDE
6. FDG	B-32940-000A	"GEOMAGNETIC FIELD MODEL EVALUATION SOFTWARE"
7. JCL	B-32937-000A	"THE EQUIVALENT SOURCE MAGNETIC ANOMALY PROGRAM (ESMAP) USER'S GUIDE"
8. ALBERS & SUBROUTINES	B-32937-000A	"THE EQUIVALENT SOURCE MAGNETIC ANOMALY PROGRAM (ESMAP) USER'S GUIDE"
9. ALBERS (WITH PLOTING)	B-32937-000A	"THE EQUIVALENT SOURCE MAGNETIC ANOMALY PROGRAM (ESMAP) USER'S GUIDE"
10. LAMBERT	B-32937-000A	"THE EQUIVALENT SOURCE MAGNETIC ANOMALY PROGRAM (ESMAP) USER'S GUIDE"
11. FILES 7-10 COMBINED	B-32937-000A	"THE EQUIVALENT SOURCE MAGNETIC ANOMALY PROGRAM (ESMAP) USER'S GUIDE"
12. DBCOMP	B-32939-000A	"DELTA-B COMPUTATION PACKAGE DBCOMP DESCRIPTION AND USER'S GUIDE"
13. INDEX OF DIPOLES	B-32939-000A	"DELTA-B COMPUTATION PACKAGE DBCOMP DESCRIPTION AND USER'S GUIDE"
14. DIPOLES FOR THE WORLD	B-32939-000A	"DELTA-B COMPUTATION PACKAGE DBCOMP DESCRIPTION AND USER'S GUIDE"

PURDUE PROGRAMS: (FILES 15-34)

15. BANDPS	B-32423-000A	1. "SPHERICAL EARTH GRAVITY AND MAGNETIC ANOMALY MODELING"
16. BLOCK	B-32938-000A	2. "MAGNETIC & GRAVITY ANOMALY CORRELATION AND ITS APPLICATION TO SATELITE DATA"
17. CLUSTR	B-32425-000A	3. "SPHERICAL EARTH ANALYSIS AND MODELING OF LITHOSPHERIC GRAVITY AND MAGNETIC ANOMALIES"

PROGRAM	B#	DOCUMENTATION
18. DERIVA		
19. MAGPOL		
20. MAPVAR		
21. MGINV1		
22. MGINV2		
23. MGINV3		
24. MGINV4		
25. MODELG		
26. MODELM		
27. MPOILG		
28. PLTCON 2		
29. PROVAR		
30. SKUZZ		
31. SPHERE	B-32423-000A	DOLCAT=C! SPHERICAL EARTH GRAVITY AND MAGNETIC ANOMALY MODELING
32. STRASS		
33. UPCON		
34. DATA FOR USE IN PROGRAMS		
35. ADEPT ✓	B-32941-000A	"U.S. DEPT. OF THE INTERIOR-PRELIMMARY DOC. OF PROG."FFTFIL"
36. SPHERE (GSFC) ✓	B-32423-000A	DLOCAT=C!
37. MGST (6/80) ✓		INITIAL GEOMAGNETIC FIELD MODEL FROM MAGSAT VECTOR DATA GEOPHYSICAL RESEARCH LETTERS VOL. 7, NO. 10 PAGES 793-796 (10/80)

B32441-000H DLW=C
RETURN TO RALPH POST

#9
file 35
for use w/ ADEPT

UNITED STATES DEPARTMENT

OF THE INTERIOR

GEOLOGICAL SURVEY

PRELIMINARY DOCUMENTATION OF PROGRAM "FFTFIL"

by

Thomas G. Hildenbrand

U.S. Geological Survey

Denver, Colorado 80225

This report is preliminary and has not been edited or reviewed for conformity with U.S. Survey Geological Standards

Disclaimer

Although "fftfil" has been subjected to several tests on the Honeywell computer, its usage, thus far, has, primarily, been limited to its creator. Consequently, a warranty on accuracy or proper function is neither implied nor expressed.

CONTENTS OF SOFTWARE TAPE

I. GENERAL DESCRIPTION OF CONTENTS

A. Programs Which Operate on Magsat Data Tapes

1. Subroutine RDCHRN: Reads a chronicle tape on IBM 360.

   Documentation: Internal to the Program

2. Subroutine TIB: Reads and prints Investigator-B tape on IBM 360.

   Documentation: Internal to the Program

3. Programs to Interpret Orbit Records (IBM 360)

   FLDORB: The basic program

   INTORB: Interpolation routine called by FLDORB

   STIROB: Stirling Interpolation, called by FLDORB and by INTORB

   RDCOF, FIELD

   SATPO1: Computes altitude, longitude and altitude (geocentric), called by FLDORB and by INTORB

   FDG1: Computes geomagnetic field. Special version for use with FLDORB

   Documentation: (1) Magsat orbit Retrieval Subroutines Source Listings

   (2) Magsat Data Processing System Specifications

4. Programs to Convert Time (IBM 360):

   CVTJUL: Converts modified Julian date (MJD) to year and fraction of year

   CONDAT: (1) Converts month, day, year to MJD

   (2) Converts year, day of year to MJD

   (3) Converts MJD to month, day, year and to year and day of year.

   ADDTIM: Increments or decrements a given time

   Documentation: Same as 3.

3. Programs to Interpret and Analyze Data

1. FIT Program: Program for Derivation of Geomagnetic Spherical Harmonic Analysis. Operates on IBM 360.

   Documentation: Fit Program Description and Users' Guide by R.H. Estes.

2. FDG Program: for computing the earth's main magnetic field from spherical harmonic coefficients. (IBM 360.)

   Includes subroutines MAGF and EXTFLD.

   Documentation: "Geomagnetic Field Model Evaluation Software."

3. Program for Derivation of Equivalent Source Representation of Crustal Anomalies (IBM 360).

   Documentation: "The Equivalent Source Magnetic Anomaly Program (ESMAP) Users' Guide."

4. Programs for Computing Crustal Anomaly Fields from an Equivalent Source Representation (IBM 360).

   Documentation: "Delta-B Computation Package (DBCOMP) Program Description and Users' Guide."

5. Purdue University Programs for Analysis of Gravity and Magnetic Anomaly Data (CDC and IBM).

   Bandpass Filtering

   Differentiation

   Continuation

   Strike Filtering

   Internal Correspondence Analysis

   Cluster Analysis

   3-D Spherical Earth Modeling.

   Documentation:

   (1) Magnetic and Gravity Anomaly Correlation and its Application to Satellite Data, Bowman et al., 1979

   (2) Spherical Earth Gravity and Magnetic Anomaly Modeling by Gauss-Legendre Quadrature Integration, von Frese et al., 1980a

   (3) Spherical Earth Analysis and Modeling of Lithospheric Gravity and Magnetic Anomalies, von Frese et al., 1980b

6. Program to Estimate Depth to the Magnetic Basement, ADEPT (IBM 360)

Documentation: Preliminary Documentation of Program "FFTFIL,"

Tom Hildenbrand, USGS

7. University of Miami (Christopher Harrison) Programs for Magsat Analysis (Univac, Fortran).

Program Description

a. Program TAPERD (TAPE READ)

Translates NASA supplied EBCDIC tape and stores on disk.

b. Program FILEUP (FILL BREAK DOWN)

Sorts data into specified subfiles based on geographical broundaries supplied by user. Calculates and stores spherical coordinates and direction of main field for each data point.

c. Program INVERT (FIELD INVERSION)

Calculates the matrix relating field measurement to equivalent source magnetization. Solves the matrix equation using the Crout varient of Gauss-Jorden reduction. Provision is made for using either dipoles or spherical prisms as the equivalent sources.

d. Program MAGPLT (MAGNETIZATION PLOT)

e. Program FLDPLT

Uses the output of INVERT and expands the equivalent source array to a grid of field values at specified altitude. Contours, plots and stores resultant field.

f. Program FLDFIT

Determines how well the calculated field matches the observed field. Produces a series of satellite track plots comparing calculated to observed.

g. Program TRCPLT

Calculates, plots and stores a magnetic profile at given altitude and orientation using the output from INVERT.

II. TAPE ORGANIZATION.

The software is contained in 38 files on an IBM360 tape with RECFM=FB, LRECL=80 and BLKSIZE = 7280.

FILE 1: contains RDCHRN

FILE2: contains TIB

FILE 3: contains the programs to read and interpret MAGSAT orbit records.

FILE 4: contains the programs to convert time.

FILE 5: contains the FIT program.

FILE 6: contains the FDG program and supporting subroutines.

FILES 7 through 11: contain the programs for derivation of equivalent source solutions:

7: Job Control Language
8: Version using Albers Equal Area projection, no plotting capability
9: Same as 8 except plotting capability added.
10: Version using Lambert Equal Area projection.
11: Contents of files 8-10 combined into one file.

FILES 12-14: contain programs for computing crustal anomaly fields from an equivalent source representation.

12: the software
13: an index for available dipoles
14: the dipoles for the world.

FILES 15-34: contain Purdue University Programs for Analysis of gravity and magnetic anomaly data.

15: BANDPS
16: BLOCK
17: CLUSTR
18: DERIVA
19: MAGPOL
20: MAPVAR
21: MGINV1
22: MGINV2
23: MGINV3
24: MGINV4
25: MODELG
26: MODELM
27: MPOILG

28: PLTCON2
29: PROVAR
30: SKUZZ
31: SPHERE
32: STRASS
33: UPCON
34: Data for use in programs

FILE 35: contains ADEPT

FILE 36: contains the GSFC adaptation of the Purdue SPHERE program

File 37: contains the MGST(6/80) spherical harmonic analysis of the earth's main field

FILE 38: contains the MGST(4/81-2) spherical harmonic analysis of the earth's main field.

The program has been constructed to handle large data sets (maximum number of rows and columns = 1,000). It will accept incomplete data (i.e., irregular shaped grids) provided the missing data is flagged by the maximum floating point number (octal 37677777777). However, in order to fast Fourier transform, flagged data are assigned temporary values by means of an averaging technique. In assigning a value to a flagged grid point, the routine searches and then averages the four neighboring grid values (a neighboring flagged point is ignored). When the desired filtering operation has been completed, flagged values are reinserted into those grid points assigned temporary values. The user is cautioned against input grids containing appreciably large regions of missing data. Such grids may introduce unwanted characteristics in the frequency domain resulting in erroneous output filtered grids.

To reduce distortion at the edges of the filtered maps, the mean value of the grid's boundary values can be subtracted from the input data. Truncation of the data is the cause of this distortion known as Gibb's phenomena. In addition, distortion at the edges of the filtered grids can be appreciably reduced by adding rows and columns containing assigned grid values. The routine will automatically perform this task when the user specifies the number of rows and columns to be added to each side of the input grid. Normally, ten rows and columns eliminate distortion at the maps boundaries. However, in applying the second vertical derivative and the downward continuation operators which possess long operator lengths, it may be necessary to increase the grid size by more than 10 rows and columns. For the purpose of lessening distortion at the boundaries, the user is advised to utilize the option to increase the grid size.

The program written in HONEYWELL/MULTICS-FORTRAN can be transformed to other computers with a moderate amount of revision by an experienced programmer. The listings contain all codes except for input/output routines as they will vary on different computers. These input/output routines as well as their function are given below:

SUBROUTINE	FUNCTION
fatt	Attaches a switchname to a file.
fdet	Detaches a switchname to a file.
io	Attaches/detaches a switchname to a file or opens/closes a file in a specified mode.
closet	Closes all open files.
dl	Deletes the specified file.
copy	Creates a copy of the specified file with the specified name.

Execution of "fftfil"

After the program is loaded an asterisk is typed on the terminal. The user responds with the name of the command file. After the current command file is executed and the data has been filtered, the routine asks if an additional filter is to be applied and the needed information to perform the new filter operation. The user can apply as many filters as desired to the original data set. When filter operations have been completed on a particular data set, the routine will request another command file. This sequence can be continued indefinitely. To exit from the program, the user can enter "ex" or a line feed after the asterisk is typed. Examples of the execution of "fftfil" are given in Appendix B.

"fftfil" Command File

The command file is an ASCII file containing the required information to filter gravity or magnetic data. It is comprised of five fixed format lines followed by a "&parms" namelist section. The namelist section may be continued on several lines. The five fixed format lines may be blank which results in the routine requesting the user to respond with the required information. This allows the user to execute a command file several times but perform different filtering operations on various input grids.

Details of Command File

Line 1

Characters 1 through 6 contain the coded filter operation to be performed. The possible operations are:

Coded Operation	Explanation
psdgrv	Pseudo-gravity transformation.
psdmag	Pseudo-magnetic transformation.
redpol	Reduction of total magnetic field intensity to the pole.
upcont	Upward continuation.
dncont	Downward continuation.
1stver	1sr-vertical derivative.
2ndver	2nd-vertical derivative.
strike	Direction filtering.
banpas	Band pass filtering.

If the field is blank, the routine will request the coded operation. The user may also respond with "help" which results in the routine printing the possible coded operations and then requesting again the desired operation. If an incorrect operation is entered, the routine will print out the possible operations and then request one of the six possible operations.

Line 2

Datum level (km) in the fixed format "F12.6" is entered on this line. The routine assumes the elevation of the input data is at a level of zero kilometers. If the desired output grid for all filter operations (except direction filtering) is to be observed at a different datum level, the user can enter the number of kilometers (<0 for upward continuation; >0 for downward continuation) on this line. For instance, if the magnetic field is to be reduced to the North Pole and also upward continued 2 km, the user can enter "redpol" on line 1 and "-2." on line 2. Enter "0.0" as the datum level if the filtered output grid is to be observed at the same level as the input grid. If the field is blank the routine will request the desired datum level.

Line 3

Characters 1 through 50 contain the file name of the standard format two-dimensional file (see Appendix A) to be filtered. If the field is blank, the routine will request the file name.

Note that if the namelist parameter "icoef" (described below) is equal to -1, the Fourier coefficients of the data set, determined from a previous run, are used as input to "fftfil". In responding to the query of the input file name, the user must, however, enter the file name of the standard U.S.G.S. grid from which the inputed Fourier coefficients were calculated. The routine reads only the header record of the standard grid to obtain the number of rows, columns, etc.

Line 4

Characters 1 through 50 contain the output file name. The output filtered grid is written in standard form. If the field is blank, the routine will request the file name.

Line 5

Title line (characters 1 through 56) to be written in header record of output standard grid.

Line 6

Namelist Section

Characters 1 through 6 must contain: &parms. Characters from 8 on may contain namelist items as well as continuation lines. Section must be terminated by an &. All the namelist items listed below have been given default conditions.

Namelist Items

ioptl =	0	No printed output.
	-1	Output filtered grid printed (ASCII) in file "conver.out."
	6	Output filtered grid printed (ASCII) on terminal (default condition, ioptl = 0).

iopt2 = 0	Substract mean of boundary values from input grid.
1	Subtract mean from grid and save resulting grid: file name - "con.grd".
-1	No subtraction of mean (default condition, iopt2 = -1).
nadd =	Number of rows and columns added to each side of input grid to reduce the effects of Gibbs phenomena (default condition, nadd = 0).
idval = 0	No flagged data in input grid.
1	Flagged data in input grid (default condition, idval = 0: note, the first row must not consist of entirely flagged values).
-1	Flagged values have been removed from data set and their locations are in segment "flag.loc".

[Note: User must specify idval = -1 if the Fourier coefficients of the data (determined from a previous run) are to be used as input and if the data contains missing data. When the Fourier coefficients were computed, a file named "flag.loc" was created in the user's disk area. Specifying idval = -1 results in the routine reading "flag.loc" for the purpose of restoring the outputed filtered grid to shape of the input grid.]

den = Density contrast (gm/cc) required in pseudo-gravity and pseudo-magnetic transformations (default conditions, den = 1.).

bmag = Magnetization contrast (gammas) required in pseudo-gravity and pseudo-magnetic transformations (default condition, bmag = 1.).

bdec & binc =	Respectively, declination and inclination (degrees) of the magnetization vector associated with the magnetic source. Parameters are required in pseudo-gravity and pseudo-magnetic transformations and reduction of total magnetic field to pole (default conditions; bdec = 0.0, binc = 90.).
dec & xinc =	Respectively, declination and inclination (degrees) of the earth's ambient magnetic field. Parameters are required in pseudo-gravity and pseudo-magnetic transformation and reduction of the total magnetic field intensity to the pole (default conditions; dec = 0.0, xinc = 90.).
istr = -1	Reject trends striking between "thet1" and "thet2".
1	Pass only trends striking between "thet1" "thet2". Parameter is required for directional filtering (default condition, istr = 1).

thet1 & thet2 = Angles from Geographic North that form a pie-slice filter (required for directional filtering). A clockwise direction from Geographic North designates positive angles. The following conditions must be met:

$-90 \leq thet1 \leq 90.$

$-90 \leq thet2 \leq 90.$

$thet2 \geq thet1$

f1,f2,f3,f4 = cutoff frequencies used in band pass filter and described in the following diagram:



Data within tetrahedron is passed.

These parameters can also be used to design a low-pass or high-pass filter:

Low pass--



High pass--



[Note: $0.0 \leq f \leq .5$ and $f1 \leq f2 \leq f3 \leq f4$; unit grid spacing is assumed in computing f1, f2, f3 and f4. For instance, if wavelengths less than 10 km are to be removed from the data, one may design a filter with the following cutoff frequencies:

f1 = 0.0

f2 = 0.0

f3 = 1/10 = .1

f4 = .12].

[Default condition: f1 = f2 = 0.0

f3 = f4 = 0.5]

icoef = 1 Save Fourier coefficients of input segment in file "fftfil.coef" for later use as input to program [note: if data contains flagged values, a segment called "flag.loc" containing their locations is also created in user's disk area].

0	Fourier coefficients not saved [default condition: icoef = 0].
-1	Fourier coefficients in segment "fftfil.coef" are used as input. Note that if the flagged values are present in the data, segment "flag.loc" is required and "indual" must be equal to -1 so that the filtered grid can be restored to the shape of the original input grid.

[The following namelist items can be used to change the grid spacing or origin of input standard grid if these parameters are not in units of kilometers in the header record. (Default conditions, s = xo = yo = 0.0.]

S =	grid spacing (km). (Note: spacing of columns must equal spacing of rows.)
xo =	position (km) of first data row.
yo =	position (km) of first column row.

"fftfil" Queries

The following queries are asked after filtering operations have been completed. The purpose of these queries is to apply additional filters to the data.

Query 1: Additional filters to be applied? Enter "y" if an additional filter is to be applied to data. If "y" is entered, queries 2 - 6 are asked. If "n" is entered, the program starts over by asking for a new command segment.

Query 2: New filter operator? (Format the same as that given for command "line 1" in command segment.)

Query 3: New datum level? (Format the same as that given for command "line 2" in command segment.)

Query 4: New output segment name? (Format the same as that given for command "line 4" in command segment.)

Query 5: New title? (Format the same as that given for command "line 5" in command segment.)

Query 6: Enter "y" if some of the namelist parameters are to be changed for the new filter operation. The parameters to be changed must be given on the following line in a namelist beginning with "&parmm" and ending with "&". [Example: &parmm thet1 = -90., thet2 = 0., &.] Enter "n" if no parameter change is needed. In this case, the filtering operations are started.

[Note: the following parameters cannot be changed--nadd, iopt2, idual, s, xo, and yo.]

Query 1 is then asked again. In other words, queries 1 - 6 are repeated until a user's response of "n" is encountered after a filtering operation has been completed.

References

Byerly, P. E., 1965, Convolution filtering of gravity and magnetic maps: Geophysics, v. 30, p. 281-283.

Dean, W. C., 1958, Frequency analysis for gravity and magnetic interpretation: Geophysics, v. 23, p. 97-127.

Embree, P., Burg, J. P., and Backus, M. M., 1963, Wide-band velocity filtering--the pie-slice process: Geophysics, v. 28, no. 6, p. 948-976.

Evenden, G. I., 1975, A general purpose contouring system: U.S. Geological Survey, Open-File Report 75-317, p. 105.

Fuller, B. D., 1967, Two-dimensional frequency analysis and design of grid operators: Mining Geophysics, v. 2, p. 658-708.

Naidu, P. S., 1969, Estimation of spectrum and cross-spectrum of aeromagnetic field using fast Fourier transform techniques: Geophysical Prospecting, v. 17, p. 344-361.

Appendix A

Standard File

The U.S.G.S. standard file (Evenden, 1975) consists of two basic parts: 1) a header record providing control parameters and, optionally, a following record of column coordinates, and 2) the profile or grid data. The general description of the file is given below with added notes of requirements for the program "fftfil". Note that the direction of columns and rows are, respectively, north-south and east-west. In addition, "fftfil" assumes that the first value stored in the data array is located at the lower left-hand corner of the map. Recording mode is unformatted.

A. Header record (23 words)

id:	56 ASCII characters of identification (14 words).
pgm:	8 ASCII characters of creation program identification (two words).
ncol:	number of columns of data (integer, one word).
nrow:	number of rows of data (integer, one word).

nz: number of words per data element (integer, one word). For single precision, single value data use 1, double precision or complex use 4, ... etc. In the execution of "fftfil", nz must equal 1.

[The following parameters should be in units of kilometers for the program "fftfil"]

yo: position of first column of data (real, one word).

dy: equal spacing interval of columns (real, one word). If equal to zero, then coordinate for each column is in the data record, otherwise the following record consists of data. For "fftfil", dy cannot equal zero and must be equal to dx.

xo: position of first row (real, one word).

dx: equal spacing interval of rows (real, one word). If equal to zero, the coordinate for each row is the first word of each data record row. For "fftfil", dx cannot equal zero and must be equal to dy.

B. Column coordinate record (not used in "fftfil") present if dy of header record equals zero. Record consists of "ncol" real words specifying the coordinates of each data column. Most programs require the coordinates to be in monotonic order.

C. Data record. Each data record contains one row of real data items. For "fftfil", the data must be in units of gammas or mgals. The total record length is "ncol" times "nz" plus one word. The first word contains the row coordinate if "dx" is zero. When "dx" is not zero, the first word is ignored (which is the case in executing "fftfil"). When specified, the row coordinates should be in monotonic sequence. Many programs accept incomplete data where the missing data is flagged by the maximum floating point number (376777777777).

In general, I/O for this standard file can be stated in FORTRAN as:

```
      dimension g(iz,iy,ix),id(14),pgm(2),x(ix),y(iy)
      . .
      . .
      read or write (. .)id,pgm,ncol,nrow,nz,yo,dy,xo,dx
      if(dy.eq.0.) read or write (. .) (y(i),i = 1,ncol)
      if(dx.eq.0.) go to 15
      do 10 j = 1,nrow
   10 read or write (. .) x(j),((g(k,i,j),k = 1,nz),i = 1,ncol)
      go to 20
   15 do 19 j = 1,nrow
   19 read or write (. .) dum,((g(k,i,j),k = 1,nz),i = 1,ncol)
   20 continue
      . .
```

The above is a simplistic example and general usage is not warranted nor suggested. It is only provided as a guide.

Appendix B

Examples

Two command segments named "fftfil.cmd1" and "fftfil.cmd2" are given below to illustrate the many options in the routine. It should be noted that in Example 2 the Fourier coefficients of the data, determined in Example 1, are used as input.

Command File

```
INT FFTFIL.CMD2

                    FFTFIL.CMD2          11/29/78  1317.7 MST WED


PARMS
IOPT1=-1,IOPT2=-1,NADD=4,DEN=.2,BMAG=300.,DEC=3.,XINC=67.
BDEC=3.,BINC=67.,IDVAL=-1,XO=0.,YO=0.,F1=0.,F2=0.,F3=.1,F4=.15
THET1=-90.,THET2=0.,S=0.,ICOEF=-1
END

11/29/78  1317.7 MST WED CPU: 0.063 COST: $0.07
```

Execution

```
TFIL
 FFTFIL.CMD2
NTER OPERATOR: UPCONT
NTER DATUM LEVEL Z: -2.
NTER INPUT FILE NAME: EXAMPLE.GRD
NTER OUTPUT FILE NAME: UPCONT.GRD
NTER TITLE: EXAMPLE OF UPWARD CONTINUATION
DDITIONAL FILTERS TO BE APPLIED? (Y OR N) Y
NTER NEW OPERATOR: STRIKE
NTER NEW DATUM LEVEL: 0.
NTER NEW OUTPUT FILE NAME: NWTREND.GRD
NTER NEW TITLE
RTHWEST TREND MAP
ARAMETER CHANGE? (Y OR N; IF Y ENTER NAMELIST PARAMETERS VIA &PARMM): N
DDITIONAL FILTERS TO BE APPLIED? (Y OR N) Y
NTER NEW OPERATOR: STRIKE
NTER NEW DATUM LEVEL: 0.
NTER NEW OUTPUT FILE NAME: NETREND.GRD
NTER NEW TITLE
RTHEAST TREND MAP
ARAMETER CHANGE? (Y OR N; IF Y ENTER NAMELIST PARAMETERS VIA &PARMM): Y
ARMM THET1=0.,THET2=90.,&
DDITIONAL FILTERS TO BE APPLIED? (Y OR N) N

OP
11/29/78  1322.6 MST WED CPU: 9.413 COST: $3.09
```

Example 1

Command File

```
R FFTFIL.CMD1

                    FFTFIL.CMD1          11/29/78  1302.6 MST WED

EDPOL

XAMPLE.GRD
EDPOL.GRD
XAMPLE OF REDUCTION TO POLE
$PARMS
 IOPT1=0,IOPT2=0,NADD=4,DEN=.2,BMAG=300.,DEC=3.,XINC=67.
 BDEC=3.,BINC=67.,IDVAL=1,XO=0.,YO=0.,F1=0.,F2=0.,F3=.1,F4=.15
 THET1=-90.,THET2=0.,S=0.,ICDEF=1
$END

 11/29/78  1302.6 MST WED CPU: 0.068 COST: $0.07
```

Execution

```
FTFIL
> FFTFIL.CMD1

EAN VALUE SUBTRACTED =    0.14285714E+02          49 VALUES USED

014TRANSFORMATION OF THE TOTAL MAGNETIC FIELD INTENSITY TO THE POLE, BY MEANS
F THE FAST FOURIER TRANSFORM AND THE POISSON EQUATION.

TLE: EXAMPLE OF REDUCTION TO POLE

RAMETERS: DENSITY=  0.200    DATUM LEVEL Z=  0.000
          INTENSITY OF MAGNETIZATION=  300.000
          INCLINATION & DECLINATION OF GEOMAGNETIC FIELD=  67.000   3.000
          INCLINATION & DECLINATION OF MAGNETIZATION VECTOR=  67.000   3.00
          THET1=  -90.000   THET2=   0.000   ISTR= 1
          F1,F2,F3 & F4=  0.00000  0.00000  0.10000  0.15000
          GRID INTERVAL=0.300000E+01
          ORIGIN OF GRID XO & YO=  0.500000E+01  0.200000E+01
          NO. OF COLUMNS & ROWS=  12  10
          INPUT FILE NAME:EXAMPLE.GRD
          OUTPUT FILE NAME:REDPOL.GRD


DDITIONAL FILTERS TO BE APPLIED? (Y OR N) N
>

OP
11/29/78  1303.8 MST WED CPU: 7.945 COST: $2.47
```

DRDS0044405

79-094A-01E, OK

```
FAST ANALYSIS OF TAPE AND RECOVERY -- FATAR   VER 4.3.5   -- INNOVATION DATA PROCESSING  AUTHORIZED  10/28/93   PAGE   1

FATS070 CONTROL CARD TABLE SIZE IS   4096 BYTES

FATAR CONTROL CARDS

   1--  ANALYZE BLP,PRTLEN=252                                                    00000110
   2--  PRINT LF=1,B=1-4,CHAR

FATS071 TAPE BUFFER SIZE IS 65535 BYTES

FATS040 TAPEIN IS NOT LABELED - LABELS=NO ASSUMED

                                        CHARACTERISTICS OF THE TAPE TO BE ANALYZED
                                                 UNIT  SERIAL  DEN  TRTCH
                                                  5BE  DC2282  38000

                                                   FATAR DETAIL REPORT

 BLOCK  LNGTH/  MESSAGE/                1...5...10...15...20...25...30...35...40...45...50...55...60...65...70...75...80
 NUMBER DISPL   BLOCK TYPE                   (COLUMN GRID IS VALID ONLY FOR CHARACTER FORMATTED DATA)

* * * * * * *  START FILE       1

               FATS038 DATA FILE IN ISCII/ASCII - TRANSLATED TO EBCDIC

      1  7280  PRINT REQUESTED          C                                                                    RDCHRN
       +00080                                SUBROUTINE RDCHRN(QSTART,QCOIL,QDATA,QORB,QCHECK,QEOF,LERR,NRECIN)RDCH   1
       +00160                           C                                                                    RDCH   2
       +00240                           C***********

      2  7280  PRINT REQUESTED                DO 1 I = 1, 8                                                   RDCH  91
       +00080                                   NRECIN(I) = 0                                                RDCH  92
       +00160                                1 CONTINUE                                                      RDCH  93
       +00240                                NREC =

      3  7280  PRINT REQUESTED                IF (ITYPE.GE.8.AND.ITYPE.LE.10) ITYPE = ITYPE - 3              RDCH 182
       +00080                                IF (ITYPE.EQ.16) ITYPE = 8                                     RDCH 183
       +00160                                IF (QSKIP) GO TO 10                                            RDCH 184
       +00240                           C

      4  1360  PRINT REQUESTED          C                                                                    RDCH 273
       +00080                           C     NEW TIME GROUP                                                 RDCH 274
       +00160                           C                                                                    RDCH 275
       +00240                           C     MESSAG

* * * * * * *  END OF FILE      1  -- FILE CONTAINED       4 BLOCKS

* * * * * * *  START FILE       2

               FATS038 DATA FILE IN ISCII/ASCII - TRANSLATED TO EBCDIC

* * * * * * *  END OF FILE      2  -- FILE CONTAINED       1 BLOCKS

* * * * * * *  START FILE       3

               FATS038 DATA FILE IN ISCII/ASCII - TRANSLATED TO EBCDIC

* * * * * * *  END OF FILE      3  -- FILE CONTAINED      10 BLOCKS
```

FATAR DETAIL REPORT

```
BLOCK  LNGTH/  MESSAGE/                1...5...10...15...20...25...30...35...40...45...50...55...60...65...70...75...80
NUMBER DISPL   BLOCK TYPE                        (COLUMN GRID IS VALID ONLY FOR CHARACTER FORMATTED DATA)

               FATS038 DATA FILE IN ISCII/ASCII - TRANSLATED TO EBCDIC

* * * * * * *  END OF FILE     33  -- FILE CONTAINED       7 BLOCKS

* * * * * * *  START FILE      34

               FATS038 DATA FILE IN ISCII/ASCII - TRANSLATED TO EBCDIC

* * * * * * *  END OF FILE     34  -- FILE CONTAINED      46 BLOCKS

* * * * * * *  START FILE      35

               FATS038 DATA FILE IN ISCII/ASCII - TRANSLATED TO EBCDIC

* * * * * * *  END OF FILE     35  -- FILE CONTAINED       5 BLOCKS

* * * * * * *  START FILE      36

               FATS038 DATA FILE IN ISCII/ASCII - TRANSLATED TO EBCDIC

* * * * * * *  END OF FILE     36  -- FILE CONTAINED      27 BLOCKS

* * * * * * *  START FILE      37

               FATS038 DATA FILE IN ISCII/ASCII - TRANSLATED TO EBCDIC

      1  7280  PRINT REQUESTED          1400000001001979.96371.2
       +00080                           MGST(6/80)  NOV 5,6 SCALAR + FINE ATT.  FORMAT(2I3,6F11.4)
       +00160                            2  1-29989.6000     0.0        0.0        0.0        0.0        0.0
       +00240                            2  2 -1958

      2  1440  PRINT REQUESTED           13 13    -0.0422     0.7006     0.0        0.0        0.0        0.0
       +00080                           14  1     0.0014     0.0        0.0        0.0        0.0        0.0
       +00160                           14  2    -0.4890    -0.3715     0.0        0.0        0.0        0.0
       +00240                           14  3     0

* * * * * * *  END OF FILE     37  -- FILE CONTAINED       2 BLOCKS

* * * * * * *  START FILE      38

               FATS038 DATA FILE IN ISCII/ASCII - TRANSLATED TO EBCDIC

* * * * * * *  END OF FILE     38  -- FILE CONTAINED       0 BLOCKS

FATS020 ANALYSIS TERMINATED AT TAPEMARK SEQUENCE
```

FINAL TOTALS

FILES READ	BLOCKS READ	BYTES READ	FEET READ	TEMP ERRS	PERM ERRS	FILES WRITTEN	BLOCKS WRITTEN
37	446	3123520	10	0	0	0	0

MAGSAT

CHRONFIN (CHRONICLE FINE), TAPE

79-094A-01F, 02I

THIS DATA SET HAS BEEN RESTORED. THERE WERE ORIGINALLY 29 9-TRACK, 6250 BPI TAPES, WRITTEN IN BINARY. THERE ARE 29 RESTORED TAPES. THE DR TAPES ARE 3480 CARTRIDGES AND THE DS TAPES ARE 9-TRACK, 6250 BPI. THE ORIGINAL TAPES WERE CREATED ON AN IBM 360 COMPUTER, AND THEY WERE RESTORED ON AN IBM 9021. THE DR AND DS NUMBERS ALONG WITH THE CORRESPONDING D NUMBERS AND TIME SPANS ARE AS FOLLOWS:

DR#	DS#	DD#	FILES	TIME SPAN
DR004881	DS004881	D043244	2	11/01/79 - 11/07/79
DR004882	DS004882	D043245	2	11/07/79 - 11/15/79
DR004883	DS004883	D043246	2	11/15/79 - 11/23/79
DR004884	DS004884	D043247	2	11/23/79 - 12/01/79
DR004885	DS004885	D043535	2	12/01/79 - 12/09/79
DR004886	DS004886	D043536	2	12/09/79 - 12/17/79
DR004887	DS004887	D043537	2	12/17/79 - 12/25/79
DR004888	DS004888	D043538	2	12/25/79 - 01/02/80
DR004889	DS004889	D043539	2	01/02/80 - 01/10/80
DR004890	DS004890	D043896	2	01/10/80 - 01/18/80
DR004891	DS004891	D043897	2	01/18/80 - 01/26/80
DR004892	DS004892	D045114	2	01/26/80 - 02/03/80
DR004893	DS004893	D044744	2	02/03/80 - 02/11/80
DR004894	DS004894	D045300	2	02/11/80 - 02/19/80
DR004895	DS004895	D045301	2	02/19/80 - 02/27/80
DR004896	DS004896	D045302	2	02/27/80 - 03/06/80

79-094A-01F, 02I

DR#	DS#	DD#	FILES	TIME SPAN
DR004897	DS004897	D045321	2	03/06/80 - 03/14/80
DR004898	DS004898	D045322	2	03/14/80 - 03/22/80
DR004899	DS004899	D045323	2	03/22/80 - 03/30/80
DR004900	DS004900	D045324	2	03/30/80 - 04/07/80
DR004901	DS004901	D045325	2	04/07/80 - 04/15/80
DR004902	DS004902	D045326	2	04/15/80 - 04/23/80
DR004903	DS004903	D045327	2	04/23/80 - 05/01/80
DR004904	DS004904	D045328	2	05/01/80 - 05/09/80
DR004905	DS004905	D045329	2	05/09/80 - 05/17/80
DR004906	DS004906	D045330	1	05/17/80 - 05/19/80

REQ. AGENT	RAND NO.	ACQ. AGENT
DEW GWM		HKH

MAGSAT

79-094A-01F/02I

FINE ATTITUDE DATA

This data set consists of 26 tapes. The tapes are 9 track, 6250 bpi, binary, and are multifiled. The tapes were created on an IBM 360 computer. The 'D' numbers and time spans follow:

D#	C#	FILES	TIME SPAN
D-43244	C-26424	2	11/01/79 - 11/07/79
D-43245	C-26425	2	11/07/79 - 11/15/79
D-43246	C-26426	2	11/15/79 - 11/23/79
D-43247	C-26427	2	11/23/79 - 12/01/79
D-43535	C-26428	2	12/01/79 - 12/09/79
D-43536	C-26429	2	12/09/79 - 12/17/79
D-43537	C-26430	2	12/17/79 - 12/25/79
D-43538	C-26431	2	12/25/79 - 01/02/80
D-43539	C-26432	2	01/02/80 - 01/10/80
D-43896	C-26433	2	01/10/80 - 01/18/80
D-43897	C-26434	2	01/18/80 - 01/26/80
D-45114	C-26435	2	01/26/80 - 02/03/80
D-44744	C-26436	2	02/03/80 - 02/11/80
D-45300	C-26437	2	02/11/80 - 02/19/80
D-45301	C-26871	2	02/19/80 - 02/27/80
D-45302	C-26438	2	02/27/80 - 03/06/80
D-45321	C-26439	2	03/06/80 - 03/14/80
D-45322	C-26440	2	03/14/80 - 03/22/80
D-45323	C-26441	2	03/22/80 - 03/30/80
D-45324	C-26442	2	03/30/80 - 04/07/80
D-45325	C-26443	2	04/07/80 - 04/15/80
D-45326	C-26702	2	04/15/80 - 04/23/80
D-45327	C-26444	2	04/23/80 - 05/01/80
D-45328	C-26445	2	05/01/80 - 05/09/80
D-45329	C-26446	2	05/09/80 - 05/17/80
D-45330	C-26447	1	05/17/80 - 05/19/80

44178

44181
−43873
308 days after day 1
= Day 308

THE ORBIT DATA RECORD FORMAT IS AS FOLLOWS:

Displacement (bytes)	Parameter	Type
0	Data type: = 0, indicating satellite position data	*L*1
1	Data type of next record	**L*1
2	Spare	
4	Date of first observation (MJD)	I*4
8	Milliseconds of day for first observation	I*4
12	Time increment between observations (MS)	I*4
16	Greenwich hour angle at epoch	R*4
20	Reference time of coordinate system (MJD + fraction of day)	R*4
24	X inertial coordinate (km, 128 values)	R*4
536	Y inertial coordinate (km, 128 values)	R*4
1048	Z inertial coordinate (km, 128 values)	R*4
1560	Invariant Latitude (128 values)	R*4
2072	Geomagnetic time (128 values)	R*4
2584	Dipole latitude (128 values)	R*4

*8 bit binary value
** On investigator copy only

Definition of MJD:

Day number 1 of 1979 is (MJD −43873).

Thus MJD = 44181 denotes Day 308, 1979, which is Nov

THE VECTOR DATA (NEV COORDINATES) CHRONICLE RECORD FORMAT IS AS FOLLOWS:

Displacement (bytes)	Parameter	Type
0	Data type: =5, 6, 7, indicating vector x,y, or z observations, respectively, generated from intermediate attitude data =8, 9, 10, for data generated from fine attitude data	*L*1
1	Data type of next record	**L*1
2	Spacecraft status (see record types 2-4)	I*2
4	Modified Julian Day of first observation	I*4
8	Milliseconds of day of first observation	I*4
12	Time increment between observations (ms)	R*4
16	Time Offset (ms)	R*4
20	Spare	-
24	Vector component observations (gammas; 1024 values)	R*4
4120	Number of points in this record that overlap with the next record of this type	I*2

*8 bit binary value
**On investigator copy only

THE VECTOR DATA (SENSOR PLATFORM COORDINATES) CHRONICLE RECORD [illegible] AS FOLLOWS:

Displacement (bytes)	Parameter	
0	Data type: = 2, 3, 4, indicating vector a, b, or c observations, respectively	L*1
1	Data type of next record	L*1
2	Spacecraft status (5 digit integer - abcde) a = 1, calibration on b = 1, electronic flip on c = 1, x coil on d = 1, y coil on e = 1, z coil on	I*2
4	Modified Julian Day of first observation	I*4
8	Milliseconds of day of first observation	I*4
12	Time increment between observations (ms)	R*4
16	Time offset (ms)	R*4
20	Spares	I*4
24	Fine counts (1024 values, pad = 9999)	I*2
2072	Coarse counts (1024 values, pad = 255)	L*1
3096	Number of points in this record that overlap with the next record of this type	

*8 bit binary value
**On investigator copy only

THE ATTITUDE QUALITY CHRONICLE RECORD FORMAT IS AS FOLLOWS:

Displacement (bytes)	Parameters	Type
0	Data type: =16, indicating attitude quality data	*L*1
1	Data type of next record	**L*1
2	Spare	I*2
4	Modified Julian Day of first observation	I*4
8	Milliseconds of day of first observation	I*4
12	Time increment between observations (ms)	R*4
16	Time offset (ms)	R*4
20	Spare	I*4
24	Attitude processing flags (synchronized with every fourth vector observation starting with first observation of record)	I*2

*8 bit binary value
**On investigator copy only

PROCESSING FLAG DEFINITION

A five-character processing flag, ±abcde, is defined as follows:

Character	Description
a	Smoothing character (level of smoothing of final attitude): = 0, no smoothing = 1, linear smoothing = 2, nonlinear smoothing
b	Residual character: = 0, all residuals within boundaries = 1, QUEST* residual and SC1 acceptable, SC2 bad = 2, QUEST residual acceptable, SC1 bad, SC2 acceptable = 3, QUEST residual acceptable, SC1 and SC2 bad = 4, QUEST residual bad, SC1 and SC2 acceptable = 5, QUEST residual bad, SC1 acceptable, SC2 bad = 6, QUEST residual and SC1 bad, SC2 acceptable = 7, QUEST residual SC1, and SC2 bad
c	Gyro and ATS character: = 0, observed gyro point, observed ATS point = 1, observed gyro point, interpolated ATS point = 2, observed gyro point, default ATS value = 3, interpolated gyro data, observed ATS point = 4, interpolated gyro data, interpolated ATS point = 5, interpolated byro data, default ATS value = 6, gyro data point invalid, observed ATS point = 7, gyro data point invalid, interpolated ATS point = 8, gyro data point invalid, default ATS value

*QUEST referes to the attitude determination least squares program.

PROCESSING FLAG DEFINITION (cont'd)

d	Attitude computation character (method of final attitude computation): = 0, with QUEST, using three vectors = 1, with QUEST, using SC1 and SC2 = 2, with QUEST, using SC1 and FSS = 3, with QUEST, using SC2 and FSS = 4, using SC1 and gyro = 5, using SC2 and gyro = 6, using FSS and gyro = 7, not computed

Character	Description
e	Pattern matching character: = 0, SC1 and SC2 valid, identified = 1, SC1 valid, identified; SC2 valid, not identified = 2, SC1 valid, identified; SC2 not valid = 3, SC1 valid, not identified; SC2 valid, identified = 4, SC1 valid, not identified; SC2 valid, not identified = 5, SC1 valid, not identified; SC2 not valid = 6, SC1 not valid; SC2 valid, identified = 7, SC1 not valid; SC2 valid, not identified = 8, SC1 not valid; SC2 not valid

PAGSAT

CHRONICLE DATA TYPES

NKHees

1. ORBIT

2. SCALAR

3. VECTOR (Spacecraft coordinates - data in counts)

   3.1 A

   3.2 B

   3.3 C

4. VECTOR (Topocentric coordinates - intermediate attitude)

   4.1 X

   4.2 Y

   4.3 Z

5. VECTOR (Topocentric coordinates - fine attitude)

   5.1 X

   5.2 Y

   5.3 Z

6. ATTITUDE QUALITY (For fine attitude only)

TYPE OF CHRONICLE TAPES

Types according to item numbers on previous page. There is a "record type" code in the data which is different from this.

1. CHRONINT CONTAINS DATA TYPES 1, 2, AND 4 intermediate
2. CHRONFIN CONTAINS DATA TYPES 1, 2, 5, AND 6 fine attitude
3. CHRONINT/SC CONTAINS DATA TYPES 1, 2, 3, AND 4 spacecraft
4. CHRONFIN/INT SAME AS 2 BUT WITH DATA TYPE 4 WHEN 5 UNAVAILABLE

CHRONICLE TAPE FORMATS

INTERNAL FORMAT (IED DATA BASE)

6250 BPI BINARY
BLOCKED - MAX BLOCK SIZE 28,886 BYTES

INVESTIGATOR FORMATS

VARIOUS DENSITIES
BLOCKED AND UNBLOCKED

PAD DATA DENOTED BY 99999.0

THE CHRONICLE SCALAR DATA RECORD FORMAT IS AS FOLLOWS:

Displacement (bytes)	Parameter	Type
0	Data type: = 1, indicating scalar observations	*L*1
1	Data type of next record	**L*1
2	Spare	--
4	Date of first observation (MJD)	I*4
8	Milliseconds of day of first observation	I*4
12	Time increment between observation (ms)	R*4
16	Time offset (ms)	R*4
20	Spare	I*4
24	Scalar observations (gammas - 512 values	R*4
2072	Number of points in this record that overlap with the next scalar record	I*2

*8 bit binary value
**On investigator copy only

CHRONICAL TAPE FORMAT - BINARY

TIME ORDERED

FORTRAN READABLE

A. ORBIT DATA RECORD (128 minutes)

B. SCALAR DATA RECORD (512 values)

C. 3 VECTOR COMPONENT DATA RECORDS (1024 values each)

D. ATTITUDE QUALITY (If in fine topocentric coordinates 256-values)

E. ITEMS B-D REPEATED FOR TIME PERIOD OF ORBIT RECORD

F. SEQUENCE A-E REPEATED

G. EOF

Chromfin
D 43245
11/7/79-11/15/79

Fine Attitude Data
79-094A-01F/02I

RECORD 1 OF FILE 1
LENGTH = 28886 BYTES

70D60000	0C1C0000	00080000	0000ACA0	0522B280	0000EA60	44AC9000	40E1C3F7	C3120C5B	C3294811
C3405238	C3570F38	C36D63E9	C38335B1	C3986AA9	C3ACE9C1	C3C09AD8	C3D366E3	C3E53801	C3F5F99C
C4105987	C411402E	C4121289	C412CFAF	C41376D0	C414073A	C4148053	C414E1A1	C4152AC4	C4155B7C
C41573A3	C4157330	C4155A37	C41528E9	C414DF90	C4147E92	C4140670	C41377C1	C412D337	C4121999
C4114BC6	C4106AAF	C3F775CC	C3F72E57	C3D5E738	C3C3B403	C3B0A933	C39CDC15	C38862AE	C37353AA
C35DC643	C347D22B	C3318F77	C31B168A	C247FF96	43121882	4328A32B	433EFE4C	43551458	436ACCFA
4380102E	4394C657	43A8D858	43BC2FA8	43CEB66B	43E0578B	43F0FECB	44100980	4410F137	4411C5D8
44128671	44133217	4413C7F5	4414474F	4414AF80	4414FFFB	44153850	44155828	44155F4B	44154D9A
44152317	4414DFDF	4414842F	4414105F	441384E9	4412F260	44122977	44115AFD	441077DC	43F81192
43E77910	43D5D3A4	43C32A17	43AF967C	43983019	43860F45	43704D47	436A0439	43434EE3	432C4894
43150D00	C2247E48	C3199A0B	C330C073	C347C647	C35E690D	C3749ABF	C38A40F7	C39F420C	C3B38533
C3C6F29E	C3D9739C	C3EAF2B3	C3FB5BB6	C410A9BE	C4118A1F	C41255E3	C4130C28	C413AC28	C4143538
C414A6C9	C4150059	C41541C2	C4156A9C	C4157ADA	C415727F	C41551A5	C4151887	C414C779	C4145EE7
C413DF5B	C4134975	C4129DEF	C411DD94	C411094D	C4102212	C3309F5F	C31F2A18	C2D8F670	424138F4
4315C19A	43274D9C	4338AAA5	4349C410	435A8599	436ADB7B	437AB288	4389F83F	43989AE2	43A53990
43B3B454	43C00C38	43CB8356	43D60CE7	43DF9D4F	43E82A2D	43EFAA5D	43F61606	43FB669C	43FF96E4
44102A2F	44104384	44105459	44104DAF	44103498	44100948	43FCBF47	43F7CF14	43F1CA32	43EAB80D
43E2A12C	43D98F1F	43CF8C7B	43C4A4C7	43B8E472	43AC58C2	439F0FC9	43911855	438281E0	43735C83
4363B8E4	4353A829	434338E8	43328616	432198F5	43108707	C19D0361	C311C05F	C322D035	C333B9B0
C3446A15	C354CED4	C364D593	C3746C4C	C3838157	C392037F	C39FE213	C3AD0D02	C3B974E3	C3C50B0C
C3CFC1A6	C3D98BBF	C3E25D5B	C3EA2B86	C3F0EC65	C3F69744	C3FB24A6	C3FE8E52	C4100CF5	C4131E44
C4101CAC	C4130823	C3FE0B45	C3FA6808	C3F59C19	C3EFAC7F	C3E89FAA	C3E07D7A	C3D74F28	C3CD1F46
C3C1F9AE	C3B5EB75	C3A902DB	C39B4F36	C38CE0DF	C37DC91E	C36E1A10	C35DE690	C34D421E	C33C40C5
C32AF700	C319799E	C27DDA86	429C7BD6	431B616D	432CDA5F	433E1DBF	434F170D	435FB233	436FDBA3
437F806A	438E8E4B	439CF3D6	43AAA079	43B78495	43C39190	43CEB9E5	43D8F132	43E22C44	43EA6122
43F18717	43F79688	43FC89E5	44100580	44103090	441048F6	44104EE0	44104258	44102378	43FF2716
43FAF884	43F5B145	43EF57F9	43E7F465	441A0FD6	441A11C5	4419F451	4419B7A4	44195C0F	4418E20B
44184A34	4417954B	4416C434	4415D7F6	44140188	4413B28D	44127C69	44113038	43FCFC02	43E3CABA
43CD8BB5	43B45C0F	439A59DC	437FA3FE	436459FB	43489BD8	432C89F0	431044C8	C2C1303F	C3255D0C
4791D	C360476E	C37BA8BD	C3967E72	C3B0AAC0	C3CA10BE	C3E29485	C3FA1B4C	C4110887	C4125CCC
139C85	C414C68A	C415D99B	C416D493	C417B667	C4187E26	C4192AFA	C419BC2C	C41A311F	C41A8956
C41AC46F	C41AE229	C41AE25E	C41AC503	C41A8A48	C41A324C	C4198D6E	C4192C23	C4187EFE	C417B6B1
C416D409	C415D7F4	C414C379	C413978D	C41255FE	C410FF98	C3F95FB2	C3E1AB1F	C3C8F5D0	C3AF5B1E
C394F795	C379E8DB	C35E4D8E	C3424526	C325EFD3	C296E549	43131E29	432F943A	434BD255	43678705
43832111	439DEFA8	43B80291	43D13A50	43E97858	441009F3	4411692A	4412B37D	4413E75A	44150345
441605E4	4415EDFA	44178A6B	44186A3E	4418FC9C	441970D5	4419C65D	4419FCD0	441A13EF	441A0BA5
4419E401	44199D3B	441937B0	4418B3E5	44181283	44175456	44167A4D	44158578	4414770F	44135058
441212C1	4410BFDD	43F59206	43DE0652	43C57646	43ABFF51	4391BFCC	4376D6D2	435B6414	433F87B4
4323621E	42713DFA	C315427F	C331809E	C34D866E	C369344F	C3846B34	C39F0CC7	C3B8FB82	C3D21ACE
C3EA4F1F	C41017E0	424F490A	424D12B3	424A6EDC	424785AD	42446A56	42412519	423DB97A	423A29AF
42367856	4232AA91	422EB975	422AA999	42267FB9	42223F09	421DDE2E	421964CF	4214D570	42102A31
4183F76D	41580C7	00000000	00000000	00000000	416992D5	418DAC24	42107ED0	4214E828	42192EC2
421D5B15	42216856	422559B4	422928DF	422CD7AB	42306619	4233CF6A	42370F8B	423A23F5	423DD9F0
423FBDBD	42423935	424473C0	42465D7A	4247E0E9	4248E31E	42494B83	42490E2C	424830A1	4245C627
4244EB89	4242B244	42403ADD	423D954A	423AD021	4237F67F	423510F4	42322623	422F3B32	422C54FC
42297029	4226ABDD	4223ED3F	42211AE9	421E6049	421BB2F1	42191786	421695A6	42143DBA	42122937
42107EF2	41F711E1	41F2F898	41FCF6C2	42114027	42135C6B	4215F7D1	4218EE01	421C236B	421F84B0
42230554	42259973	422A3606	422DD736	42317B8E	42350BAF	42389262	423C04FD	423F5C3A	42428EAE
42458FEF	42484EBB	424AB131	424C90B9	424DBA27	424DF712	424D381E	424B9FD8	4249663E	4245BBED
4243CDEC	42408904	423D211E	42399278	4235E42E	42321CB2	422E3BB0	422A47A4	422644DA	422236AC
421E1645	4219EF08	4215C71F	4211AFEB	41DAF7D4	419F1968	416F53A4	4160E1E1	417FF057	41B504EF
41F35744	42132604	42171821	421AFE22	421EC5D8	42228652	422615A7	42297522	422CA67A	422FAB95
41917BE5	41862894	417E2A37	4178598F	4173F6D5	41707C11	416DBA80	416B7312	41698539	4167DA87
41666314	4165134A	4163E282	4162CA22	4161C4FA	4160CEE6	415FE483	415F02FA	415E27D7	415D50EF
415C7C46	415BAB01	415AD24D	4159F955	41591B32	415835D8	41574703	41564C22	41554230	415425C1
4152F265	4151A2D5	41503D61	414E926C	414CBDC1	414AA361	41482EF5	41454448	41418B78	413D5B38
4137D097	4130A554	41273C5A	411AF03A	40B8D6AD	4217A24F	42169198	4215A89B	4214F18D	421465F2
4213FB29	4213A8D4	421366CD	42132FD6	421302E5	4212DCB6	4212BBAF	42129EA4	42128488	42126D44
421257C7	421243DB	42123128	42121F7F	42120E95	4211FE41	4211EE58	4211DEB5	4211CF34	4211BFB4
4211B013	4211A02F	42118FE5	42117F08	42116D77	42115AF6	4211474D	42113233	42111B52	42110230
4210E567	4210C720	4210A37A	42107B38	42104948	42100F71	41FC845E	41F6F82A	41EFEC54	41E6DF14
41DB4E79	41CD143C	41BCFBD8	41ACDDFA	419E9664	4192F6B3	4189DB20	4182C306	417D2BE2	4173AF01
41750144	4171EEA2	416F5D1D	416D0AD0	416B0ABE	41694103	4167A24D	41662500	4164C4CA	41637988
523F8A	41611302	415FFDAB	415ED5AA	415DB567	415CAB7F	415B97A6	415A819B	41596700	41584594
71A94	4155E320	415493F3	41534136	4151CE5C	41503DE7	414E8919	414CA787	42541A9F	42538308
42529048	42511768	424EF7EC	424C28A6	424BB691	4244BC07	424057FD	423BA7AC	4236C37D	42319EA1
422CA865	42278D7D	422278C9	421D72EF	421881CB	4213A7EF	41EE4D70	41A35606	41594AD1	40FCEE8C
C1397CB4	C182E667	C1CC9D9D	C21169A5	C2160878	C21A9B10	C21F0FB5	C2234F0F	C2273EA8	C22AC507
C22DCE7C	C230514D	C2324F36	C233D488	C234F450	C235C433	C23658FE	C236C4DE	C237165B	C2375814
C2379072	C237C0AD	C237E4B8	C237F1BE	C2370760	C23781D4	C236DE01	C235DEEB	C23481ED	C232D042

File 2

FFEA441F	F7B1441F	F99C441F	FA33441F	F3CE441F	FD68441F	FF7D4420	01B44420	04074518	69FD4420
0B4A4420	095C4420	0ADA4518	69F04420	0CF44420	0F114420	116C4420	13F64420	166B4420	18DB4420
1B224420	1D254420	1EAE4420	1F824420	201A4518	69F04420	22694420	248B4420	252B4518	69FD4420
2B6A4420	2E154420	3D564420	32704420	346A4420	36414420	37FA4420	38AD4420	3A634420	3C734420
3E454420	40194420	41E44420	43B34420	457A4518	69F04420	49264420	4AFB4420	4CC94518	69FD4420
[illegible]4D4420	50BC4420	52DC4420	53574420	54E74420	56994420	585E4420	5A324420	5C204420	5DB54420
[illegible]78518	69F04420	5298 4420	64664420	65634518	69F04420	69B04420	6C214420	6EF64420	71854420
[illegible]54420	75494420	737D4420	7A8C4420	7C5B4420	7DF54420	7E8C4518	69F04420	81FE4420	83C14420
859E4518	69F04420	89924420	8BA04420	8DB14420	8FA24420	91334420	92DD4420	94224420	94644420
95F34420	97A54420	997D4420	9B7F4420	9D7C4420	9FD84420	A1F34518	69F04420	A5364420	A8554420
A9774518	69F04420	AD294420	AF084420	B0804420	B1EA4420	B3734420	B51C4420	B5E74420	B8E74420
BAD44420	BDA94420	C0AA4518	69F04420	C6354420	C8604420	CA404518	69F04420	CD494420	CE994420
D0264420	D15F4420	D32F4420	D5294420	D6624420	D89D4420	DA934420	DC6F4420	DE754420	E0184420
E18E4420	E2E44420	E4344518	69F04420	E75D4420	E95F4420	EB934518	69F04420	F0084420	F0E34420
F2A04420	F4444420	F6134420	F7EC4420	F9CC4420	FBAF4420	FDCB4420	FF9E4421	01674518	69FD4421
04074421	05CA4421	07984518	69F04421	03EE4421	0E384421	10964421	12E54421	14C84421	166D4421
17E74421	19334421	1A7D4421	1BC74421	1D754518	69F04421	21334421	23AF4421	26664518	69FD4421
2A4A4421	2C694421	2E0F4421	2FA24421	31C94421	341F4421	36994421	39234421	3B5E4421	3DC34421
3FB14421	417F4421	43024421	445F4421	45A34518	69F04421	48C84421	499C4421	4B804518	69FD4421
4F554421	51294421	52F94421	54C24421	56EF4421	58CE4421	5AA74421	5B854421	5D264421	5EB04421
60774518	69F04421	63B24421	65804421	67614518	69F04421	6B2D4421	6D094421	6F304421	71054421
72DF4421	74B14421	75874421	78564421	7A2C4421	7BFC4421	7DD44421	80004421	81D94421	83B54421
85924518	69F04421	89414421	8A274421	8C4E4518	69F04421	8FEB4421	91BD4421	93934421	95684421
97454421	991E4421	9B4A4421	9D1F4421	9EF84421	A0CE4421	A2A24518	69F04421	A5614421	A8734421
AA424518	69F04421	AD064421	AEE04421	B0BC4421	B2944421	B4A24421	B6614421	B8374421	BA354421
BCD34421	BFCD4421	C2F24518	69F04421	C93E4421	CBAE4421	CDCE4518	69F04421	D0FF4421	D21D4421
D3074421	D3334421	D46C4421	D5D34421	D7604421	D9344421	DB2E4421	DD424421	DFB44421	E1E34421
E3AC4421	E5434421	E6B94518	69F04421	E9D14421	EBE04421	EDB14518	69F04421	F0E04421	F2314421
F3724421	F4AF4421	F6B94421	F7B94421	F9D04421	FC184421	FE3C4422	00534422	02A64518	69FD4422
0567C4422	083B4422	09F04518	69F04422	0DCE4422	105D4422	12BE4422	15194422	172C4422	190F4422
1ACC4422	1BB24422	1D1D4422	1E6F4422	1FAF4518	69F04422	228A4422	243A4422	25094518	69FD4422
2A064422	2BD84422	2DB94518	69F04422	32354422	34EF4422	380A4422	3AD74422	3D0E4422	3EFD4422
40A24422	42024422	43504422	44EC4422	46334518	69F04422	498B4422	4AD24422	4D374518	69FD4422
520E4422	53F44422	55874422	57514422	590D4422	5AC94422	5CD84422	5EA74422	60A14422	62B14422
64CB4518	69F04422	63C44422	6A7F4422	6C634518	69F04422	6F9D4422	71554422	73144422	74D74422
76E84422	78BD4422	7A964422	7C754422	7E6E4422	807B4422	82904422	84224422	866A4422	88B54422
8AFE4518	69F04422	8EBF4422	90224422	91A64518	69F04422	94C54422	96E44422	99324422	9B0D4422
9D5E4422	9F4D4422	A0DA4422	A2624422	A48E4422	A6F04422	A97A4518	69F04422	AE534422	B0054422
B18A4518	69FD4422	B4BE4422	B6A14422	B8E74422	BAF64422	BCED4422	BEEC4422	C0D94422	C2BD4422
C48F4422	C5A94422	C85245 18	69F04422	CBAF4422	CC674518	69F04518	69F04518	69F04422	D54F4422
[illegible]764518	69FD4422	DB524422	DBFF4422	DDD14422	DF514422	E1444422	E3584422	E58E4422	E7C74422
[illegible]EA4422	EBA34422	ED4D4518	69F04422	F1384422	F38E4422	F5FD4518	69F04422	FA274422	FB634422
FC794422	FD644422	FF0A4423	00ED4423	03494423	057A4423	07494423	08FA4423	0AA44518	69FD4423
0EB94423	10F24423	13534518	69F04423	17234423	195D4423	1BC14423	1DA84423	1F154423	20434423
21494423	22494423	23E14423	26014423	28DD4423	2A3A4423	2BFB4423	2DAB4423	2F4B4518	69FD4423
33434423	35754423	37BA4518	69F04423	3BFE4423	3E234423	3FF14423	41B44423	43D74423	46144423
48614423	4AF14423	4CC44423	4E6E4423	4FF14518	69F04423	53334423	55124423	574E4518	69FD4423
5B124423	5CCA4423	5E7C4423	60264423	62544423	64454423	663F4423	683C4423	69EA4423	6B834423
6D694518	69FD4423	71184423	73434423	75944518	69F04423	79E34423	7B6F4423	7CC84423	7DFE4423
7F3F4423	80804423	821E4423	83984423	85934423	87D94423	8A514423	8CF74423	8F444423	91C34423
93D64518	69FD4423	976C4423	98F54423	9AB74518	69F04423	9E3F4423	A0704423	A2C14423	A50D4423
A6B54423	A8604423	A9A04423	AACE4423	AC324423	AEC94423	B1074518	69F04423	B5324423	B6854423
B7B14518	69F04423	BA9C4423	BCE94423	BE464423	C1B74423	C3574423	C6F34423	C9904423	CC574423
CE474423	CFF14423	D1514423	D2C24423	D4884423	D6B24423	D8884518	69F04423	DCD24423	DEC14423
E0BF4518	69FD4423	E4CB4423	E69F4423	E86C4423	EA3A4423	EC374423	EE894423	F0944423	F29D4423
F4724423	F62B4423	F8194518	69F04518	69F04518	69F04518	69F04518	69F04518	69F04518	69FD4518
69FD4518	69FD4518	69FD4518	69F04518	69F04518	69F04518	69F04518	69F04518	69F04424	17D94424
19E54424	1B854424	1D1C4424	1FB04424	20CA4424	23114424	25C04424	282F4424	2A164424	2BC54424
2D5C4518	69F04424	3DFE4424	32F24424	35054518	69F04424	39324424	3B3D4424	3D794424	3F434424
40AA4424	41DC4424	42F24424	444C4424	45EB4424	47CB4424	49D34518	69F04424	4DDE4424	4FE34424
51934518	69F04424	54FD4424	56CF4424	59074424	5B0A4424	5D4E4424	5FAD4424	62174424	64674424
66134424	67CA4424	69044424	6A2C4424	6BD44424	6DAE4424	70044518	69F04424	746C4424	76944424
78B94518	69F04424	7CF94424	7EC54424	807C4424	82354424	842D4424	868C4424	88B04424	8AD84424
8CB04424	8F514424	910F4518	69F04424	94D34424	96B34424	989B4518	69F04424	9C384424	9E234424
9FC54424	A1644424	A3394424	A51F4424	A75D4424	A9584424	AB144424	ACC14424	AE684518	69FD4424
B23A4424	B42B4424	B63C4518	69F04424	BAB04424	BD054424	BF9D4424	C1CA4424	C3564424	C4A54424
C5C04424	C71C4424	C8E54424	CAF54424	CD434424	CFA94424	D1844424	D38F4424	D5364518	69FD4424
D00C4424	DB5C4424	DE0F4518	69F04424	E3614424	E5254424	E6C64424	E7604424	EA650000	101E0000
090A0000	0000AC A3	05248C6E	423D7165	00000000	77777777	C2418CF8	C2410342	451869FD	C2412A4C
C23F931D	C23F0A87	451869F0	C23ED681	C23E97DF	C23E14F3	C23D9C51	C23D6427	C23D53B1	C23D3143
C23DD217	C23E01B5	C23E3E3E	C23E7800	451869F0	C240039A	C2401035	C24001F3	451869FD	C23FFE1C
C2405209	C2404975	C24041D2	C2400F46	C2405CCC	C2406B17	C2405EA1	C24043B1	C2403857	C24029A7
C23FF555	C23F951D	C23EAF81	C23F9780	451869F0	C23D227F	C23D03A8	C23D1742	451869FD	C23DB7BD
C23DA947	C23D9230	C23E5573	C23E4F68	C23DD585	C23D580C	C23CDB10	C23C99E0	C23C7F8A	C23CC425
[illegible]1869F0	C23D37BD	C23CB6C3	C23C1AA3	451869F0	C23B4752	C23AE5E8	C23A99F8	C23A5241	C23D3538
[illegible]B1E5E	C23AE945	C23AA4DB	C23A634C	C23A17AA	C23A07A2	C239B46E	C239773D	C23A3474	C23A0A98
451869F0	C239A73B	C2397318	C2398C10	451869F0	C2390B4C	C238CBDA	C2387E04	C23839FD	C23330F3
C237F549	C23883D2	C2384109	C237FD0F	C237CC33	C237F255	451869F0	C23786F0	C2374A89	C2370C57
451869F0	C2368B3A	C2365580	C236657F	C236376E	C235FB27	C235BF8B	C2366CAF	C2368E0A	C23686FE
C2358814	C235A7AE	451869F0	C2368880	C2364A47	C2363CD4	451869F0	C2358A68	C2362011	C235D79E
C2358A69	C2355B77	C23588C4	C2356DF5	C2354AC7	C2351A66	C234E12E	C2349D1F	C234937F	C2344EB1

DUMP OF TAPE MAG1OUT

79/094A-01F/02I
D-43539
1/2/80-1/10/80

INPUT TAPE MAG1OUT ON HT1
DATA INPUT F9 NF=2 SR=1=1=1 SR=2 LAST 1

1/2/80

FILE 1 RECORD 1 LENGTH 28886BYTES

(0)	70D60000	0C1C0000	00080000	0000ACD0	0522B280	0000EA60	44ACCE00	411B98EE	44198957	44190652
(40)	441866B2	4417AB3B	4416D4D2	4415E478	4414DB4B	4413BA83	44128370	4411377B	43FD8213	43E66F45
(80)	43CE598C	43B55C35	439B9377	43811C5A	4366149B	434A9A89	432ECCEB	4312CAE4	C294C2EE	C32558D6
(120)	C3413B99	C35CD521	C3780659	C352B087	C3ACB572	C3C5F77C	C3DE59C4	C3F5C045	C410CCFF	C41212ED
(160)	C4135043	C414778A	C4158764	C4167E88	C4175BCC	C4181E1F	C418C490	C4194E4C	C419BAA0	C41A08FC
(200)	C41A38F1	C41A4A36	C41A3CA4	C41A1039	C419C519	C4195B8D	C418D403	C4182F0E	C4176D64	C4168FE0
(240)	C4159781	C4148566	C4135ACE	C4121917	C410C1BD	C3F56581	C3DD895F	C3C4A3E8	C3AAD2D9	C3903514
(280)	C374EA7A	C35913C1	C33CD24A	C32047F7	C2396FBC	43191E4A	4335B582	43520C82	436E0179	4389731A
(320)	43A440C9	43BE4AC1	43D7723A	43EF9995	44106A47	4411C77F	44130FAA	4414414D	44155B09	44165B9C
(360)	441741E4	44180CE0	4418BBAF	44194D93	4419C1F1	441A1853	441A5C64	441A69F4	441A64F7	441A4185
(400)	4419FFD8	4419A04D	44192362	441889B6	4417D4CA	4417033A	44161843	4415143B	4413F855	4412C5DD
(440)	44117E35	441022D8	43EB5529	43D3744F	43BAA60D	43A1066B	4386B248	436BC73D	4350637B	4334A5B3
(480)	4318ACF5	C23676CA	C31F77FD	C33B6542	C3570FDD	C37258A6	C38D20CF	C3A74A02	C3C0B67E	C3D94936
(520)	C3F[illegible]E5F4	C41C7717	C411CD18	C4130ED2	C4143ACB	C4154F9D	43295F96	43250434	43207E81	431BD3BB
(560)	43170946	431224A5	42D2B711	42823539	42312031	C2202C54	C27154B1	C2C1FDA8	C3111CCC	C316068A
(600)	C31AD797	C31F8A8F	C3241A34	C328816B	C32CBB46	C330C308	C334942B	C3382A5E	C33B8195	C33E95EF
(640)	C3416416	C343E89D	C34620A3	C3480988	C349A101	C34AE51B	C34BD43C	C34C6D26	C34CAEFB	C34C993B
(680)	C34C2BCB	C34B66F2	C34A4B5B	C348DA16	C3471496	C344FCB4	C34254AA	C33FDF12	C33CDEE7	C339977F
(720)	C3360C86	C3324202	C32E3C48	C329FFF6	C32591F6	C320F76F	C31C35C6	C3175293	C312539C	C2D3ECBD
(760)	C281A2C4	C22EBDE3	42245EED	42775048	42C9B2DA	4311B23E	4316B41B	431B9AC4	43206057	4324FF1D
(800)	4329718E	432DB258	4331BC68	43358AEF	43391967	433C639A	433F65A8	43421C06	4346838C	43469970
(840)	43485B4E	4349C727	434ADB68	434B96E8	434BF8EB	434C011F	434BAFA2	434B04FA	434A021A	4348A85B
(880)	4346F97D	4344F7A4	4342A554	4340056B	433D1B23	4339EA05	433675EB	4332C2F9	432ED594	432AB262
(920)	43265E3F	4321DE39	431D378D	43186F99	43138BE0	42E91FB3	42987966	424726C2	C1A7C2FC	C25C135C
(960)	C2AD42FF	C2FDB002	C314D[illegible]5	C319ADB3	C31E6E99	C3230D69	C32784F7	C32BD043	C32FEA7E	C333CF0C
(1000)	C3377988	C33AE5CE	C33E[illegible]FF8	C340F467	C3438FC5	C345DF09	C347DF79	C3498EB2	C34AEAA4	C34BF19B
(1040)	C34CA23F	C34CFB98	C34CFD0C	C34CA664	4377F49F	4392EF40	43AD416C	43C6CD64	43DF7669	43F720D7
(1080)	441[illegible]DB24	44123119	44137271	44149DCA	4415B1D9	4416AD70	44178F79	441856FD	44190322	4419932B
(1120)	441A0679	441A5C8E	441A9508	441AAFA8	441AAC4F	441A8AFB	441A4BCE	4419EF07	44197509	4418DE52
(1160)	44182B83	44175D5C	441674B9	44157298	4414580F	44132655	4411DEB9	441082A7	43F13A05	43D93401
(1200)	43C[illegible]336D	43A65494	438BB4E6	437072DA	4354ADCB	43385D6	431C1BB6	C16F64D5	C31CF9FA	C3396265
(1240)	C3558702	C371465D	C38C7F5A	C3A71161	C3CCDC8B	C3D9C1C7	C3F1A30B	C4108637	C411DE77	C413214F
(1280)	C4144D37	C41560C3	C4165AA4	C41739AB	C417FCCA	C418A314	C4192BC1	C419962C	C419E1D7	C41A0E68
(1320)	C41A1BAD	C41A0999	C419D846	C41987F4	C419190A	C4188C13	C417E1BE	C4171ADF	C416386B	C4153B79
(1360)	C414253F	C412F710	C411B25C	C41058AE	C3EEBA6D	C3D6CFE4	C3BDE7FF	C3A4208B	C3899841	C36E6E9F
(1400)	C352C3C4	C336B844	C31A6D[illegible]2	421FCFA0	431E64AA	433AA92F	4356A9FB	437246F2	438D609C	43A7D809
(1440)	43C18F6C	43DA69C4	43F24B2F	4410918F	4411EB9D	4413315A	44146160	44157A5F	44167B22	4417628E
(1480)	44182FA7	4418E18B	44197778	4419F0C7	441A4CF5	441A8B9A	441AAC6F	441AAF4D	441A942F	441A5B2D
(1520)	441A0482	44199087	4418FFB7	441852AA	44178A1A	4416A6DE	4415A9EB	44149455	4413674A	44122415
(1560)	441[illegible]CC1C	43F60DC4	421E29D9	42216B86	4224CBBD	42283EF7	422BBCDB	422F3F50	4232C083	42363AC0
(1600)	4239A94C	423D0716	42404E56	42437813	42467B2C	42494A76	424BD1A1	424DF022	424F737B	42501EBA
(1640)	424FCF62	424E9605	424CB0FE	424A5978	4247B4AA	4244D755	4241CC17	423E985A	423B3F6B	4237C407
(1680)	42342B7E	42306F97	422C9292	4228986E	422484DF	422053FA	421C0476	42179AEF	421318DE	41E6B8AB
(1720)	41963EBD	412A1661	00000000	00000000	40A70B9A	418C49E4	41DCAD53	42126CB6	4216E127	421B37B7
(1760)	421F7350	42238BC0	42277AA7	422B42D0	422EE22A	42325BD6	4235A511	4238BB96	423B9E0C	423E4A7E
(1800)	424[illegible]BC97	4242EB9E	4244C839	42463B79	424729E7	42477BBB	424725C3	42462D09	4244A43F	4242A655
(1840)	424[illegible]4FCB	423DB9B0	423AF7C9	42381928	42352916	42322FFD	422F33D4	422C3A4B	4229455B	42265B29
(1880)	42236F6E	42208708	421DA6EC	421AD46E	421816B9	421579BF	4213137B	42110547	41F7EB57	41EB57B9
(1920)	41ED089B	41FCF5FD	42118ED8	4213DF9D	42169595	42198FBE	421CB794	421FFE40	42235BF3	4226C25C
(1960)	422A2BC6	422D94A0	4230F8A5	423452A7	42379F09	423ADA53	423DFF79	424107D6	4243EA9F	42469B72
(2000)	424907F6	424B1473	424C98EF	424D62F7	424D4D90	424C5917	424AA558	42486EB5	4245D0B3	4242EA4D
(2040)	423FCD76	423C8653	42391D78	4235990D	4231FD96	422E4B5D	422A891D	4226B7C7	4222D865	421FE30C
(2080)	42112094	42110FB2	421CFD68	421CE963	421CD39D	421CBABF	42109E78	42107DD0	42105772	42102980
(2120)	41FF145E	41FAACA1	41F5C2[illegible]B	41ED889E	41E37F25	41D61575	41C51C65	41B22D42	41A062CE	4191EAF7
(2160)	4186FC5E	417EDA9D	4178B82C	4173F99B	41703578	416D2441	416A95D1	416868F1	4166B632	4164DCA6
(2200)	41635FCA	4162062B	4160C880	415FA10B	415E8B2D	415D831D	415C85AA	415B9014	415A9FEB	4159B2F9
(2240)	4158C727	4157DA6E	4156EAC8	4155F617	4154FA1A	4153F452	4152E1EE	4151BFA4	4150858F	414F3AF4
(2280)	414DCDF6	414C3B32	414A7927	41487B64	41463149	41438439	414054D0	413C76C4	4137AADC	413196B2

PRINTED IN U.S.A.

```
( 10120)  C4A2D9D3  C4A2D9B9  C4A2D8B6  C4A2D89D  C4A2D7B3  C4A2D7B1  C4A2D7AB  C4A2D6B8  C4A2D6BB  C4A2D6B5
( 10160)  C4A2D5C2  C4A2D5BF  C4A2D5B9  451869F0  C4A2D4CA  C4A2D3C7  C4A2D3F7  451869F0  C4A2D2F2  C4A2D2F5
( 10200)  C4A2D2F9  C4A2D206  C4A2D2 9  C4A2D1F9  C4A2D100  C4A2D1CA  C4A2D10E  C4A2D00B  C4A2D018  451869F0
( 10240)  C4A2D03C  C4A2D019  C4A2CF26  451869F0  C4A2CE3A  C4A2CE3D  C4A2CE41  C4A2CD48  C4A2CD38  C4A2CC35
( 10280)  C4A2CC12  C4A2CB0F  C4A2CB0F  C4A2CB39  C4A2CA67  C4A2CA97  C4A2CA95  C4A2CA98  C4A2C99C  451869F0
( 10320)  C4A2C865  C4A2C865  C4A2C77C  C4A2C770  C4A2C773  C4A2C697  C4A2C697  C4A2C687  C4A2C598  C4A2C592
( 10360)  C4A2C59B  C4A2C4D3  C4A2C4C7  C4A2C3CD  C4A2C3CD  451869F0  C4A2C2BB  C4A2C2BB  C4A2C2E5  451869F0
( 10400)  C4A2C1DF  C4A2C1E9  C4A2C20A  C4A2C214  C4A2C10A  C4A2C118  C4A2C118  C4A2C01F  C4A2C01C  C4A2BF33
( 10440)  C4A2BF36  C4A2BF53  C4A2BE41  C4A2BE71  C4A2BD6E  451869F0  C4A2BC79  C4A2BC7C  C4A2BC76  C4A2BB7D
( 10480)  C4A2BB7D  C4A2BB7A  C4A2BA87  C4A2BA81  C4A2BAA2  C4A2B9B2  C4A2B9B6  C4A2B9B0  C4A2B8B6  C4A2B8C0
( 10520)  C4A2B8BA  451869F0  C4A2B7DB  C4A2B7E5  C4A2B6F2  C4A2B6EF  C4A2B6F9  C4A2B5F6  C4A2B603  C4A2B61A
( 10560)  C4A2B521  C4A2B525  C4A2B52F  C4A2B43F  C4A2B433  C4A2B43C  C4A2B440  451869F0  C4A2B341  C4A2B227
( 10600)  C4A2B221  451869F0  C4A2B152  C4A2B173  C4A2B17C  C4A2B0A0  C4A2B09E  C4A2B08A  C4A2AF91  C4A2AF81
( 10640)  C4A2AE88  C4A2AE95  C4A2AD9C  C4A2ADBD  C4A2ADB7  C4A2ACC4  C4A2ACC7  451869F0  C4A2ABD5  C4A2ABDF
( 10680)  C4A2AAE6  C4A2AAE9  C4A2AAED  C4A2AB14  C4A2AA1A  C4A2AA3B  C4A2AA35  C4A2A932  C4A2A936  C4A2A846
( 10720)  C4A2A867  C4A2A871  C4A2A777  451869F0  C4A2A66E  C4A2A668  C4A2A662  451869F0  C4A2A65F  C4A2A593
( 10760)  C4A2A597  C4A2A594  C4A2A4C8  C4A2A4C8  C4A2A4F2  C4A2A3F9  C4A2A3ED  C4A2A321  C4A2A328  C4A2A328
( 10800)  C4A2A22F  C4A2A24F  C4A2A160  C4A2A15A  C4A2A15A  C4A2A061  C4A2A064  C4A2A085  C4A29F95  C4A29F95
( 10840)  C4A29E9C  C4A29E90  C4A29E80  C4A29DAA  C4A29DAE  C4A29DD8  C4A29D06  C4A29CE9  C4A29BCC  C4A29BED
( 10880)  C4A29C14  C4A29B42  C4A29B45  C4A29B3F  C4A29A50  C4A29A59  C4A29981  C4A29984  C4A29SAB  C4A299DF
( 10920)  C4A299E3  C4A298EA  C4A298ED  C4A29914  C4A29832  C4A29859  C4A29873  C4A297A7  C4A297D2  C4A297F2
( 10960)  C4A2972A  C4A2975A  C4A2977F  C4A296BC  C4A296C0  C4A295C7  C4A295E1  C4A29608  451869F0  451869F0
( 11000)  451869F0  C4A294F9  C4A294DF  C4A294B6  C4A293C3  C4A293BD  C4A293C0  0000021C  000010FF  00000000
( 11040)  ACD8C525  62AD42F5  C5B5427A  08C00000  000C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C
( 11080)  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C
( 11120)  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C
( 11160)  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C
( 11200)  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C
( 11240)  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C
( 11280)  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C
( 11320)  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C
( 11360)  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C
( 11400)  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C
( 11440)  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C
( 11480)  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C
( 11520)  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C  1B9C1B9C
( 11560)  1B9C1B9C  1B9C1B9C  1B9C

          FILE   INPUT    DATA RECORDS    MAX.        READ ERROR SUMMARY          INPUT RETRIES
                 RECS.      INPUT         SIZE      PERM  ZERO B  SHORT  UNDEF.  #RECS.  TOTAL#
            2    2676      2677          28886       0      0      0      0      0      0

EOJ        DUMP STOPPED AFTER FILE   2        # OF PERMANENT READ ERRORS  0

START TIME 07/30/87  18:24:04        STOP TIME 07/30/87  18:29:02
```

1/10/80

```
$$
$ASS IN HT0 OUT HT1
$EXEC TPDUPC BS
```

PRINTING U.S.A.

MAGSAT

INV-B (INVESTIGATOR-B) DATA

79-094A-01G, 02J

THESE DATA SETS HAVE BEEN RESTORED. ORIGINALLY THERE WERE FIVE D AND SEVEN C TAPES AT 9-TRACK, 6250 BPI WRITTEN IN BINARY. THE D AND C TAPES WERE RESTORED SINCE THE TWO SETS ARE DIFFERENT, THE D TAPES WERE BLOCKED AND THE C TAPES WERE UNBLOCKED. THERE ARE 12 RESTORED TAPES. THE DR TAPES ARE 3480 CARTRIDGES AND THE DS TAPES ARE 9-TRACK, 6250 BPI. THE ORIGINAL TAPES WERE CREATED ON AN IBM 360 COMPUTER AND WERE RESTORED ON AN IBM 9021 COMPUTER. THE DR AND DS NUMBERS ALONG WITH THE CORRESPONDING D AND C NUMBERS AND THE TIME SPANS ARE AS FOLLOWS:

DR#	DS#	D#/C#	FILES	TIME SPAN
DR004921	DS004921	D043683	1	11/02/79 - 01/19/80
DR004922	DS004922	D046265	1	01/19/80 - 03/27/80 (a)
DR004923	DS004923	D046266	1	03/26/80 - 05/19/80
DR004924	DS004924	D047246	1	05/20/80 - 06/09/80
DR004925	DS004925	D047247	1	06/09/80 - 06/10/80
DR004926	DS004926	C021745	1	11/02/79 - 12/16/79
DR004927	DS004927	C021746	1	12/16/79 - 01/19/80
DR004928	DS004928	C021749	1	03/26/80 - 05/19/80
DR004929	DS004929	C021747	1	01/19/80 - 03/16/80
DR004930	DS004930	C021748	1	03/16/80 - 03/27/80
DR004931	DS004931	C021750	1	05/20/80 - 06/09/80
DR004932	DS004932	C021751	1	06/09/80 - 06/10/80

(a) ERRORS OCCURRED IN RECORDS 23 & 29, FILE 1

REQ. AGENT	RD #	ACQ. AGENT
DEW		HKH

MAGSAT

79-094A-01G/02J

INVESTIGATOR B TAPE

This data set consists of 5 'D' tapes and 7 'C' tapes. The tapes are 9-track, 6250 bpi, with 1 file of data. The 'C' tapes are unblocked. The tapes were created on an IBM 360 computer. The 'D' and 'C' numbers and time spans are as follows:

D#	C#	Files	Time Span
D-43683	C-21745	1	11/02/79 - 12/16/79 —
	C-21746		12/16/79 - 01/19/80 —
D-46265	C-21747	1	01/19/80 - 03/16/80
	C-21748		03/16/80 - 03/27/80
D-46266	C-21749	1	03/26/80 - 05/19/80
D-47246	C-21750	1	05/20/80 - 06/09/80
D-47247	C-21751	1	06/09/80 - 06/10/80

Note on Magsat Investigator-B Tape Format Descriptions

7/21/93
H. Kent Hills

The Magsat project documents described their output tape format, which was an IBM labeled format, namely VBS, which uses an extra 4 bytes to indicate the block size, and an extra 4 bytes for the length of each logical record. Because of the VBS structure, and the fact that the Magsat data has records of two different sizes, the VBS structure can be awkward to handle in non-IBM systems. The NSSDC distributes tapes in unlabeled format. In this case, the records are of length 2228 bytes for the header records and 3024 for the data records (which are the logical record lengths without counting the 4-byte control words used in IBM VBS format). When generating the program to read the tape, the user may need to first determine the record length, or check the record type value contained in each record, to know which type of record is being read and proceed accordingly. The record type value for the next record is also included in each record, and can be useful in efficient processing of the tape.

The tape format contained in "Magsat Investigator-B Tape User's Guide," CSC/TM-82/6058, approved 2/25/82 is correct, but the warning above regarding record format still applies.

CSC/TM-82/6058

MAGSAT INVESTIGATOR-B TAPE

USER'S GUIDE

Prepared for

GODDARD SPACE FLIGHT CENTER

By

COMPUTER SCIENCES CORPORATION

Under

Contract NAS 5-24391
Task Assignment 5025

Prepared by:

Roxielle B. Abrams 2/25/82
R. Abrams Date

Brook L. Gilson 2/25/82
B. Gilson Date

Approved by:

K. C. Leung 2/25/82
Dr. K. C. Leung Date
Department Manager

TABLE OF CONTENTS

Section 1 - Introduction. 1-1

Section 2 - Tape Formats. 2-1

Section 3 - Detailed Descriptions of Variables. 3-1

3.1 Computation of E and I 3-1
3.2 Magnetic Activity Index (IKP). 3-2
3.3 Disturbance Storm Time (DST) 3-2
3.4 Invariant Latitude (INVLAT). 3-2
3.5 Dip Latitude (DIPLAT). 3-3
3.6 Measured Field Values. 3-3
3.7 Model Field Values 3-4

Section 4 - Exceptions. 4-1

Appendix A - Sample Printout

References

LIST OF ILLUSTRATIONS

Figure

A-1 Header Dump..... A-2
A-2 Data Record Dump..... A-4

LIST OF TABLES

Table

2-1 Description of Header Record Variables..... 2-3
2-2 Description of Data Record Variables..... 2-7
2-3 Description of Data Values Data (30,25) in Data Record..... 2-8
A-1 Values in Header Dump..... A-6
A-2 Field Model Coefficients..... A-9
A-3 Time Derivatives of Field Model Coefficients. A-12
A-4 Values in Data Record..... A-13
A-5 Values in Data Array of Data Record..... A-14

SECTION 1 - INTRODUCTION

The Investigator-B tape contains observed and theoretical magnetic field values, related scientific parameters, and satellite position data from the Magnetic Satellite Mission (MAGSAT). The observed magnetic data were collected on the MAGSAT satellite from November 2, 1979, to June 11, 1980, by a cesium vapor magnetometer, a fluxgate (vector) magnetometer (see Reference 1), an associated attitude determination instrument, and other supporting instruments. These data were received through the National Aeronautics and Space Administration (NASA) Space Tracking and Data Network (STDN) and transmitted to the Goddard Space Flight Center (GSFC) where the Information Processing Division (IPD) sorted the measurements and relayed them to the appropriate people.

In addition, the satellite was tracked by the Defense Mapping Agency (DMA) Doppler network. These data were processed and definitive orbits determined by personnel at the Johns Hopkins Applied Physics Laboratory (APL) who then furnished the completed ephemeris tapes to GSFC.

Attitude data were analyzed by the Attitude Determination and Control (ADC) Section at GSFC and then sent, via IPD, to the Project in the form of quaternions. Attitude data are of two varieties. The first, called intermediate attitude, is derived from the horizon scanner and sun sensor. Its accuracy, after processing, is on the order of 10-20 arcmin. The second, called fine attitude, is derived from two star cameras, the fine Sun sensor, the attitude transfer system (ATS), and a pitch gyro. The mission goal for the vector measurement accuracy was 20 arcsec.

There are a total of four Investigator-B tapes with the following tape names and MAGSAT data.

IBM002	November 2, 1979 - January 18, 1980
IB0005	January 19, 1980 - March 26, 1980
IB1004	March 27, 1980 - May 19, 1980
IB2003	May 20, 1980 - June 9, 1980

They are written by an IBM System 360/91 computer in computer compatible tape format with the following characteristics:

- Record Format - Variable length blocked and spanned (VBS)
- Maximum Logical Record Length - 3028 bytes (8 bits per byte)
- Maximum Block Size - 30,000 8-bit bytes
- Tracks - 9
- Density - 6250 bits per inch (BPI)
- Data Set Name on IBM Standard Label - INVB

Each tape contains 3 files. The first file constitutes a standard IBM tape header label. The second file contains all the data. The last file constitutes an IBM standard trailer for a labeled tape.

For IBM users, a sample data definition (DD) statement follows:

```
//FT20F001 DD DSN=INVB, VOL=SER=IB0005, UNIT=9TRACK,
//  LABEL=(1,SL), DCB=(RECFM=VBS, LRECL=3028, BLKSIZE=30000,
//  DEN=4)
```

Data are organized by individual satellite passes. The start of the pass is defined as the point at which the satellite changes from south-going to north-going (i.e., the southernmost point). The pass numbers are assigned consecutively beginning with the first partial orbit which is labeled one. If a pass contains no data, it does not

appear on the tape and its number is skipped. Each pass contains two types of records, header records and data records. Each pass has exactly one header record which contains information required only once per pass. In addition to the header record, there are several data records covering the entire pass. Each data record contains 30 data points spaced at approximately 5-second intervals, corresponding to 2.5 minutes of data.

SECTION 2 - TAPE FORMATS

Tables 2-1, 2-2, and 2-3 describe the formats which define the Investigator-B tape. Table 2-1 describes the header record format, Table 2-2 gives the data record format, and Table 2-3 expands the time ordered array portion of the data record. The time ordered array begins at a displacement of 24 bytes from the beginning of the data record. There are 25 different quantities at 30 points in time separated by equal increments of approximately 5 seconds.

In these tables, the heading LOCATION refers to the displacement of the data in bytes (8 bits per byte) from the start of the record. The comment array (COMM) in the header record contains 120 bytes of EBCDIC characters.

The attitude quality word (QUAL) described in Table 2-3, are stored in alternating 2 byte integers in the IBM format. The value appears in the rightmost 2 bytes; the leftmost bytes are zero filled. All remaining data are in IBM binary format either as 4 byte integers (denoted by I*4) or as 4 byte floating point real numbers (denoted by R*4).

Unless otherwise stated, all references to X, Y, and Z components of the measured magnetic field in this document refer to NEV coordinates with X corresponding to North, Y to East and Z to Vertical (down). Also, all values of measured magnetic field are expressed in gammas (one gamma equals one nanotesla, that is, 10^{-9} weber per square meter). All references to the modified Julian day refer to the Julian day minus 2,400,000. Using this definition, the Modified Julian Day 44179 represents November 2, 1979. Ascending node refers to the point where the satellite crosses the equator in a northerly direction; descending node refers to an equator crossing in a southerly direction.

The following values at the node are not calculated whenever there are no data points within 45° latitude of the node (equator) on either or both sides: milliseconds of day (MSECX), longitude (ALONX), local mean Sun time (ALTMX), magnetic acitivity index (IKP), and disturbance storm time (DST). In addition the external field E and the associated induced field I at the node are not computed whenever there is no data point within 5° latitude of the node on either or both sides or there are less than 20 points within 45° latitude of the node.

Unavailable data in all records are padded with the value 99999.0 with the following exceptions: the times at the node are padded with -99999; and attitude quality words are padded with 0 in the first two bytes and 9999 in bytes 3 and 4.

Table 2-1. Description of Header Record Variables

VARIABLE	LOCATION	TYPE	DESCRIPTION
ITYPEX	0	I*4	A flag set to 1 to designate this as a header record.
NTYPEX	4	I*4	A flag which is equal to 1 if the succeeding record is a header record and equal to 2 if the next record is a data record.
MJDX	8	I*4	The modified Julian day at the start of the pass. i.e., when the satellite turns northward--true even if the first piece of available data in the pass is on the next day.
IPASSX	12	I*4	Pass (orbit) number. Pass numbers will be assigned consecutively beginning from the first partial orbit which will be labeled 1. The designation of the start of a pass is the point at which the satellite changes from south-going to north-going.
ASCX(2)	16	R*4	External field E and associated induced field I at the ascending node (see Section 3.1 for the computations of E & I).

Table 2-1. Description of Header Record Variables (Cont'd.)

VARIABLE	LOCATION	TYPE	DESCRIPTION
DSCX(2)	24	R*4	E, I at descending node
MSECX(2)	32	I*4	Milliseconds of day at Ascending Node (first number) and Descending Node (second number)
ALTMX(2)	40	R*4	Local Mean Sun time (in hours) at Ascending Node (first number) and Descending Node (second number)
ALONX(2)	48	R*4	Longitude in degrees at Ascending Node (first number) and Descending Node (second number)
IKP(2)	56	I*4	Coded version of the Magnetic Activity Index, K_p, at Ascending Node (first number) and Descending Node (second number). See Section 3.2 for the definition of IKP.
GSM(2,3)	64	R*4	Spare
DST(2,6)	88	R*4	Disturbance Storm Time coefficients. (Section 3.3 describes the computation of DST). DST (1,J) is at Ascending Node DST (2,J) is at Descending Node $D(T)=A_o(T) + \sum_{n=1}^{2} A_n(T) \sin(nt + \alpha_n(T))$

Table 2-1. Description of Header Record Variables (Cont'd.)

VARIABLE	LOCATION	TYPE	DESCRIPTION
			where A_o = DST (I,1) A_1 = DST (I,2) α_1 = DST (I,3) A_2 = DST (I,4) α_2 = DST (I,5) D(T) = DST (I,6) T is the universal time and t is the local time. NOTE: A_o corresponds to DST, D(T) is the total equatorial distrubance in the radial component (H) at (T,t).
COMM(30)	136	EBCDIC	Comments relating to the field model.
NMAX*	256	I*4	Maximum value of subscripts in GH (see below in this table).
NMAXT**	260	I*4	Maximum value of subscripts in GHT (see below in this table).
MODEXT	264	I*4	If MODEXT = 1 an exterior field is present in the field model.
TZERO	268	R*4	Epoch time at which coefficients of field model are valid.

Table 2-1. Description of Header Record Variables (Cont'd.)

VARIABLE	LOCATION	TYPE	DESCRIPTION
ABAR	272	R*4	Mean Earth radius in kilometers for field model calculation.
GH(17,17)*	276	R*4	Field model coefficients in gammas for g(nT) and h(nT). GH (n,m) = g_n^m GH (m-1,n) = h_n^m
GHT(14,14)**	1432	R*4	Time derivatives of GH ($\frac{\text{gammas}}{\text{year}}$).
EX(3)	2216	R*4	Components of the Earth's external field in Earth-centered Cartesian coordinates.

*In the model used to form the Investigator-B tapes, only a 14-by-14 GH subarray is actually used. GH values for n or m greater than 14 are zero filled.

**In the model used to form the Investigator-B tapes, only an 8-by-8 GHT subarray is actually used. GHT values with subscripts greater than 8 are zero-filled. This implies that values of GH with subscripts between 9 and 14 inclusive are time-independent.

Table 2-2. Description of Data Record Variables

VARIABLE	LOCATION	TYPE	DESCRIPTION
ITYPEB	0	I*4	A flag set to 2 designating a data record.
NTYPEB	4	I*4	A flag denoting type of next record. NTYPEB equals 1 if the next record is a header record, 2 if the next record is a data record.
MJDB	8	I*4	The modified Julian day of the first point in this data record.
MSECB	12	I*4	Time of day (msec) for the first point in the data record.
IPASSB	16	I*4	The current pass number.
TINTB	20	R*4	Time interval (msec) between data points in data record.
DATA(30,25)	24	R*4	Data values for 25 variables at 30 points in time (see Table 2-3).

Table 2-3. Description of Data Values DATA(30,25) in Data Record

VARIABLE	LOCATION	TYPE	DESCRIPTION
LAT	24	R*4	The geocentric latitude of the spacecraft in degrees at this data point.
LONG	144	R*4	The geocentric longitude (range ± 180) of the spacecraft in degrees at this data point.
RAD	264	R*4	The geocentric radius (in kilometers) of the spacecraft orbit at this data point.
MLT	384	R*4	Magnetic Local Time in hours.
INVLAT	504	R*4	Invariant latitude in degrees (see Section 3.4)
DIPLAT	624	R*4	Dip latitude in degrees (see Section 3.5)
BS	744	R*4	Magnitude of measured magnetic field from scalar data in gammas (see Section 3.6).
BV	864	R*4	Magnitude of measured magnetic field from vector data in gammas (see Section 3.6)

Table 2-3. Description of Data Values DATA(30,25) in Data Record (Cont'd.)

VARIABLE	LOCATION	TYPE	DESCRIPTION
X	984	R*4	X component (in NEV coordinates) of measured magnetic field in gammas (see Section 3.6)
Y	1104	R*4	Y component (in NEV coordinates) of measured magnetic field in gammas (see Section 3.6).
Z	1224	R*4	Z component (in NEV coordinates) of measured magnetic field in gammas (see Section 3.6).
BVA	1344	R*4	The average of the magnitude of measured magnetic field in gammas (obtained from vector data) for the original observed points corresponding to this data point.

Table 2-3. Description of Data Values DATA(30,25) in Data Record (Cont'd.)

VARIABLE	LOCATION	TYPE	DESCRIPTION
XA	1464	R*4	The average of the (X, Y, or Z) component of the measured magnetic field in gammas (in NEV coordinates) for the original observed points corresponding to this data point (see Section 3.6).
YA	1584	R*4	
ZA	1704	R*4	
BVSD	1824	R*4	BVSD, XSD, YSD, and ZSD are coded variables related to the measured vector magnetic field and its X, Y, Z components (in NEV coordinates) respectively. Each variable is represented by a signed floating point number to be interpreted as follows: • The fractional part is the slope (in gammas/millisecond δ), multiplied by 10, of the least square line fitted to the original observed values used to compute this average point.
XSD	1944	R*4	
YSD	2064	R*4	
ZSD	2184	R*4	

Table 2-3. Description of Data Values DATA(30,25) in Data Record (Cont'd.)

VARIABLE	LOCATION	TYPE	DESCRIPTION
			• The integer part is the standard error of the linear fit (in gammas) multiplied by 10. • The sign of the coded variable is the sign of the slope (see Section 3.6).
BMD	2304	R*4	Magnitude of magnetic field predicted from the spherical harmonic model whose coefficients appear in GH and GHT of the header record (see Section 3.7).
XMD	2424	R*4	X component (in NEV coordinates) of magnetic field in gammas predicted by model (see Section 3.7).
YMD	2544	R*4	Y component in NEV coordinates of magnetic field in gammas predicted by model (see Section 3.7).
ZMD	2664	R*4	Z component (in NEV coordinates) of magnetic field in gammas predicted by model (see Section 3.7).

Table 2-3. Description of Data Values DATA(30,25) in Data Record (Cont'd).

VARIABLE	LOCATION	TYPE	DESCRIPTION
QUAL	2784	I*4	Attitude Quality Word - Appears in last 2 bytes of word in integer format. Bytes 1 and 2 of the word are set to 0 (see Section 3.8).
SPARE	2904		

SECTION 3 - DETAILED DESCRIPTIONS OF VARIABLES

The following quantities from Tables 2-1 to 2-3 are discussed in more detail below: the external field (E), the associated induced field (I), the magnetic activity index (IKP), disturbance storm times (DST), invariant latitude, dip latitude, measured field values and associated statistical parameters (in Table 2-3), model field values (BS, BV, X, Y, and Z in Table 2-3) and the attitude quality (QUAL).

3.1 COMPUTATION OF E AND I

Estimates of the external fields (ASCX(1) and DSCX(1)) due to the ring-current and other magnetic currents and the associated induced fields (ASCX(2) and DSCX(2)) are derived from the resultant of the vector data as follows:

a) Derive ΔB = B (measured) - B (computed) for all data within $\pm 45°$ latitude of the equator. B (computed) is taken from the spherical harmonic analysis whose coefficients are included in the header record (variables GH and GHT).

b) Assume that for each half orbit ΔB is the perturbation due to a potential function of the form

$$V = [(r/a)\ E + (a/r)^2\ I]\ \cos\phi$$

where a = 6371.2 km (mean Earth radius)

r = radial distance to data point from the center of Earth

$\phi = 90° - \sigma$

σ = the dip latitude (see Section 3.5)

then $\vec{\Delta B} = -\vec{\nabla} V$ where the symbol ∇ denotes the gradient.

From these equations E and I are found by a non-linear least square procedure. The term associated with "E" represents the external field while the term associated with "I" represents the induced field. "E" and "I" are computed each half-orbit and should be associated with the time and position of the ascending and descending nodes.

3.2 MAGNETIC ACTIVITY INDEX (IKP)

The magnetic activity index (planetary index) K_p is proportional to the logarithm of the variation of the magnetic field. Thus, K_p is a measure of the degree of magnetic disturbance. K_p values consist of an integer followed by a -, 0, or + sign. IKP is the coded version of K_p. IKP = $10K_p + 3n$ where n is -1, 0, or +1 depending on whether the K_p value is -, 0, or + respectively.

3.3 DISTURBANCE STORM TIME (DST)

The disturbance storm time coefficients, DST(1,1)...DST(1,5) for the ascending node and DST(2,1)...DST(2,5) for the descending node were supplied by Dr. M. Sugiura of the Goddard Space Flight Center. Values for D(T) are calculated at each node by the following formula

$$D(T) = A_o(T) + \sum_{n=1}^{2} A_n(T) \sin (nt + \alpha_n(T))$$

where A_o, A_1, A_2, α_1, and α_2 are DST coefficients for the appropriate node. A_o, A_1, and A_2 are in gammas, and α_1 and α_2 are in degrees. T is the universal time and t is the local time. $A_o(T)$ is equivalent to the traditional DST while $\sum_{n=1}^{2} A_n(T)\sin\{nT+\alpha_n(T)\}$ should be an approximation to the traditional DS. For these calculations data from the five observatories Honolulu, San Juan, Hermanus, Alibay, and Kakioka were utilized. As of this writing, the secular variation has not yet been accounted for, which can result in a baseline shift of a few gammas.

3.4 INVARIANT LATITUDE (INVLAT)

The invariant latitude is the inverse cosine of the reciprocal of the McIlwain shell paramter.

3.5 DIP LATITUDE (DIPLAT)

The dip latitude (λ) at a location is the angle that a magnetized needle makes with the horizontal axis at that location.

$$\lambda = \text{Arctan}\left(\frac{0.5Z}{\sqrt{X^2 + Y^2}}\right)$$

Where X, Y, and Z are the field components (in NEV coordinates) obtained using a Schmidt-normalized spherical harmonic field model.

3.6 MEASURED FIELD VALUES

Items BS, X, Y, and Z in Table 2-3 are the actual measured field values at the universal time (T) which is specified by the following formula:

$$T = MSECB + (n-1) * TINTB$$

where n is the position of the point in the record (ranging from 1 to 30), MSECB is the time of day in milliseconds (see Table 2-2) and TINTB (see Table 2-2) is the time interval in milliseconds between points in the data record. BV is the resultant of X, Y, and Z. Items BVA, XA, YA, and ZA in Table 2-3 represent the average field values of the observations spanning 4915.4 milliseconds centered at time T. If all data are available, the average is over 80 observations. Items BVSD, XSD, YSD, and ZSD in Table 2-3 are coded variables represented by signed floating point numbers which should be interpreted as follows:

- The fractional part is the slope (in gammas/millisecond), multiplied by 10, of the least square line fitted to up to 80 original observations included in the average.

- The integral part is the standard error of the linear fit (in gammas) multiplied by 10.
- The sign of the coded variable is the sign of the slope.

3.7 MODEL FIELD VALUES

Items BMD, XMD, YMD, and ZMD in Table 3 are field values calculated using a Schmidt-normalized spherical harmonic model with geocentric coordinates. The significant parameters of the model are described in the header record (see Table 2, locations 136-2216). The calculated field values, XMD, YMD, and ZMD at the epoch time t_o (see Table 2, TZERO) are given by the following equations

$$XMD = \sum_{n=2}^{k} \sum_{m=1}^{n} \left(\frac{a}{r}\right)^{n+1} \cdot \left(g_n^m \cos(m-1)\lambda + h_n^m \sin(m-1)\lambda\right) \cdot \frac{d}{d\theta} p_{n-1}^{m-1}(\cos\theta) \quad (2)$$

$$YMD = \sum_{n=2}^{k} \sum_{m=1}^{n} \left(\frac{a}{r}\right)^{n+1} \frac{-m+1}{\sin\theta} \cdot \left(- g_n^m \sin(m-1)\lambda + h_n^m \cos(m-1)\lambda\right) \cdot p_{n-1}^{m-1}(\cos\theta) \quad (3)$$

$$ZMD = \sum_{n=2}^{k} \sum_{m=1}^{n} (-n) \left(\frac{a}{r}\right)^{n+1} \cdot \left(g_n^m \cos(m-1)\lambda + h_n^m \sin(m-1)\lambda\right) \cdot p_{n-1}^{m-1}(\cos\theta) \quad (4)$$

where k is the degree (see Table 2, NMAX), r is the radial distance from the origin (see Table 3, RAD), a is the mean radius of the earth (see ABAR, Table 2), θ is the colatitude, the complement of the latitude, (see Table 3, LAT), λ is the east longitude measured from Greenwich (see Table 3, LONG), $p_n^m(\cos\theta)$ is an associated Lengendre polynomial (Schmidt-normalized type) of degree n and order m.

$$P_n^m(\mu) = \frac{1}{2^n \; n!} \left(\frac{\varepsilon_m \; (n-m)! \; (1-\mu^2)^m}{(n+m)!} \right)^{1/2} \frac{d^{m+n}(\mu^2-1)^n}{d\mu^{m+n}}$$

where $\mu = \cos\theta$, $\varepsilon_m = 1$ for $m = 0$ and 2 for $m > 0$,

and where g_n^m and h_n^m are the field model coefficients (see Table 2, GH)

The value of XMD, YMD, and ZMD at any time t is obtained by using the time derivatives GHT (see Table 2) to adjust g_n^m and h_n^m to the time t as follows:

$$g_n^m(t) = g_n^m(t_o) + GHT(n,m) * (t-t_o)$$

$$h_n^m(t) = h_n^m(t_o) + GHT(m-1,n) * (t-t_o)$$

where t and t_o are measured in years. The adjusted values for $g_n^m(t)$ and $h_n^m(t)$ are then substituted in Equations 2-4.

3.8 ATTITUDE QUALITY

The attitude quality flag abcde is a five digit number defined as follows:

Character	Description
a	Smoothing character (level of smoothing of final attitude):
	=0, no smoothing
	=1, linear smoothing
	=2, nonlinear smoothing
b	Residual character:
	=0, all residuals within boundaries
	=1, QUEST residual and SC1 acceptable, SC2 bad
	=2, QUEST residual acceptable, SC1 bad, SC2 acceptable
	=3, QUEST residual acceptable, SC1 and SC2 bad
	=4, QUEST residual bad, SC1 and SC2 acceptable
	=5, QUEST residual bad, SC1 acceptable, SC2 bad

Character	Description
	=6, QUEST residual and SC1 bad, SC2 acceptable
	=7, QUEST residual SC1, and SC2 bad
c	Gyro and ATS character:
	=0, observed gyro point, observed ATS point
	=1, observed gyro point, interpolated ATS point
	=2, observed gyro point, default ATS value
	=3, interpolated gyro data, observed ATS point
	=4, interpolated gyro data, interpolated ATS point
	=5, interpolated gyro data, default ATS value
	=6, gyro data point invalid, observed ATS point
	=7, gyro data point invalid, interpolated ATS point
	=8, gyro data point invalid, default ATS value
d	Attitude computation character (method of final attitude computation):
	=0, with QUEST, using FSS, SC1, and SC2
	=1, with QUEST, using SC1 and SC2
	=2, with QUEST, using SC1 and FSS
	=3, with QUEST, using SC2 and FSS
	=4, using SC1 and gyro
	=5, using SC2 and gyro
	=6, using FSS and gyro
	=7, not computed

Character	Description
e	Pattern matching character:
	=0, SC1 and SC2 valid, identified
	=1, SC1 valid, identified; SC2 valid, not identified
	=2, SC1 valid, identified; SC2 not valid
	=3, SC1 valid, not identified; SC2 valid, identified
	=4, SC1 valid, not identified; SC2 valid, not identified
	=5, SC1 valid, not identified; SC2 not valid
	=6, SC1 not valid; SC2 valid, identified
	=7, SC1 not valid; SC2 valid, not identified
	=8, SC1 not valid; SC2 not valid

In the above list QUEST refers to the attitude determination least squares program (Reference 3).

An acceptable QUEST residual implies that the QUEST solution results in a consistent model of the data.

SC1 and SC2 refer to the two star cameras which are attached to the optical bench on the spacecraft side of the boom. ATS is the Attitude Transfer System which optically connects the optical bench and a set of mirrors attached to the vector magnetometer (on the boom). FSS is the Fine Sun Sensor on the magnetometer.

Comments on the attitude quality flag appear below.

Comments on the Attitude Quality Flag

Character	Comments
a	Self-explanatory
b	Values 0, 1, 2, and 3 indicate that the attitude solution residual is less than or equal to 20". Values 4, 5, 6, and 7 indicate that the attitude solution residual is greater than 20". This flag will always be 7 when a motion model solution is obtained. In that case, it has no meaning.
c	Definition of terms Observed - A measurement was obtained and the measured value was used in the computations. Interpolated - Either a measurement was obtained and the measured value was deemed unacceptable or no measurement was obtained. Consequently a linear interpolated value was supplied and used in the computations. Default - Same as Interpolated except a predetermined default value was supplied and used in the computations. Invalid - The data was deemed invalid if • The telemetry was bad. • The measured value deviated substantially from the mean of the surrounding data.

d QUEST is the name of the program in which the attitude was computed based on information from at least two of the three sensors (SC1, SC2, FSS). An alternate solution method determined attitudes by propagating previous attitudes based on information about the motion of the spacecraft (motion model). A QUEST solution was preferable to the motion model. Information for the motion model consisted of a combination of SC1, SC2, or FSS data plus gyro data with the following priority:

FSS + gyro highest
SC1 + gyro
SC2 + gyro lowest

No attitude was computed if either

- No data from SC1, SC2, and FSS existed.
- Or no attitude from the previous half minor frame was available.

Note that in the Investigator-B data record each attitude quality flag is represented by a two-byte word right justified in a four-byte word. Bytes 1 and 2 are set to zero. When attitude quality values are not available the value 9999 is used as pad.

SECTION 4 - EXCEPTIONS

The first and last Investigator-B tapes are slightly different than the others. The following is a list of special considerations.

1. The first tape (November 2, 1979 - January 18, 1980) contains not only fine attitude data but also intermediate attitude data which is identifiable by an attitude flag of 9999.

2. On the last tape (May 20, 1980 - June 9, 1980) all data are intermediate attitude. On the second (January 19, 1980 - March 26, 1980) and the third (March 27, 1980 - May 19, 1980) tapes all data are fine attitude.

3. On the first tape, on the first record of some orbits (about one out of fifteen) an isolated spurious point exists. A list of these points is under preparation.

4. On the first tape the values BVSD, XSD, YSD, and ZSD (see Table 3) are the standard deviations of the measured vector magnetic field and the X, Y, and Z components respectively rather than the coded variables described in Table 3. BVSD, XSD, YSD, and ZSD are still, however, four-byte floating point real numbers in the IBM format.

APPENDIX A - SAMPLE PRINTOUT

A dump of a typical Investigator-B header record in hexidecimal characters appears in Figure A-1; Figure A-2 contains a dump for a typical data record. The dumps should be read row-by-row across the page. Actual corresponding values for the header record are listed in Tables A-1, A-2, and A-3, and for the data record in Tables A-4 and A-5.

00000001	00000002	0000ACE1	00000483	422034C7	41291C50	42146282	C11DED0D	002A8DA8	00554BCD
C1651241	415AED1B	C26A5FCF	423DF3A9	00000011	00000011	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	41300000	41300000	41900000	41800000	C299E666	C2B1E666	41800000	41C00000
C2116666	C2353333	42105C62	415AC5D5	40404040	D4C7E2F4	F8F17BF2	40404040	40404040	40404040
40404040	40404040	40404040	40404040	40404040	C7E2E34D	F451F8F1	60F25D40	4040D5D6	40C5E7E3
40404040	C6D6D9D4	C1E340F2	C9F36BF6	C6F1F14B	F45D4040	40404040	40404DF1	F46BF85D	40C5D7D6
C3C840F1	F9F8F04B	40404040	40404040	0000000E	00000008	00000000	437DC000	4418E333	00000000
C4752333	C37CC28F	434FFD71	433A9896	C2D93168	42307780	42480883	42127FF3	4155D5D0	C132A5E3
41287D56	C11AA71E	3FA85879	00000000	00000000	00000000	4415E4B3	C37A4D9A	43BD3666	C3885029
4330E7D7	43165D37	42410396	C2332330	416D7AE1	41A722D1	C13CC6A8	C115161E	3F68D88C	C0687280
00000000	00000000	00000000	C3851707	C2C79810	4367F785	434F363D	4318CE19	43105144	4229E25B
411A14E4	C03C63F1	41167AE1	4126DA51	C11C04EA	C0314E3C	40822631	00000000	00000000	00000000
C314F517	4310F204	C2FC3A1D	43340FE7	C31A372F	C24A4FEC	C28FF6C9	4214E76D	C1AE58E2	C1C1FB16
C159DFD3	41272546	C0268DB9	C0944D01	00000000	00000000	00000000	42D428B4	C3100837	42345B8C
C3129D37	42C61C29	C2A1FF3B	4137923A	C1C24C98	C17359B4	4197CB92	C11D3127	40318DA5	40CEF34D
C022617C	00000000	00000000	00000000	422DDBE1	42960873	C2969AE1	C24DB461	425C58B4	C23013F1
41DD6E2F	406EECC0	41465C92	C13916F0	4147E426	C0E119CE	408A43FE	40DA3055	00000000	00000000
00000000	C1E99BA6	425D3B02	4246F858	C22D0666	C1227B4A	4211464C	C26D9021	41A48794	41280625
C11078D5	413517C2	C05GAC08	C0784A23	C0830646	00000000	00000000	00000000	C252864C	C21B2E4F
C152FD22	41FE9A6B	4211EEE6	C2170134	C19F2C3D	C11D5FD7	4161432D	416E17C2	40A978D5	4115E979
C0368728	4028A090	00000000	00000000	00000000	41730717	C2118F93	413C2CA5	C2163EED	419228F6
4210244D	C1D4D3C3	C1ECE83F	C0D2A305	4116A36E	412463F1	41150A3	4050DED3	C0DED917	00000000
00000000	00000000	C214F113	41F79097	418A7D56	C1510000	C16D5A85	418FDB8C	419AD917	C15AC28F
4122F766	C150C227	413130BE	C0A0B0F2	C098E8A7	402C84B6	00000000	00000000	00000000	4113DB23
405A0903	412E5810	415CF909	C1440D84	C024AF4F	C1150B0F	4131EE63	C038D4FE	C1668FC5	C083404F
411E645A	C02B089A	C0164C30	00000000	00000000	00000000	40DA0275	411F3A93	C11888DB	C13385F0
407CC63F	C04FAACE	C125B3D0	C041D14E	C117A9FC	C11E17C2	4111A71E	41383D71	40D02DE0	405346DC
00000000	00000000	00000000	40673190	409E2EB2	412483E4	C1163D71	406288CE	40260419	C041DE6A
401EA4A9	BF15B574	C1157660	4080902F	40ECF41F	BF25460B	C07D4FDF	00000000	00000000	00000000
C076A7F0	40424745	41135C29	C0351EB8	C0815D57	C0169AD4	40DC0EBF	40428F5C	40FA8C15	40353F7D
C01E703B	C05C3C9F	C0EB923A	40721965	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	42198027
C1AE97F6	C158F213	C0DDD97F	408CF41F	4118A027	411145A2	00000000	00000000	00000000	00000000
00000000	00000000	C2166009	41CC79A7	407FEC57	C169367A	411CC227	C11D4C30	412379A7	C1273BCD
00000000	00000000	00000000	00000000	00000000	00000000	C1CDEBEE	C214C8A1	41B17A78	C12DD97F
C16B8CE7	C03B8BAC	408E0DED	40265948	00000000	00000000	00000000	00000000	00000000	00000000

Figure A-1. Header Dump

413F295F	411404EA	C195CFAB	C0751828	408FF2E5	C134FA4B	408F1412	40A617C2	00000000	00000000
00000000	00000000	00000000	00000000	C0685F07	C11BA512	415B6B51	C140CE70	C172CFAB	4118A858
40E5D639	C080E0EE	00000000	00000000	00000000	00000000	00000000	00000000	4111E2EB	4118096C
C11EE2EB	4138E38D	40A00000	C1295357	40407803	C11A978D	00000000	00000000	00000000	00000000
00000000	00000000	C11892A3	C1284C30	C0BDC5D6	41126A7F	409D566D	413D7732	C1156944	411664C3
00000000	00000000	00000000	00000000	00000000	00000000	C11476C9	40F10CB3	40FD844D	C03ED289
C0816F00	C0AF3B64	411CC77A	41176DC6	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	451869F0	451869F0	451869F0			

Figure A-1. Header Dump (Continued)

00000002	00000002	0000ACE1	0015106E	00000483	44133372	C2533487	C2533DDD	C253293C	C2531DE0
C2530EDD	C252FC49	C252F642	C252CCE7	C252D05C	C25290C6	C2526E49	C2524910	C252213E	C251F6FF
C251CA73	C2519BC4	C2516B11	C2513880	C2510420	C250CF39	C25096DE	C2505DDA	C25023A0	C24FE82F
C24FAB98	C24F6DEC	C24F2F44	C24EFFAA	C24EAF36	C24E6DEF	C1BE2999	C1E98211	C21148EF	C213F277
C21691C6	C21924BB	C21BA8F0	C21E1CD6	C2207EB0	C222CD75	C2250867	C2272EBC	C2294060	C22B3DDC
C22D251B	C22EF89D	C230FB3A	C232644E	C233FDA2	C23584BB	C236FA79	C2385F74	C2398490	C23AFA6A
C23C31D2	C23D5B9D	C23E7838	C23F8896	C2408D34	C24185CB	441A7AED	441A7B4F	441A7BBD	441A7C2B
441A7C9A	441A7D08	441A7D77	441A7DE6	441A7E55	441A7EC4	441A7F34	441A7FA3	441A8014	441A8084
441A80F4	441A8165	441A81D5	441A8246	441A82B6	441A8327	441A8399	441A840A	441A847B	441A84ED
441A855F	441A85D0	441A8642	441A86B4	441A8726	441A8799	4214E1A1	4214D2B2	4214C41E	4214B5E4
4214A8D4	4214 9A7A	42148D46	42148066	42147308	4214679A	42145BAA	42145006	421444AA	42143986
42142EA3	42142402	421419A1	42140F7F	42140 59A	4213F8F0	4213F27F	4213E947	4213E044	4213D777
4213CEDC	4213C670	4213BF32	4213B622	4213AE40	4213A688	42456444	424538C5	42450C96	4244DFB8
4244B233	4244840B	4244553C	424428D2	4243F5D3	4243C53F	42439418	42436268	42433028	4242FD76
4242CA3D	4242968A	42426258	42422D8B	4241F8A6	4241C325	4241BD37	424156E5	4241202B	4240E913
4240B19D	424079CA	424041A2	42400922	423FD052	423F9731	C2368FFB	C2368129	C23671AD	C2366184
C23650AC	C2363F24	C2362CEA	C23619FD	C2360 65C	C235F206	C235DCF9	C235C736	C235B0BA	C2359982
C235818F	C23568E4	C2354F80	C2353566	C2351A93	C234FF0B	C234E2CC	C234C5DB	C234A836	C23489E1
C2346ADD	C2344B2D	C2342AD4	C23409D1	C233E828	C233C5DA	451869F0	451869F0	44A7D7F6	451869F0
44A7AD83	451869F0	451869F0	451869F0	451869F0	44A72EDE	44A7123F	451869F0	451869F0	451869F0
451869F0	451869F0	44A651C4	451869F0	44A607EA	451869F0	451869F0	451869F0	451869F0	44A53568
44A506E3	451869F0	451869F0	451869F0	451869F0	451869F0	44A7FF3A	44A7EC7C	44A7D7C7	44A7C292
44A7A8BC	44A79400	44A77C2A	44A76331	44A748A1	44A72E45	44A7115B	44A6F4C3	44A6D595	44A6B6E0
44A6959A	44A673A9	44A65129	44A62C9A	44A606A6	44A5DEE9	451869F0	44A58C50	44A560B1	44A534BC
44A5068D	44A4D737	44A4A596	44A473D9	44A4406B	44A40BDE	4436E749	4437D72D	4438206C	44386CAE
44389A77	4438C5B0	4438F3D8	4438EB54	4438DEA6	4438D3AF	4438D1D4	4438BE7A	4438A90B	4438A152
44388576	443862F3	44383294	443805C5	4437D713	4437A9A8	451869F0	443754C8	44372818	4436FF13
4436DD33	4436BD3B	44369DF2	44368492	44366E7C	44365ADF	C3E0B2D1	C3BC69D8	C39B8739	C37B9CE2
C35BAE4E	C33BD67B	C31CC652	C212CCD6	43190237	4334AA98	435172DF	436CDD66	43839261	439FF2C1
43B7D9F6	43CFC4D1	43E42A32	43F802FE	4410A332	4411BC3A	451869F0	4413AF59	44149178	441564F2
44162F91	4416EB8A	441799C2	44183F92	4418DBFA	44196A8B	C49E26B2	C49DF922	C49DE177	C49DCC23
C49DB93F	C49D9FC5	C49D7F80	C49D69A7	C49D5003	C49D311C	C49D0709	C49CDEB1	C49CB3D7	C49C7B85
C49C47DD	C49C122A	C49BE251	C493AD1C	C49B775D	C49B3F13	451869F0	C49AC7EB	C49A8DCB	C49A4EA3
C49A0C9C	C499C9BA	C4998546	C4993F15	C498F6A6	C498ACDC	44A7FF27	44A7EBEF	44A7D756	44A7C2D0
44A7ABBA	44A79447	44A77BD4	44A762C0	44A748BE	44A72D9A	44A7110B	44A6F43F	44A6D5F8	44A6B698
44A6960B	44A673D4	44A650B4	44A62C4E	44A60640	44A5DEBF	44A5B677	44A58C79	44A560DF	44A53416
44A5066D	44A4D5F9	44A4A5F9	44A47390	44A44027	44A40BE1	4436F3A5	4437B3D3	44381F0A	44386A42
44389C7A	4438C8AE	4438F071	4438CDE3	4438E488	4438D69D	4438D1AC	4438BEA1	4438AE57	44389E76
443887AF	44386100	44383221	44380 64A	4437D7A4	4437A9D0	44377D4B	443751EC	44372771	44370044
4436DCEC	4436BC7E	44369EBB	443684A7	44366E7C	44365BBC	C3E02E24	C3BCA221	C39BA569	C37BD0D1

Figure A-2. Data Record Dump

C35BED9D	C33C4D0E	C31D183B	C2143A9E	431FFA5	43351432	435TC6C2	436C985C	43840E67	439EF6E2
43B7D367	43CF6D41	43E41296	43F7DA20	4410A1BD	4411BC2D	4412BB34	4413AC09	44148FCE	441563F4
44162BEC	4416EC31	4417999D	44183EFA	4418DABC	441967A5	C49E2259	C49DF960	C49DE153	C49DCCD3
C49DB820	C49D9E8E	C49D7F15	C49D680E	C49D4D71	C49D2F1A	C49D062D	C49CDE25	C49CB1C8	C49C7D1D
C49C4751	C49C137C	C49BE207	C49BACCE	C49B76BB	C49B3DCC	C49B04AE	C49AC96F	C49A8C6E	C49A4DA7
C49A0D0D	C499C88B	C499857B	C4993EE9	C498F680	C498ADEB	C1609137	C1609A15	C160A17F	C170A97E
C160B7A2	C160BF63	C160C4BD	C160CA2D	C160D409	C15DDC3D	C170E018	C160EEA4	C160FD21	C1610200
C1610CC7	C17112AB	C1611E55	C16129DE	C16138F8	C1614674	C1615027	C1615757	C1716251	C1716C3D
C171782C	C171B01E	C16192BA	C16193C6	C161A787	C161B25B	424B68CE	42484F42	42242D7B	421F1F37
42511844	4233113D	421F12B3	C21A054E	C232009C	C21FDADF	C214041F	C21D0908	C21C0F59	C213098D
C21E13E6	C1E15205	C1A185EE	C171766D	C1318335	C1417C78	C1517203	C2141419	C2121397	C1C14A83
C1411895	C140FF9F	C140E989	C13DC9CD	C140ACD8	C150BAED	4250FFBE	4240FFBE	4216FFBE	419FFBE7
423CFFBE	4228FFBE	4223FFBE	421CE354	4283EF2A	4253CB67	4233F878	4230D30F	4247CA72	423EDCD5
42788407	4228B855	41AAE169	42139C7E	416963DD	42118BAC	41D821AA	42107AD0	41972416	4186A750
41F6658D	41B5E38D	41B5A6D8	41352036	4184E9A4	4174656F	42171408	4217116E	41D0AEB8	41B09690
421F0B8B	42160CDE	41A1103F	41D0B6DF	42161090	41F0F320	41B15FFB	41A16006	421115FC	41A1BDD5
421117A3	418TA747	4171A2AA	4171B346	4171C28D	4161D48C	4171DE34	41A1F559	41A2013B	4191FFCA
41621D72	4162254F	41523EDC	41624746	416257A6	41626001	44A7F206	44A7E016	44A7CD1F	44A7B91D
44A7A413	44A78DE7	44A776BB	44A75E5E	44A744E2	44A72A36	44A70E4F	44A6F132	44A6D2DB	44A6B356
44A69280	44A6705A	44A64CE0	44A62827	44A60215	44A5DAA8	44A5B1DC	44A5878C	44A55C34	44A52F42
44A500E6	44A4D129	44A4A003	44A46068	44A4395C	44A403ED	44367140	44370A88	44378ECA	4437FE17
44385857	44389E24	4438D2A4	4438F5DE	4439076A	4439087A	44390503	4438F46D	4438D9B4	4438B7FA
44389281	44386979	44383CCC	44380E74	4437E0C0	4437B3A8	44378727	44375C33	443733FD	44370E7E
4436EBB2	4436CBFA	4436AFC6	44369703	44368104	44366FF4	C3E5DE29	C3C3F48D	C3A22A9E	C3807CD6
C35EEF4C	C33DF805	C31DE1F2	42156710	431FADBB	433CE0E1	435BD83B	437391F9	438D10E4	43A54205
43BC33BC	43D1E595	43E659D4	43F997DF	4410BC21	4411CD85	4412CDC9	4413BDC9	44149FFD	44157467
44163B13	4416F4E5	4417A3F8	44184879	4418E256	4419723B	C49E39AD	C49E1F21	C49E0325	C49DE5B5
C49DC6D5	C49DA673	C49D8484	C49D6104	C49D3BF7	C49D1545	C49CECE5	C49CC2DB	C49C9723	C49C69C4
C49C3A9B	C49C09AD	C49BD6F4	C49BA283	C49B6C3C	C49B3421	C49AFA2C	C49ABE69	C49A80C2	C49A413A
C499FFCD	C499BCB3	C499775B	C499303E	C498E73D	C4989C5E	1B9C0000	1B9C0000	1B9C0000	1B9C0000
1B9C0000	1B9C0000	1B9C0000	1B9C0000	1B9C0000	1B9C0000	1B9C0000	1B9C0000	03FE0000	03FE0000
03FE0000	03FF0000	03FE0000	03FE0000	1B9C0000	1B9C0000	1B9C0000	1B9C0000	1B9C0000	1B9C0000
1B9C0000	1B9C0000	1B9C0000	1B9C0000	1B9C0000	1B9C0000	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0				

Figure A-2. Data Record Dump (Continued)

Table A-1. Values in Header Dump

Variable*	Value	Variable*	Value
ITYPEX	1		
		NTYPEX	2
MJDX	44257		
		IPASSX	1203
ASCX(1)	32.2062		
		ASCX(2)	2.56941
DSCX(1)	20.38553		
		DSCX(2)	-1.870373
MSECX(1)	2788776		
		MSECX(2)	5589965
ALTMX(1)	-6.3170		
		ALTMX(2)	5.6829
ALONX(1)	-106.374		
		ALONX(2)	61.9518
IKP(1)	17		
		IKP(2)	17
GSM(1,1)	99999.0		
		GSM(2,1)	99999.0
GSM(1,2)	99999.0		
		GSM(2,2)	99999.0
GSM(1,3)	99999.0		
		GSM(2,3)	99999.0
DST(1,1)	3.0		
		DST(2,1)	3.0
DST(1,2)	9.0		
		DST(2,2)	8.0
DST(1,3)	-153.9		
		DST(2,3)	-177.9
DST(1,4)	11.0		
		DST(2,4)	12.0

Table A-1. Values in Header Dump (Continued)

Variable*	Value	Variable*	Value
DST(1,5)	-17.4		
		DST(2,5)	-53.2
DST(1,6)	16.3609		
		DST(2,6)	5.6733
COMM(1)	blank		
		COMM(2)	MGS4
COMM(3)	81#2		
		COMM(4-10)	blank
COMM(11)	bbbM		
		COMM(12)	GST(
COMM(13)	4/81		
		COMM(14)	-2)b
COMM(15)	bbNO		
		COMM(16)	bEXT
COMM(17)	blank		
		COMM(18)	FORM
COMM(19)	AT(2		
		COMM(20)	I3,6
COMM(21)	F11.		
		COMM(22)	4)bb
COMM(23)	blank		
		COMM(24)	bb(1
COMM(25)	4,8)		
		COMM(26)	bEPO
COMM(27)	CHb1		
		COMM(28)	980.
COMM(29)	blank		
		COMM(30)	blank
NMAX	14		
		NMAXT	8

Table A-1. Values in Header Dump (Continued)

Variable*	Value	Variable*	Value
MODEXT	0		
		TZERO	1980.0
ABAR	6371.20		
		GH**	
GHT**			
		E(1)	99999.0
E(2)	99999.0		
		E(3)	99999.0

*See Table 2-1 for description of header variables.

**Values of GH appear in Table A-2 and of GHT appear in Table A-3.

Note that the lower case letter b in this table indicates a blank.

Table A-2. Field Model Coefficients (1 of 3)

GH	1	2	3	4	5
1	0.0	5604.70	-2129.49	-334.318	212.159
2	-29987.2	-1956.85	-199.594	271.126	-256.701
3	-1996.16	3027.40	1663.47	-252.227	52.3576
4	1279.84	-2181.01	1251.39	832.994	-297.826
5	937.724	782.490	396.881	-419.449	198.110
6	-217.193	357.826	261.079	-74.3122	-161.997
7	48.4670	65.014	41.8842	-191.964	3.47320
8	72.0547	-59.1687	1.63010	20.9040	-12.1437
9	18.5000	6.71750	-.235900	-10.8967	-7.20940
10	5.36470	10.4460	1.40500	-12.1238	9.48720
11	-3.16550	-3.79850	2.42830	-5.61690	-1.82450
12	2.53060	-1.31790	-1.75120	2.44660	-.194300
13	-1.66480	.025600	-.192600	-.150600	.808400
14	.041100	-.408000	.508400	-.579300	-.134300

Table A-2. Field Model Coefficients (2 of 3)

GH	6	7	8	9	10
1	45.8589	-14.6005	-82.5246	7.23220	-20.9417
2	150.033	93.2305	-27.1809	-17.5606	15.4728
3	-150.605	70.9701	-5.18680	3.76090	8.65560
4	-77.7046	-43.0250	15.9127	-22.2458	-5.06250
5	92.3465	-2.15510	17.9332	9.13500	-6.83460
6	-48.0774	17.2746	-23.0047	16.1418	8.99110
7	13.8394	-107.563	-9.94830	-13.3017	9.67800
8	.433300	10.2831	-1.83570	-14.8067	-5.67245
9	4.39760	2.50150	6.07890	-.822800	2.18540
10	-3.56810	-1.02950	6.88080	1.41490	-5.04740
11	4.49320	3.31830	.662000	2.27440	3.07440
12	-.879300	-.362000	1.36450	1.50040	-.627700
13	.540100	-.481600	-.213000	.315900	-.597300
14	.852300	-.514500	.158700	-.870500	.173900

Table A-2. Field Model Coefficients (3 of 3)

GH	11	12	13	14
1	1.24100	.851600	.403100	-.463500
2	.351700	1.95180	.617900	.258900
3	2.89650	-1.54510	2.28220	1.21000
4	5.81080	-3.22020	-1.39000	-.207500
5	-4.25330	.487400	.384900	-.505300
6	-.143300	-.311200	.148500	-.088300
7	-1.31520	-2.35640	-.257300	.859600
8	3.12070	-.257100	.119700	.260000
9	-.222000	-1.47900	-.005300	.978700
10	-6.41010	-1.88080	-1.34140	.208000
11	-.512700	1.10330	.502200	-.118900
12	1.89950	3.51500	.925600	-.360300
13	-.168100	.813200	-.009100	-.920200
14	-.087100	.325300	-.489500	.445700

*All elements of rows and columns 15 through 17 are zero

Table A-3. Time Derivatives of Field Model Coefficients

GHT	1	2	3	4
1	0.0	-22.4291	-12.8701	3.94760
2	25.5006	12.7797	-20.7837	1.25120
3	-10.9121	.499700	11.0924	-9.36320
4	-5.55910	-6.57580	-2.86560	-.457400
5	-.866600	1.79740	-6.72190	.749800
6	.550600	-1.83110	-.232600	-3.30720
7	1.53910	2.21720	.554900	.558900
8	1.07950	-2.45210	.149800	.648800

GHT	5	6	7	8
1	-.407700	1.11790	-1.53580	-1.27900
2	-1.72780	1.50230	-2.70610	.941600
3	5.71370	-1.93040	-.741300	.990300
4	-4.05040	3.55560	-1.15100	-.245400
5	-7.17570	.625000	.614600	-.505600
6	1.54110	-2.58480	3.84160	-.684500
7	.897800	-.294800	-1.33820	1.79870
8	-.691100	-1.66200	1.39960	1.46430

*All elements of rows and columns 9 through 14 are zero.

Table A-4. Values in Data Record

Variable*	Value	Variable	Value
ITYPEB	2	NTYPEB	2
MJDB	44257	MSECB	1380462
IPASSB	1203	TINTB	4915.4453
DATA	See Table A-5		

*See Table 2-2 for description of data record variables.

Table A-5. Values in Data Array of Data Record (1 of 8)

Variable*/Number	LAT	LONG	RAD	MLT	INVLAT	DIPLAT
1	-83.2059	-11.8851	6778.88	20.8814	69.3917	-54.5624
2	-83.1909	-14.5943	6779.31	20.8230	69.2218	-54.5045
3	-83.1611	-17.2849	6779.74	20.7661	69.0492	-54.4440
4	-83.1167	-19.9471	6780.17	20.7105	68.8740	-54.3809
5	-83.0581	-22.5694	6780.60	20.6563	68.6961	-54.3151
6	-82.9855	-25.1435	6781.03	20.6034	68.5157	-54.2466
7	-82.8994	-27.6599	6781.46	20.5518	68.3329	-54.1754
8	-82.8004	-30.1126	6781.90	20.5016	68.1477	-54.1015
9	-82.6889	-32.4949	6782.33	20.4525	67.9603	-54.0248
10	-82.5655	-34.8026	6782.77	20.4047	67.7705	-53.9454
11	-82.4308	-37.0328	6783.20	20.3581	67.5785	-53.8632
12	-82.2854	-39.1826	6783.64	20.3126	67.3844	-53.7782
13	-82.1299	-41.2515	6784.08	20.2682	67.1882	-53.6903
14	-81.9648	-43.2385	6784.52	20.2247	66.9901	-53.5996
15	-81.7908	-45.1449	6784.95	20.1822	66.7900	-53.5061
16	-81.6085	-46.9711	6785.39	20.1407	66.5880	-53.4097
17	-81.4182	-48.7196	6785.83	20.1001	66.3842	-53.3105
18	-81.2207	-50.3918	6786.27	20.0605	66.1786	-53.2086
19	-81.0163	-51.9908	6786.71	20.0219	65.9713	-53.1038
20	-80.8056	-53.5185	6787.15	19.9841	65.7623	-52.9963

Table A-5. Values in Data Array of Data Record (2 of 8)

Variable*/Number	LAT	LONG	RAD	MLT	INVLAT	DIPLAT
21	-80.5888	-54.9784	6787.60	19.9473	65.5516	-52.8859
22	-80.3666	-56.3729	6788.04	19.9112	65.3394	-52.7728
23	-80.1392	-57.7053	6788.48	19.8760	65.1257	-52.6571
24	-79.9070	-58.9782	6788.93	19.8417	64.9104	-52.5386
25	-79.6703	-60.1946	6789.37	19.8080	64.6938	-52.4174
26	-79.5294	-61.3577	6789.81	19.7751	64.4757	-52.2937
27	-79.1846	-62.4696	6790.26	19.7429	64.2564	-52.1673
28	-78.9362	-63.5335	6790.70	19.7115	64.0357	-52.0383
29	-78.6844	-64.5516	6791.15	19.6807	63.8138	-51.9069
30	-78.4974	-65.5265	6791.60	19.6505	63.5906	-51.7729

*See Table 2-3 for description of variables in data array.

Table A-5. Values in Data Array of Data Record (3 of 8)

Variable*/Number	BS	BV	X	Y	Z	BVA
1	99999.0	43007.5	14055.3	-3595.17	-40486.7	43007.2
2	99999.0	42988.5	14263.1	-3014.62	-40441.1	42987.9
3	42968.0	42967.8	14368.4	-2491.45	-40417.5	42967.3
4	99999.0	42946.6	14444.7	-1977.81	-40396.1	42946.0
5	42925.5	42923.7	14490.5	-1466.89	-40377.2	42923.7
6	99999.0	42900.0	14533.7	-957.405	-40351.8	42900.3
7	99999.0	42876.2	14579.9	-460.395	-40318.5	42875.8
8	99999.0	42851.2	14571.3	-18.8001	-40297.7	42850.8
9	99999.0	42824.6	14558.6	400.138	-40272.0	42824.6
10	42798.7	42798.3	14547.7	842.662	-40241.1	42797.6
11	42770.2	42769.4	14545.0	1303.13	-40199.0	42769.0
12	99999.0	42740.8	14526.5	1741.84	-40158.7	42740.2
13	99999.0	42709.6	14505.0	2105.15	-40115.8	42710.0
14	99999.0	42678.9	14497.3	2559.17	-40059.5	42678.6
15	99999.0	42645.6	14469.5	2941.62	-40007.9	42646.0
16	99999.0	42611.7	14434.9	3324.30	-39954.2	42611.8
17	42577.8	42577.2	14386.6	3650.64	-39906.3	42576.7
18	9999910	42540.6	14341.7	3968.19	-39853.1	42540.3
19	42503.9	42502.6	14295.1	4259.20	-39799.3	42502.3
20	99999.0	42462.9	14249.7	4540.23	-39742.1	42462.7

Table A-5. Values in Data Array of Data Record (4 of 8)

Variable*/Number	BS	BV	X	Y	Z	BVA
21	99999.0	99999.0	99999.0	99999.0	99999.0	42422.5
22	99999.0	42380.3	14164.8	5039.35	-39623.9	42380.5
23	99999.0	42336.7	14120.1	5265.47	-39563.8	42336.9
24	42293.4	42292.7	14079.1	5476.95	-39502.6	42292.1
25	42246.9	42246.6	14045.2	5679.57	-39436.6	42246.4
26	99999.0	42199.2	14013.2	5867.54	-39369.7	42198.0
27	99999.0	42149.6	13981.9	6041.76	-39301.3	42150.0
28	99999.0	42099.8	13956.6	6207.57	-39231.1	42099.6
29	99999.0	42048.4	13934.5	6363.98	-39158.6	42048.2
30	99999.0	41995.1	13914.9	6506.54	-39084.9	41995.9

*See Table 2-3 for explanation of variables in data array.

Table A-5. Values in Data Array of Data Record (5 of 8)

Variable*/Number	XA	YA	ZA	BVSD	XSD	YSD
1	14067.6	-3586.88	-40482.3	-6.03545	75.4094	80.9990
2	14259.0	-3018.13	-40441.4	-6.03762	72.3096	64.9990
3	14367.0	-2490.33	-40417.3	-6.03943	36.1777	22.9990
4	14442.2	-1981.05	-40396.0	-7.04138	31.1219	9.99900
5	14492.5	-1470.85	-40376.1	-6.04483	81.0948	60.9990
6	14536.7	-964.816	-40350.6	-6.04673	51.0673	43.9990
7	14576.4	-465.514	-40319.1	-6.04803	31.0730	35.9990
8	14573.9	-20.2290	-40296.1	-6.04936	-26.0207	28.8880
9	14564.5	415.978	-40269.4	-6.05177	-50.0024	131.934
10	14550.6	849.262	-40239.1	-5.05376	-31.0425	83.7945
11	14545.7	1308.42	-40198.2	-7.05471	-20.0161	51.9706
12	14526.6	1737.52	-40158.1	-6.05826	-27.0353	48.8244
13	14510.3	2112.90	-40113.8	-6.06180	-28.0600	71.7908
14	14494.5	2543.43	-40061.1	-6.06299	-19.0373	62.8626
15	14471.7	2941.21	-40007.3	-6.06562	-30.0777	120.703
16	14433.1	3318.83	-39955.5	-7.06706	-14.0829	40.7200
17	14386.1	3649.16	-39906.0	-6.06991	-10.0952	10.6722
18	14342.2	3965.63	-39852.8	-6.0772	-7.09140	19.6113
19	14295.6	4257.74	-39798.7	-6.07641	-3.09453	6.58688
20	14249.8	4540.18	-39741.8	-6.07970	-4.09289	17.5456

Table A-5. Values in Data Array of Data Record (6 of 8)

Variable*/Number	XA	YA	ZA	BVSD	XSD	YSD
21	14205.3	4795.20	-39684.7	-6.08207	-5.09033	13.5082
22	14161.9	5036.04	-39625.4	-6.08382	-20.0785	16.4797
23	14119.4	5263.80	-39564.4	-7.08650	-18.0765	9.44631
24	14080.3	5475.95	-39501.7	-7.08893	-12.0807	8.41585
25	14044.9	5675.92	-39437.1	-7.09184	-4.06923	15.3998
26	14012.5	5868.19	-39368.5	-7.09328	-4.06241	11.3681
27	13982.7	6041.61	-39301.5	-6.09832	-4.05702	11.3532
28	13956.7	6206.98	-39230.9	-6.10053	-3.04927	3.32354
29	13934.5	6362.75	-39158.5	-6.10340	-4.04200	8.30704
30	13915.7	6503.64	-39085.9	-6.10606	-5.03392	7.27476

*See Table 2-3 for explanation of variables in the data array.

Table A-5. Values in Data Array of Data Record (7 of 8)

Variable*/Number	ZSD	BMD	XMD	YMD	ZMD	QUAL**
1	23.0782	42994.0	13937.3	-3677.89	-40505.7	7068
2	23.0681	42976.1	14090.5	-3135.28	-40479.1	7068
3	13.0427	42957.1	14222.8	-2594.66	-40451.1	7068
4	11.0368	42937.1	14334.1	-2055.80	-40421.7	7068
5	31.0451	42916.1	14424.3	-1518.96	-40390.8	7068
6	22.0503	42894.0	14494.1	-991.501	-40358.4	7068
7	10.0665	42870.7	14546.6	-478.118	-40324.5	7068
8	13.0446	42846.4	14581.9	21.4028	-40289.0	7068
9	22.0647	42820.9	14599.8	506.857	-40252.0	7068
10	15.0594	42794.2	14603.5	974.055	-40213.3	7068
11	11.0859	42766.3	14597.0	1421.51	-40172.9	7068
12	10.0859	42737.2	14580.4	1849.12	-40130.9	7068
13	17.0859	42706.9	14553.7	2257.06	-40087.1	1022
14	10.1088	42675.3	14519.9	2644.13	-40041.8	1022
15	17.0923	42642.5	14482.5	3011.23	-39994.6	1022
16	8.10334	42608.4	14441.5	3358.35	-39945.7	1022
17	7.10221	42572.9	14396.8	3685.61	-39895.6	1022
18	7.10627	42536.2	14350.5	3993.49	-39842.5	1022
19	7.11000	42498.1	14304.8	4284.13	-39788.2	7068
20	6.11439	42458.7	14259.7	4557.52	-39732.1	7068

Table A-5. Values in Data Array of Data Record (8 of 8)

Variable*/Number	ZSD	BMD	XMD	YMD	ZMD	QUAL**
21	7.11675	42417.9	14215.2	4813.79	-39674.2	7068
22	10.1224	42375.7	14172.2	5053.79	-39614.4	7068
23	10.1253	42332.2	14132.0	5279.99	-39552.8	7068
24	9.12495	42287.3	14094.5	5492.40	-39489.2	7068
25	6.13219	42240.9	14059.7	5691.07	-39423.8	7068
26	6.13411	42193.2	14028.0	5876.89	-39356.5	7068
27	5.14035	42144.0	13999.8	6051.97	-39287.3	7068
28	6.14240	42093.4	13975.0	6216.47	-39216.2	7068
29	6.14640	42041.4	13953.7	6370.34	-39143.2	7068
30	6.14844	41987.9	13936.0	6514.23	-39068.4	7068

*See Table 2-3 for explanation of variables in data array.

**All values appear in the left two bytes of the appropriate word. The right two bytes are zero-filled. In the actual tapes sent to the investigators, QUAL is in the left two bytes and the right two bytes are zero-filled. The spare variable (byte locations 2904-3024) is filled with 99999.0.

REFERENCES

1. MAGSAT Spacecraft Description, M. M. Schaefer, F. F. Mobley, D. L. Margolies, Applied Physics Laboratory, Johns Hopkins University, SDO 5146, September 1978.

2. MAGSAT Data Processing: A Peport for Investigators, R. Langel, J. Berbert, T. Jennings, and R. Horner, GSFC TM82160, November 1981.

3. "Three-Axis Attitude Determination from Vector Observations," M. D. Shuster and S. D. Oh, Journal of Guidance and Control, Volume 4, Number 1, January-February 1981, p. 70.

VBS
PHYSICAL CW

D46266
(79-094A-01G,02J)
3/26/80 - 5/19/80

LOGICAL WORD

RECORD 1 OF FILE 1
LENGTH = 30000 BYTES

MO..DAY..YR

75300000	08B80000	00000001	00000002	0000AD24	000008D3	4249469A	421023F3	422E7191	41A34C9F
0009F25A	00347F6A	C167C0D2	41583EBA	C263FC18	424464F4	0000001E	0000001E	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	C2170000	C2170000	41200000	41200000	4226B333	4226B333
42150000	42150000	427AE666	427AE666	C22CA321	C2293979	40404040	D4C7E2F4	F8F17BF2	40404040
40404040	40404040	40404040	40404040	40404040	40404040	404040D4	C7E2E34D	F461F8F1	60F25D40
4040D5D6	40C5E7E3	40404040	C6D6D9D4	C1E34DF2	C9F36BF6	C6F1F14B	F45D4040	40404040	40404DF1
F46BF85D	40C5D7D6	C3C840F1	F9F8F04B	40404040	40404040	0000000E	00000008	00000000	437BC000
4418E333	00000000	C4752333	C37CC28F	434FFD71	433A9B96	C2D93168	4230778D	42480BB3	42127FF3
4155D5D0	C132A5E3	41287D56	C11AA71E	3FA85879	00000000	00000000	00000000	4415E4B3	C37A4D9A
43BD3666	C3885029	4330E7D7	43165D37	42410396	C23B2B30	416B7AE1	41A722D1	C13CC6A8	C115161E
3F68DB8C	C06872B0	00000000	00000000	00000000	C38517D7	C2C79810	4367F785	434E363D	4318CE19
43105144	4229E25B	411A14E4	C03C63F1	41167AE1	4126DA51	C11C04EA	C0314E3C	40822681	00000000
00000000	00000000	C314E517	4310F204	C2FC3A1D	43340FE7	C31A372F	C24A4FEC	C2BFF6C9	4214E76D
C1AE58E2	C1C1FB16	C159DED3	41272546	C0268DB9	C0944D01	00000000	00000000	00000000	42D428B4
C3100B37	42345B8C	C3129D37	42C61C29	C2A1FF3B	4137923A	C1C24C98	C17359B4	4197CB92	C11D3127
4031BDA5	40CEF34D	C022617C	00000000	00000000	00000000	422DDBE1	42960873	C2969AE1	C24DB461
425C58B4	C23013F1	41DD6E2F	406EECC0	41465C92	C13916F0	4147E426	C0E119CE	408A43FE	40DA3055
00000000	00000000	00000000	C1E99BA6	425D3B02	4246F858	C22B0666	C1227B4A	4211464C	C26B9021
41A48794	41280625	C11078D5	413517C2	C05CAC08	C07B4A23	C083B646	00000000	00000000	00000000
C252864C	C21B2E4F	C152FD22	41FE9A6B	4211EEE6	C2170134	C19F2C3D	C11D5F07	4161432D	416E17C2
40A978D5	4115E979	C036872B	4028A090	00000000	00000000	00000000	4173B717	C2118F83	413C2CA5
C2163EED	419228F6	4210244D	C1D4D3C3	C1ECE83E	C0D2A305	4116A36E	412463F1	411801A3	4050DED3
C0DED917	00000000	00000000	00000000	C214F113	41F79097	418A7D56	C1510000	C16D5A86	418FDB8C
419AD912	C15AC28F	4122F766	C150C227	413130BE	C0A0B0F2	C098E8A7	402C84B6	00000000	00000000
00000000	4113DB23	405A0903	412E5810	415CF909	C1440D84	C024AF4F	C1150B0F	4131EE63	C038D4FE
C1668FC5	C083404F	411E645A	C02B089A	C0164C30	00000000	00000000	00000000	40DA0275	411F3A93
C118B8BB	C13385F0	407CC63F	C04FAACE	C125B3D0	C041D14E	C117A9FC	C11E17C2	4111A71E	41383D71
40D02DE0	405346DC	00000000	00000000	00000000	40673190	409E2EB2	412483E4	C1163D71	406288CE
40260419	C041DE6A	401EA4A9	BF15B574	C1157660	4080902E	40ECF41F	BF25460B	C07D4FDF	00000000
00000000	00000000	C076A7F0	40424745	41135C29	C0351EB8	C0815B57	C0169AD4	40DC0EBF	40428F5C
40FA8C15	40353F7D	C01E703B	C05C3C9F	C0EB923A	40721965	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	42198027	C1AE97F6	C158F213	C0DDD97F	408CF41F	4118A027	411145A2	00000000	00000000
00000000	00000000	00000000	00000000	C2166DD9	41CC79A7	407FEC57	C169367A	411CC227	C11D4C30
412379A7	C1273BCD	00000000	00000000	00000000	00000000	00000000	00000000	C1CDEBEE	C214C8A1
41B17A78	C12DD97F	C16B8CE7	C03B8BAC	408E0DED	4026594B	00000000	00000000	00000000	00000000
00000000	00000000	413F295F	411404EA	C195CFAB	C075182B	40BFF2E5	C134EA4B	408F1412	40A617C2
00000000	00000000	00000000	00000000	00000000	00000000	C0685F07	C11BA512	415B6B51	C140CE70
C172CFAB	4118A858	40E5D639	C0B0EBEE	00000000	00000000	00000000	00000000	00000000	00000000
4111E2EB	4118096C	C11EE2EB	4138E3BD	40A00000	C1295B57	404B7803	C11A978D	00000000	00000000
00000000	00000000	00000000	00000000	C11892A3	C12B4C30	C0BDC5D6	41126A7F	409D566D	413D7732
C1156944	411664C3	00000000	00000000	00000000	00000000	00000000	00000000	C11476C9	40F10CB3
40FD844D	C03ED289	C0816F00	C0AF3B64	411CC77A	41176DC6	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000

VBS physical CW logical word = 0674 (HEX) = 1652 (DEC) ÷ 40 bytes per line = 41
count down 41 lines to find stop time

D462266
(79-094A-01F,02J)

RECORD 2401 OF FILE 1
LENGTH = 19824 BYTES

4D700000	06740200	44AB9273	44AAEFD3	44AA4C20	44A9A71B	44A906A6	44A85D5D	44A7B5B0	44A7116E
44A66803	44A5BF60	44A51BCF	44A474B6	44A3CEED	44A325A0	44A27E27	44A1D762	44A12FCF	44A09436
449FE280	449F3CFC	449E9707	449DF1BF	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
4444CCB4	444523E2	4445A076	44461CCF	4446946A	44470960	444777FC	4447E9A5	44485807	4448C207
44492FC0	44499E22	444A02B2	444A688A	444ACB73	444B2EC6	444B8E03	444BEC0E	444C496B	444C9B6B
444CF7BE	444D4EDA	444DA5AB	444DF948	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
43FC9E8C	43FC5873	43FBFD85	43FB9F3A	43FB4CC7	43FAFC48	43FAAD51	43FA57E6	43FA024B	43F9B55F
43F941BC	43F8B4B2	43F87607	43F834D0	43F7FBB2	43F7BEC2	43F78D1F	43F73EEA	43F6D1BD	43F6B498
43F6A5F5	43F6823C	43F654BA	43F5FCAB	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
449D8D08	449CED12	449C0419	449B19C8	449A2F4E	4499438A	44985EB2	44976D7E	44967EBF	449594A8
4494A23C	4493AF80	4492C5C0	4491D649	4490E8AE	448FF5F4	448F064A	448E1700	448D2681	448C4853
448B4A07	448A5B83	44896BD7	44887DF8	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
C1652695	C1652D5D	C175368F	C1654011	C1554D29	C155545E	C1655B05	C1655C3A	C1755FEF	C15561D9
C155631B	C15561A4	C1656132	C1656685	C16567FC	C1556E6E	C1556B89	C16567D4	C165626D	C1356EFA
C155654A	C1556279	C1455CE9	C165603D	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
41A40356	41840F66	41A4091F	4153EBBE	4133D7FE	4133BF77	4133A9E4	413397F4	41338AF4	413375E3
42113B48	41736120	417350F2	41633FC5	41833BAB	41632450	41330EE2	421233D4	42232C7D	42142BF2
4182F21A	41C2C2DE	4182CB04	4142B8F7	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
C1702C42	C150294F	C1502EC9	C1402D46	C13029BC	C13027FF	C13028C8	C1302BC0	C1302BA6	C1302650
C2130751	C14024FA	C13024AB	C1401F21	C1401FE7	C1401AD6	C1301869	C2180616	C21C0127	C1D0197B
42120148	C19019A8	C18020FC	C14024C5	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
C1576B15	C1777822	C17786E1	C1678C71	C1579992	C147A3A7	C157AC24	C167A5D3	C167B12A	C167AD68
C197CC40	C177B623	C167B9D7	C157BDE5	C177C291	C167CB40	C147C770	C1A7D5F2	C2127A35	C1B7B7BA
C167D838	C197B5AC	C157C1F2	C177C3C6	44B07907	44AFDE14	44AF420C	44AEA519	44AE072B	44AD6850
44ACC89B	44AC2814	44AB86CD	44AAE4B8	44AA420E	44A99EC7	44A8FAF3	44A85684	44A7B1B1	44A70C74
44A666DF	44A5C0E1	44A51AB4	44A47458	44A3CDC5	44A3270D	44A28032	44A1D963	44A13290	44A08BC9
449FE508	449F3E80	449E9821	449DF1FC	4441AB2B	444234CE	4442BC5C	444341D1	4443C539	44444686
4444C5C0	444542F2	4445BE0D	44463721	4446AE30	44472346	44479658	44480773	4448769D	4448E3E4
44494F3D	4449B8B4	444A2058	444A8630	444AEA43	444B4C84	444BAD0D	444C0BE9	444C6922	444CC4AE
444D1EA1	444D770A	444DCDF3	444E2354	43FC72E7	43FC39CC	43FBFE0B	43FBC010	43FB7FD5	43FB3D5D
43FAF930	43FAB3A5	43FA6CC4	43FA248D	43F9DB9D	43F99227	43F94831	43F8FDBC	43F8B36D	43F86966
43F81FB1	43F7D649	43F78DE8	43F746A8	43F70087	43F6BB8B	43F67823	43F63696	43F5F6DD	43F5B8FF
43F57D6A	43F54460	43F50DD6	43F4D9D4	44A309B1	44A22A55	44A1499A	44A067B0	449F847F	449EA01F
449DBAA7	449CD420	449BECA1	449B0416	449A1AC3	4499309B	449845B7	44975A01	44966DB9	449580D5
44949370	4493A570	4492B713	4491C85B	4490D93B	448FE9CD	448EFA0C	448E0A2B	448D1A13	448C29DB
448B3976	448A4919	448958AD	4488684A	0000270F	0000270F	00001BA6	00001BA6	00001BA5	00001BA5
00001794	000007F4	000007F4	00001B9C	00001B9C	00001B9C	00001B9C	00001B9C	00001B9C	00001B9C
00001B9C	000003FE	000003FE	000003FE	000003FE	000003FE	00001B9C	00001B9C	000007F4	000007F4
00000000	00000000	00000000	000003FE	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	0BD40000	00000002	00000002	0000AD5A	03BCCA87	00000C1F
44133372	422DEDAE	422D9AB4	422D47B3	422CF4B4	422CA1B1	422C4EA8	422BFBA2	422BA894	422B5589
422B0276	422AAF67	422A5C52	422A093E	4229B625	4229630E	42290FF0	4228BCD6	422869B7	42281698
4227C379	42277055	42271D31	4226CA0F	422676E5	422623C0	4225D09A	42257D6E	42252A45	4224D717
422483EC	C2AC1EE6	C2AC388E	C2AC51FA	C2AC6B2A	C2AC8421	C2AC9CE0	C2ACB567	C2ACCDBA	C2ACE5D7
C2ACFDC1	C2AD1578	C2AD2CFE	C2AD4453	C2AD5B7B	C2AD7273	C2AD893D	C2AD9FDD	C2ADB650	C2ADCC98
C2ADE2B7	C2ADF8AD	C2AE0E7A	C2AE2421	C2AE39A3	C2AE4EFD	C2AE6433	C2AE7946	C2AE8E35	C2AEA303
C2AEB7AE	4419F794	4419F7BC	4419F7E6	4419F810	4419F839	4419F864	4419F88F	4419F8BA	4419F8E5
4419F910	4419F93C	4419F969	4419F995	4419F9C2	4419F9EF	4419FA1D	4419FA4A	4419FA79	4419FAA7
4419FAD6	4419FB05	4419FB34	4419FB64	4419FB93	4419FBC4	4419FBF4	4419FC25	4419FC56	4419FC87
4419FCB8	41551370	41551FF0	41552C50	41553890	415544C0	415550C0	41555CA0	41556870	41557420

D-43683
Investigator B Tape
11/2/79 - 1/19/80
79-094A-01G,02J

RECORD 1 OF FILE 1
LENGTH = 30000 BYTES

AC93

75300000	08E80000	00000001	00000002	0000[redacted]	00000001	451869F0	451869F0	421E4795	413AF422
083E882C	0068F394	C1609A9F	415F6430	C268B22E	423CC567	00000021	00000021	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	C2200000	C2200000	421C0000	421C0000	422B4CCD	422B4CCD
42150000	42150000	424F8000	424F8000	C2492295	C2200011	40404040	D4C7E2F4	F8F17BF2	40404040
40404040	40404040	40404040	40404040	40404040	40404040	4040404D4	C7E2E34D	F461F8F1	60F25D40
4040D5D6	40C5E7E3	40404040	C6D6D9D4	C1E34DF2	C9F36BF6	C6F1F14B	F45D4040	40404040	40404DF1
E46BF85D	40C5D7D6	C3C840F1	F9F8F04B	40404040	40404040	0000000E	00000008	00000000	437BC000
4418E333	00000000	C4752333	C37CC28F	434FFD71	433A9B96	C2D93168	4230778D	42480EE3	42127FF3
4155D5D0	C132A5E3	41287D56	C11AA71E	3FAE5879	00000000	00000000	00000000	4415E4E3	C37A4D9A
438D3666	C3885029	4330E7D7	43165D37	42410356	C2382B30	41687AE1	41A722D1	C13CC6A8	C115161E
3F68DB8C	C06872B0	00000000	00000000	00000000	C38517D7	C2C79810	4367F785	434E363D	4318CE19
43105144	4229E25B	411A14E4	C03C63F1	41167AE1	4126DA51	C11C04EA	C0314E3C	40822681	00000000
00000000	00000000	C314E517	4310F204	C2FC3A1D	43340FE7	C31A372F	C24A4FEC	C2BFF6C9	4214E76D
C1AF58E2	C1C1FB16	C159DED3	41272546	C0268DE9	C0944D01	00000000	00000000	00000000	42D428B4
C3100B37	42345E8C	C3129D37	42C61C29	C2A1FF3B	4137523A	C1C24C98	C1735984	4197CE92	C11D3127
4031BDA5	40CEF34D	C022617C	00000000	00000000	00000000	422DDBE1	42560873	C2969AE1	C24DB461
425C58B4	C23013F1	41DD6E2F	406EECC0	41465C52	C13916F0	4147E426	C0E119CE	408A43FE	40CA3055
00000000	00000000	00000000	C1E99BA6	425D3B02	4246F558	C2280666	C1227B4A	4211464C	C2690021
41A48794	41280625	C11078D5	413517C2	C05CAC08	C07B4A23	C083B646	00000000	00000000	00000000
C252864C	C21B2E4F	C152FD22	41FE5A6B	4211EEE6	C2170134	C19F2C3D	C11D5F07	4161432D	416E17C2
40A978D5	4115E979	C0368728	4028A090	00000000	00000000	00000000	41738717	C2118F83	413C2CA5
C2163EED	419228F6	4210244D	C1D4D3C3	C1EC683E	C0D2A305	4116A36E	412463F1	411801A3	4050DED3
C0DED917	00000000	00000000	00000000	C214F113	41F79697	418A7D56	C1510000	C16D5A86	418FDB8C
419AD917	C15AC28F	4122F766	C150C227	4131308E	C0A0B0F2	C058E8A7	402C8486	00000000	00000000
00000000	4113DB23	405A0903	412E5810	415CF969	C1440D84	C024AF4F	C1150B0F	4131EE63	C038D4FE
C1668FC5	C083404F	411E645A	C0280B5A	C0164C30	00000000	00000000	00000000	400A0275	411F3A93
C118B8BB	C13385F0	407CC63F	C04FAACE	C125B3D0	C041D14E	C117A9FC	C11E17C2	4111A71E	41383D71
40D02DE0	405346DC	00000000	00000000	00000000	40673190	405E2EB2	41243E4	C1163D71	406288CE
40260419	C041CE6A	401EA4A9	BF15B574	C11E7660	4080502E	40ECF41F	BF254608	C07D4FDF	00000000
00000000	00000000	C076A7F0	40424745	41135C25	C0351EE8	C0615B57	C0169AD4	40DC0EEF	40428F5C
40FA8C15	40353F7D	C01E7038	C05C3C5F	C0EB923A	40721565	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	42198027	C1AE97F6	C158F213	C0DDD57F	408CF41F	4118A027	411145A2	00000000	00000000
00000000	00000000	00000000	00000000	C2166DD9	41CC7SA7	407FEC57	C169367A	411CC227	C11D4C30
412379A7	C1273ECD	00000000	00000000	00000000	00000000	00000000	00000000	C1CDEEEE	C214C8A1
41B17A78	C12DD97F	C16E8CE7	C03B8BAC	408E0DED	40265548	00000000	00000000	00000000	00000000
00000000	00000000	413F295F	411404EA	C155CFAB	C075182B	40BFF2E5	C134EA4B	408F1412	40A617C2
00000000	00000000	00000000	00000000	00000000	00000000	C0685F07	C11BA512	415B6E51	C140CE70
C172CFAB	4118A858	40E5D639	C0B0EBEE	00000000	00000000	00000000	00000000	00000000	00000000
4111E2EB	4118096C	C11EE2EB	4138E3BD	40A00000	C1295B57	404B7803	C11A578D	00000000	00000000
00000000	00000000	00000000	00000000	C11892A3	C1284C30	C0EDC5D6	4112CA7F	409D566D	413D7732
C1156544	411664C3	00000000	00000000	00000000	00000000	00000000	00000000	C11476C9	40F10CB3
40FD844D	C03ED289	C0816F00	C0AF3B64	411CC77A	41176DC6	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000002	00000002	0000AC93	003BACE7	00000001	44133372	C1C7AB4A	C1C2CA46	C1BDE8D8	C1B9077E
C1B425E3	C1AF43FF	C1AA6217	C1A57EC6	C1A09D88	C19BBADA	C196D842	C151F535	C18D1246	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	C2695A18	C2656915	C2697812	C2698707
C2655FF8	C269A4E2	C269B3C8	C269C2AA	C269D186	C269E05F	C269EF34	C269FE04	C26A0CD0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	441B070A	441B069F	441B0634	441B05C8
441B055B	441B04EE	441B0480	441B0412	441B03A3	441B0333	441B02C2	441B0251	441B01DF	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	4211E8A4	4211E765	4211E62E	4211E4F3
4211E3B9	4211E27E	4211E142	4211E007	4211DECC	4211DD90	4211DC55	4211DB19	4211D9DD	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	42119F60	42118FAA	42117DF3	42115E40
42114696	421132FB	42112073	42110F03	4210FEE1	4210EF81	4210E179	4210D487	4210C928	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	C153788A	C14EDBDA	C14A3D82	C1459E02

418D3592	41CD92F6	41EBE43B	4211EC6B	4210F217	4212608D	4213EC02	4217E631	4217E21D	421A4661
421C8BE6	421E632D	4221397E	4224528F	4227D037	422B7230	422EE08F	4232609E	4236C459	4233D3E7
4240AADC	42458E7E	424C0D3D	424CCF21	425ACFE8	42591FD8	42603F4A	426E5E02	427B4082	40F712F0
40B3729C	4092997C	40A869AA	4111E3AA	405C822C	40A6CA7A	407B46C9	40A3AE91	409E2EE9	405F203A
40A52E2A	40E98F9B	40C832B3	40EA6AE6	40EA64B6	41136786	41142B59	411E09ED	411A58C1	412D1D86
4122E03B	40FECB28	4114A931	4116BC9A	411B3493	411CAE8A	41297D77	4150B82F	417B090F	44A8A55A
44A8A7B2	44A8A9EC	44A8ABF5	44A8ADCE	44A8AF77	44A8B0F7	44A8B232	44A8E325	44A8B3C2	44A8B43B
44A8B44D	44A8E405	44A8B363	44A8B273	44A8B118	44A8AF4D	44A8AD12	44A8AA60	44A8A72B	44A8A375
44A89F3E	44A89A84	44A89526	44A88F1F	44A8E8CF	44A88128	44A87934	44A87084	44A86719	441A8CF5
441AD295	441B1DBD	441B6EF9	441BC652	441C23C4	441C87DC	441CF34F	441D6626	441DE054	441E626F
441EED32	441F80AD	44201CD0	4420C21B	4421710A	44222SAE	4422EBF2	4423B82C	44248DFF	44256D65
44265647	442748AB	44284284	4429431	442A4B2C	442B5580	442C69AA	442D7AA1	442E8C75	C43071AF
C4304940	C4301D87	C42FEDE3	C42FBA4F	C42F82CD	C42F46B6	C42F0554	C42E8E41	C42E71A2	C42E1EC0
C42DC402	C42D6152	C42CF6BA	C42C8350	C42C04EF	C42B7ADA	C42AE5B0	C42A4426	C4299328	C428D26D
C428020B	C42720D7	C4262B54	C425215E	C424021B	C422CEDD	C421831E	C4201FD3	C41EA4E9	C49F5763
C49F5A7E	C49F5D60	C49F5FF5	C49F623D	C49F6437	C49F65E3	C49F6726	C49F67FD	C49F686A	C49F686A
C49F67E5	C49F66D8	C49F6543	C49F6331	C49F607D	C49F5D22	C49F5920	C49F5470	C49F4EFF	C49F48CD
C49F41D9	C49F3A21	C49F317D	C49F27EA	C49F1D66	C49F1201	C49F059D	C49EF82C	C49EE9AF	00001B9C
00001B9C	000003FE	000003FE	000003FE	000003FE	000003FE	00001B9C	00001B9C	00001B9C	00001B9C
00001B9C	00001B9C	00001B9C	00001B9C	00001B9C	00001B9C	00001B9C	00001B9C	00001B9C	00001B9C
000003FE	000003FE	000003FE	000003FE	000003FE	00001B9C	00001B9C	00001B9C	00001B9C	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	0ED40000
00000002	00000001	0000[redacted]	00147C95	000004E2	44133372	C252D54D	C252EDA7	C2530 29E	C2531416
C25321F1	C2532C1C	C2533286	C2533525	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	41859CD6	415DF6DE	41355699	40ED6B23
C11E60B2	C1492676	C1745A38	C19FC010	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	441A7798	441A7805	441A7871	441A78DE
441A794E	441A79B9	441A7A26	441A7A93	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	421560A4	42154ECD	42153D5F	42152C58
42151BB9	42150E80	4214FBAB	4214EC3A	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	42465A34	42464A0	42464E39	42462 6FF
4245FEFB	4245D62F	4245AC9E	4245825D	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	C236EC7C	C236E27F	C236D7EC	C236CCC2
C236C0FD	C236E49A	C236A795	C23699EE	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	44A86E93	451869F0	451869F0	451869F0
451869F0	451869F0	44A81EE8	44A80CE1	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	44A86DDA	44AE63FA	44A857E8	44A84AD4
44A83D35	44A82DF1	44A81DBF	44A80CB6	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	442F285B	44301922	4431436D	443274D0
4433BB6E	4434C1DB	4435BCAB	4436837A	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451969F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	C41D2398	C41B503A	C41991FC	C417B218
C415C6E7	C413E2C2	C41176CA	C3F71809	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	C49F0B9F	C49F0C02	C49EEDE9	C49ECAD1
C49E9996	C49E7885	C49E5638	C49E3503	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	44A86DCC	44AE633B	44A8578A	44A84A56
44A83D25	44A82E10	44A81D8B	44A80C03	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	442F2763	443016C3	44313D56	44329297
4433B612	4434EF54	4435BD03	44367BE5	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	C41D3433	C41863AC	C4198D62	C4178FDC
C415C8F3	C413E59C	C4117443	C3F733F9	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	C49F0890	C49F0855	C49EEFF8	C49EC5A9
C49E9AA8	C49E78C7	C49E55B3	C49E373F	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
4143E1DB	41495B40	414E6DC8	415315BE	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
4251F151	424BF7EB	42435B95	422E68A7	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	42E4F1E2	427D0AAD	429D7188	42863661
42936336	42A21B65	42AA3FEC	42B2C8CB	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	4159A085	41518991	41740CF0	41EF594A
41B08DCC	419FE202	4194340F	4173CF20	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0
451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	44AE5CF5	44AE51FF	44A8462C	44A8397C
44A82BFA	44A81D98	44A80E42	44A7FDFB	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0

MAGSAT

CONDENSED ORBIT/ATTITUDE, TAPE

79-094A-01H,02K

THIS DATA SET HAS BEEN RESTORED. ORIGINALLY IT CONTAINED SEVEN 9-TRACK, 6250 BPI TAPES WRITTEN IN BINARY. THERE ARE SEVEN RESTORED TAPES. THE DR TAPES ARE 3480 CARTRIDGES AND THE DS TAPES ARE 9-TRACK, 6250 BPI. THE ORIGINAL TAPES WERE CREATED ON AN IBM 360 COMPUTER AND THEY WERE RESTORED ON THE MRS SYSTEM. THE DR AND DS NUMBERS ALONG WITH THE CORRESPONDING D NUMBERS ARE AS FOLLOWS:

DR#	DS#	D#	FILES	TIME SPAN
DR004659	DS004659	D043091	1	11/02/79 - 02/10/80
DR004660	DS004660	D048298	1	11/30/79 - 12/31/79
DR004661	DS004661	D048299	1	12/31/79 - 01/31/80
DR004662	DS004662	D048300	1	01/31/80 - 02/29/80
DR004663	DS004663	D048301	1	02/29/80 - 03/31/80
DR004664	DS004664	D048302	1	03/31/80 - 04/30/80
DR004665	DS004665	D048303	1	04/30/80 - 05/01/80

REQ. AGENT	RD NO.	ACQ. AGENT
DEW		HKH

MAGSAT

79-094A-01H/02K

CONDENSED ORBIT ATTITUDE

This data set consists of 7 COA data tapes. The tapes are 6250 with 1 file of data. The tapes were created on an IBM 360 computer.

D NO.	TIME SPAN
43091	11/02/79-02/10/80
48298	11/30/79-12/31/79
48299	12/31/79-01/31/80
48300	01/31/80-02/29/80
48301	02/29/80-03/31/80
48302	03/31/80-04/30/80
48303	04/30/80-05/01/80

from CSC/TR-79/6015
"Magsat Data Processing System
Program Reference ..."
August 1979

B 32553-000A

79-094A-01H/02K

APPENDIX E - CONDENSED ORBIT AND CONDENSED ORBIT/ ATTITUDE TAPE FORMAT

This appendix defines the record formats for the condensed orbit and condensed orbit/attitude tapes. The condensed orbit tape is a 9-track, 6250-bpi tape with the following attributes: RECFM = FB, LRECL = ~~3906~~ 3096, BLKSIZE = 15480, DEN = 4. It is made up of orbit records only. The condensed orbit/attitude tape is a 9-track, 6250-bpi tape with the following attributes: RECFM = VBS, LRECL = 3388, BLKSIZE = 16944, DEN = 4.

5x3096 = 15480

5 x 3388 + 4 = 16944

Record formats are as follows:

ORBIT RECORD: 3096 bytes of data + 4 bytes descriptor (if VBS) = 3100

Displacement (bytes)	Parameter	Type	Units
0	Zero fill	I*4	
4	Modified Julian Day of first data value	I*4	MJD (See Glossary)
8	Milliseconds of day of first data value	I*4	Milliseconds
12	Time increment between observations	~~R*4~~ I*4	Milliseconds
16	Reference time of coordinate system (epoch) for GHA corresponding to date in byte 24, page C-1.	R*4	MJD at $0^h 0^m 0^s$ UTC
20	Greenwich hour angle (GHA) at epoch	R*4	Radians
24	Position vector X (128 values)	R*4	km
536	Position vector Y (128 values)	R*4	km
1048	Position vector Z (128 values)	R*4	km
1560	Invariant latitude (128 values)	R*4	Degrees

Displacement (bytes)	Parameter	Type	Units
2072	Geomagnetic time (128 values)	R*4	Hours
2584	Dip latitude (128 values)	R*4	Degrees

ATTITUDE RECORD: 3384 bytes of data + 4 bytes descriptor = 3388

Displacement (bytes)	Parameter	Type	Units
0	Attitude quality indicator = 1, intermediate = 2, fine = 3, quicklook	I*4	--
4	Modified Julian Day of first observation	I*4	MJD (See Glossary)
8	Milliseconds of day of first observation	I*4	Milliseconds
12	Time increment between observations	~~R*4~~ I*4	Milliseconds
16	Date data was processed and number of times re-processed	I*4	YYDDDHHNN
20	Number of sets of quaternions in the data record	I*4	
[1]24	First component of quaternion that transforms from sensor platform (A_V, B_V, C_V) coordinates to celestial true-of-date geocentric coordinates (CC) at start time (240 values)	R*4	--
[1]984	Second component of the quaternion defined above (240 values)	R*4	--
[1]1944	Third component of the quaternion defined above (240 values)	R*4	--

Displacement (bytes)	Parameter	Type	Units
2904	Attitude quality flags (240 values; see page D-5)	I*2	--

[1] In order to maintain fourth quaternion precision for fine attitude data (byte 0=2), all four components of a quaternion set are packed in 12-byte fields. The 12-byte field is defined by concatenating those bytes designated for the three components for a given quaternion set, (e.g., the first set is packed in bytes 24, 984, and 1944; the second set in bytes 28, 988, and 1948).

44181
−43873
308 days after day 1
= Day 308

THE ORBIT DATA RECORD FORMAT IS AS FOLLOWS:

Displacement (bytes)	Parameter	Type
0	Data type: = 0, indicating satellite position data	*L*1
1	Data type of next record	**L*1
2	Spare	
4	Date of first observation (MJD)	I*4
8	Milliseconds of day for first observation	I*4
12	Time increment between observations (MS)	I*4
16	Greenwich hour angle at epoch	R*4
20	Reference time of coordinate system (MJD + fraction of day)	R*4
24	X inertial coordinate (km, 128 values)	R*4
536	Y inertial coordinate (km, 128 values)	R*4
1048	Z inertial coordinate (km, 128 values)	R*4
1560	Invariant Latitude (128 values)	R*4
2072	Geomagnetic time (128 values)	R*4
2584	Dipole latitude (128 values)	R*4

*8 bit binary value
** On investigator copy only

Definition of MJD:

Day number 1 of 1979 is (MJD −43873).

Thus MJD = 44181 denotes day 308, 1979, which is Nov. 4

THE VECTOR DATA (NEV COORDINATES) CHRONICLE RECORD FORMAT IS AS FOLLOWS:

Displacement (bytes)	Parameter	Type
0	Data type: =5, 6, 7, indicating vector x,y, or z observations, respectively, generated from intermediate attitude data =8, 9, 10, for data generated from fine attitude data	*L*1
1	Data type of next record	**L*1
2	Spacecraft status (see record types 2-4)	I*2
4	Modified Julian Day of first observation	I*4
8	Milliseconds of day of first observation	I*4
12	Time increment between observations (ms)	R*4
16	Time Offset (ms)	R*4
20	Spare	-
24	Vector component observations (gammas; 1024 values)	R*4
4120	Number of points in this record that overlap with the next record of this type	I*2

*8 bit binary value
**On investigator copy only

THE VECTOR DATA (SENSOR PLATFORM COORDINATES) CHRONICLE RECORD [illegible] AS FOLLOWS:

Displacement (bytes)	Parameter
0	Data type: = 2, 3, 4, indicating vector a, b, or c observations, respectively
1	Data type of next record
2	Spacecraft status (5 digit integer - abcde) a = 1, calibration on b = 1, electronic flip on c = 1, x coil on d = 1, y coil on e = 1, z coil on
4	Modified Julian Day of first observation
8	Milliseconds of day of first observation
12	Time increment between observations (ms)
16	Time offset (ms)
20	Spares
24	Fine counts (1024 values, pad = 9999)
2072	Coarse counts (1024 values, pad = 255)
3096	Number of points in this record that overlap with the next record of this type

*8 bit binary value
**On investigator copy only

THE ATTITUDE QUALITY CHRONICLE RECORD FORMAT IS AS FOLLOWS:

Displacement (bytes)	Parameters	Type
0	Data type: =16, indicating attitude quality data	*L*1
1	Data type of next record	**L*1
2	Spare	I*2
4	Modified Julian Day of first observation	I*4
8	Milliseconds of day of first observation	I*4
12	Time increment between observations (ms)	R*4
16	Time offset (ms)	R*4
20	Spare	I*4
24	Attitude processing flags (synchronized with every fourth vector observation starting with first observation of record)	I*2

*8 bit binary value
**On investigator copy only

PROCESSING FLAG DEFINITION

A five-character processing flag, ±abcde, is defined as follows:

Character	Description
a	Smoothing character (level of smoothing of final attitude): = 0, no smoothing = 1, linear smoothing = 2, nonlinear smoothing
b	Residual character: = 0, all residuals within boundaries = 1, QUEST* residual and SC1 acceptable, SC2 bad = 2, QUEST residual acceptable, SC1 bad, SC2 acceptable = 3, QUEST residual acceptable, SC1 and SC2 bad = 4, QUEST residual bad, SC1 and SC2 acceptable = 5, QUEST residual bad, SC1 acceptable, SC2 bad = 6, QUEST residual and SC1 bad, SC2 acceptable = 7, QUEST residual SC1, and SC2 bad
c	Gyro and ATS character: = 0, observed gyro point, observed ATS point = 1, observed gyro point, interpolated ATS point = 2, observed gyro point, default ATS value = 3, interpolated gyro data, observed ATS point = 4, interpolated gyro data, interpolated ATS point = 5, interpolated byro data, default ATS value = 6, gyro data point invalid, observed ATS point = 7, gyro data point invalid, interpolated ATS point = 8, gyro data point invalid, default ATS value

*QUEST referes to the attitude determination least squares program.

PROCESSING FLAG DEFINITION (cont'd)

d	Attitude computation character (method of final attitude computation): = 0, with QUEST, using three vectors = 1, with QUEST, using SC1 and SC2 = 2, with QUEST, using SC1 and FSS = 3, with QUEST, using SC2 and FSS = 4, using SC1 and gyro = 5, using SC2 and gyro = 6, using FSS and gyro = 7, not computed

Character	Description
e	Pattern matching character: = 0, SC1 and SC2 valid, identified = 1, SC1 valid, identified; SC2 valid, not identified = 2, SC1 valid, identified; SC2 not valid = 3, SC1 valid, not identified; SC2 valid, identified = 4, SC1 valid, not identified; SC2 valid, not identified = 5, SC1 valid, not identified; SC2 not valid = 6, SC1 not valid; SC2 valid, identified = 7, SC1 not valid; SC2 valid, not identified = 8, SC1 not valid; SC2 not valid

MAGSAT

CHRONICLE DATA TYPES

NKHees

1. ORBIT

2. SCALAR

3. VECTOR (Spacecraft coordinates - data in counts)

   3.1 A

   3.2 B

   3.3 C

4. VECTOR (Topocentric coordinates - intermediate attitude)

   4.1 X

   4.2 Y

   4.3 Z

5. VECTOR (Topocentric coordinates - fine attitude)

   5.1 X

   5.2 Y

   5.3 Z

6. ATTITUDE QUALITY (For fine attitude only)

TYPE OF CHRONICLE TAPES

Types according to item numbers on previous page. There is a "record type" code in the data which is different from this.

1. CHRONINT CONTAINS DATA TYPES 1, 2, AND 4 intermediate
2. CHRONFIN CONTAINS DATA TYPES 1, 2, 5, AND 6 fine attitude
3. CHRONINT/SC CONTAINS DATA TYPES 1, 2, 3, AND 4 spacecraft
4. CHRONFIN/INT SAME AS 2 BUT WITH DATA TYPE 4 WHEN 5 UNAVAILABLE

CHRONICLE TAPE FORMATS

INTERNAL FORMAT (IED DATA BASE)

6250 BPI BINARY
BLOCKED - MAX BLOCK SIZE 28,886 BYTES

INVESTIGATOR FORMATS

VARIOUS DENSITIES
BLOCKED AND UNBLOCKED

PAD DATA DENOTED BY 99999.0

THE CHRONICLE SCALAR DATA RECORD FORMAT IS AS FOLLOWS:

Displacement (bytes)	Parameter	Type
0	Data type: = 1, indicating scalar observations	*L*1
1	Data type of next record	**L*1
2	Spare	--
4	Date of first observation (MJD)	I*4
8	Milliseconds of day of first observation	I*4
12	Time increment between observation (ms)	R*4
16	Time offset (ms)	R*4
20	Spare	I*4
24	Scalar observations (gammas - 512 values	R*4
2072	Number of points in this record that overlap with the next scalar record	I*2

*8 bit binary value
**On investigator copy only

CHRONICAL TAPE FORMAT - BINARY

TIME ORDERED

FORTRAN READABLE

A. ORBIT DATA RECORD (128 minutes)

B. SCALAR DATA RECORD (512 values)

C. 3 VECTOR COMPONENT DATA RECORDS (1024 values each)

D. ATTITUDE QUALITY (If in fine topocentric coordinates 256-values)

E. ITEMS B-D REPEATED FOR TIME PERIOD OF ORBIT RECORD

F. SEQUENCE A-E REPEATED

G. EOF

D43091 COA
11/02/79 - 2/10/79
Condensed Orbit Attitude
79-094A-01H, 02K

16944 3100

RECORD 1 OF FILE 1
LENGTH = 16944 BYTES
69,000

42300000	0C1C0000	00000000	0000AC93	0036EE80	0000EA60	44AC9300	4085B9EE	451869F0	451869F0
4410E86D	44113032	4411164FD	4411B687	4411947A0	4411BF2C	4411762B	4411499B	4411D9AD	4410B69C
441050B4	43FD85C8	43F4E0EA	43EB25AC	43E05E56	43D49672	43C7DAC2	43BA3935	43ABC0DB	439C81D4
438C8D40	437BF52E	436ACC87	435926FA	434718E5	4334B73E	4322177C	42F4F783	C238AA96	C3166095
C3291BE7	C338A645	C34DE97A	C35FCF9C	C371431D	C3822EF4	C3927EB0	C3A21E9A	C3B0FBCF	C3BF0458
C3CC2747	C3D854CC	C3E37E4B	C3ED9671	C3F69148	C3FE6441	C4105064	C410A6FD	C410E9AD	C411182E
C4113253	C4113808	C4112952	C4110680	C410CF3A	C410845E	C4102624	C3F850AA	C3F31A44	C3E9C99E
C3DF6A78	C3D409BC	C3C7B567	C38A7C76	C3AC6ECE	C39D9D2A	C38E1904	C37DF47D	C36D4248	C35C1593
C34A81F3	C3389B4E	C32675C3	C3142599	C21BF2A7	4310A932	4322FF3B	43382ED7	43472426	4358CB95
436A11EF	437AE46F	438830CE	439AE597	43A9F0F4	43B8433F	43C5CC91	43D27E0E	43DE49BA	43E9227E
43F2FC3E	43FBCBDC	44103875	4410A25A	4410F9F1	44113ED0	441170A1	44118F22	44119A25	44119192
44117566	441145B3	441102A1	4410AC6E	4410436C	43FC805F	43F3A809	43E9C17D	43DECCBC	43D2D906
43C5F355	43B829CE	43A988B2	439A2952	438A13FE	43795DEF	43681A38	43568CB0	434439D6	4331C6C1
431F18FF	42C46814	C269A848	C31973B2	C32C2E9A	C33EB4DF	451869F0	451869F0	C411FC60	C4129E3B
C4132B86	C413A39A	C414085E4	C41481EA	C4148749	C414A5B6	C414ACFF	C4148D08	C4147BDC	C414378C
C413E252	C413767D	C412F478	C4128CC6	C411B004	C410EEEB	C4101A49	C3F33077	C3E3A236	C3D30828
C3C17DF9	C3AF0E80	C39BD1C8	C387DDED	C373349FF	C35E2DEB	C348A262	C332C0B4	C31CA2B6	C2662A23
42FE50DE	432619BF	433C20D8	4391DFF2	43673CDC	437C1DDF	43906903	43A40841	43B6E106	43C0DEF4
43D9EAF4	43E9F11F	43F8DE5D	44186A0F	4411328C	4411E673	441284F4	44130D5B	44137F11	4413D99C
44141C9D	441447D5	44145B22	4414567E	44143A01	441405E0	44138A6C	44135810	4412DF53	441250D3
4411AD49	4410F583	44102A65	43F4CE81	43E5E168	43D5F0DC	43C50FAC	43B3518D	43A0CB06	438D9156
4379BA5B	43655C7E	43508E99	433867E0	4325FFCA	43106CF9	C2535DA7	C31AD3FA	C33054C4	C345A0C2
C35AA0C1	C36F3DE1	C3836180	C396F639	C3A9E619	C3BC1C96	C3CD8580	C3DE0E35	C3EDA3D1	C3FC3528
C4109B1D	C41160AB	C4121318	C412B197	C4133B6F	C413AFFA	C4140EAB	C4148704	C4148BB9	C414A370
C414A702	C414935A	C414687D	C4142688	C413CD8E	C4135E69	C412D8FB	C41230F8	C4118E0C	C410C9E9
C3FF264F	C3F086AB	C3E0CFD2	C3D0134A	C3BE63E6	C3A8D886	C3987BD1	C3847BD1	C36FC891	C35AA03A
C3450994	C32F21D3	C31900B8	C22C20D8	451869F0	451869F0	C3823F34	C39842D1	C37D9DD5	C3626D71
C346CF94	C32AE2C4	C2EC697B	42D67403	432985573	434574D6	43611586	437C4087	4396EE0F	43B8E782
43CA16AE	43E25E19	43F9A129	4410FC44	44124AD0	44130423	4414A6C1	44150148	4416A26F	4417790A
44183408	44150284	441983A8	4419B6CC	4419FB6B	441A2122	441A2784	441A0F08	4419D737	4419806E
44190B0C	44187796	4417C6B3	4416F933	44161887	44150C44	4413EF22	44128BF8	44118E3B	44100D7D
43E996A4	43D13C50	43B7E672	439DB3C6	4382C40A	436737CC	43483043	432EGF18	43123640	C2A78361
C3271A4F	C3438E4F	C35FB2E5	C3786757	C3968BA4	C3B100AF	C3CAA862	C3E365CE	C3FB1D47	C4111B48
C4127128	C413820A	C414DC0B	C415EF70	C416E997	C417C9FC	C4188F89	C4193A04	C419C030	C41A39C0
C41A8E3B	C41AC558	C41ADEED	C41ADAEA	C41AB960	C41A7A81	C41A1E9A	C419A617	C4191181	C4186180
C41796D5	C416B25E	C415B515	C414A00C	C413746D	C412337E	C410DE98	C3F77283	C3DFEBC9	C3C76E24
C3AE1476	C393FA50	C3793C38	C35DF782	C3424A39	C32652FC	C2A30E47	4311FC9D	432E15E0	4340FB24
43658CB8	4380AB19	439B3718	43B511FF	43CE1DB4	43E63CDD	43FD5306	4411344C	44127F7D	4413B535
4414D3FB	4415DA71	4416C752	44179977	4418FD8	4418E98B	441965CA	4419C3F1	441A037E	441A2415
441A2581	441A07B1	451869F0	451869F0	421761FA	42153ADE	42135768	4211D756	4210E196	42109A57
4211143C	421245A4	42141689	421664D2	42191168	421C0306	421F267D	42226FB4	4225D0B4	42294049
422CB88C	42303598	4233AE3E	42371D0B	423A7E9E	423DCB0B	42407CE2	42440TD8	42460E00	42496DE1
424B96E4	424D2EAD	424DFF4C	424DDBB6	424CC841	424AF117	42488C44	4245C317	4242AFA6	423F620C
423BE506	42384086	42347AE4	42309858	422C9974	42288429	42249BEE	42201E82	4218C923	42176470
4212F5BE	41E7A0D5	419E481D	41518DCE	00000000	41220EE0	41777A59	41C1F61B	421093A2	4214E5E6
42191A33	421D2EF4	42212152	4224E989	42287986	422BD4EE	422EFE7C	4231FE2E	4234D418	4237790A
4239EFF0	423C3B60	423E5BE5	42404E76	42420B5C	42438SDD	4244AD70	4245D076	4245C018	42459 3FA
4244EC78	4243D2D8	424256AF	42408994	423E7BC9	423C382A	4239D315	42374CA1	4234AE86	4231FE6E
422F3F8B	422C756D	4229A24C	4226C785	4223E6AF	422102AA	421E220F	421B4CC8	421B8C67	4215EF73
42138CE2	42118603	42100210	41F31F9F	41F36882	42101309	4211AA98	4213CFA5	42165901	4219265A
421C2180	421F3BF5	42226986	4225A1A8	4228DF63	422C20F8	422F6683	4232AE42	4235F41E	42393 5E8
423C6F08	423F986B	4242A721	42458A41	42482778	424A566C	424BDDF7	424C7F0E	424C1283	424AAA9A
451869F0	451869F0	4212190E	42120999	4211FA6A	4211EE5E	4211DC58	4211CD38	4211BDDD	4211AE27
42119DF2	42118D16	42117B65	42116BAC	42115AAA	42113F14	42112788	42110D99	4210F0A7	4210CFED
4210AA65	42107EAE	42104ADF	42100C53	41FBFAFD	41F5E9F4	41BE3408	41E44D6C	41D7C8D5	41C8C84F
41B88248	41A8F3AC	419BA3FB	4190FD66	4188AC71	41822B98	417D0240	41780D4EA	417561AD	417279A2
416FFB3C	416DCE23	416BE062	416A247C	4168901C	41671835	4165BF5E	41647767	41633EFF	41621283
4160EEC9	415F00FF	415E8692	415D9D8C	415C820F	41586330	415A3DF0	41590F9D	41578543	41568886
41552E82	4153B99E	415227 4C	41507088	414E8D67	414C7283	414A1229	41475A2F	41443296	41407B55
413C0994	4136A486	41300 37C	4127D198	411DC12B	4111BC77	4042EAA0	42176223	42168E06	4215D50C
42153B84	4214BEDB	421459E6	42140778	4213C344	421389F7	42135912	42132EB9	42130983	4212EB62
4212CA83	4212AF45	42129627	42127EC0	42126B8D	42125D6	42123FD0	42122C78	421219A0	4212071E
4211F4CB	4211E283	4211D021	42118D7F	4211AA77	421196DE	42118285	42116038	421156BA	42113EC1
421124F7	421108F0	4210EA27	4210C7F4	4210A17F	42107580	42104316	421007C8	41FC13C6	41F6C1A0
41F04208	41EB4592	41DE823A	41D2DDCA	41C5AF26	41B7E256	41AAAD84	419EFE70	451869F0	451869F0
C2101130	C1CBE41A	C1935180	C15DAA80	C12524C0	41142C12	414E2DD2	4100FB15	41C49798	42101079
4213E3EE	4217C1D6	421BA704	421F9014	42237A7C	422765C3	422B5382	422F4618	42333E1D	42373737
423B25FD	423EF7B9	4242952F	4248E7AB	4248DF89	424B7944	424DBE03	424FBE06	42518423	42530 1CB
4253F087	4253CCCA	425251E8	424FC3A6	424C7BFE	4248B69F	42449A9F	42404342	423BC310	4237259E
423271BC	4220AC25	4228D998	4223FFBB	421F24FC	421A4F69	4215839A	4210C3CA	41C0F753	41763889
412BAFF6	C11F0306	C16A343E	C1B60D3B	C21025B3	C214E5E0	C21989B7	C21DEDBA	C221E706	C2254D8F
C22808E2	C22A18D0	C22B94B7	C22CA20F	C22D68B6	C22E0ABB	C22EA173	C22F3DDE	C22FEAAE	C230ADA4

C2318887	C2327925	C233794D	C2347DF7	C2357797	C236528D	C236F91D	C2375692	C2375823	C236FF2E
C236442D	C236325B	C233D4E0	C23235D6	C2308B9C	C22E4920	C228FEE1	C2297D1C	C226C596	C223DC77
C220C7F3	C21D8F7C	C21A3A94	C216CFBC	C2135408	C1FC80EE	C1C36F33	C1898FFD	C14F20E5	C1142F0D
412735CA	4162F1F6	419EDE47	41DAC16E	42116522	421513F6	4218B3FC	421C424F	421FBE81	42232BF6
42268F72	4229EFD9	422D93EC	4230C14F	42343BAE	4237C40F	423B8BD9	423EF61D	42429682	42463502
4249CB00	424D4E26	4250A155	42536489	42547D9A	4252F5AE	0C1C0000	00000000	0000AC93	00AC1E80
0000EA60	44AC9300	40B5B9EB	C350F051	C362CB07	C3742F85	C38508CD	C3954288	C3A4C918	C3838988
C3C17297	C3CE72EE	C3DA7B19	C3E57CAD	C3EF6A8B	C3F838F1	C3FFDD8D	C41064F8	C410B879	C410F7FE
C4112346	C4113A26	C4113C90	C4112A8C	C411043D	C410C9E0	C4107BC7	C410IA5D	C3FA624D	C3F1FB46
C3E87B7F	C3DDEEED	C3D262AC	C3C5E4E7	C38884C5	C3AA5254	C3985E74	C38BBA8E	C3787970	C36AAD57
C35969B7	C347C23A	C335CAD3	C32397B0	C3113D21	42130789	43139CC4	4325F37E	43382090	434A101E
4358AE9E	436CE8E7	437DAC3E	438DE670	439D85D9	43AC797A	43BAB102	43C81CE6	43D4A868	43E057A8
43EB0BB2	43F4BE8E	43FD6545	44104F5F	44108670	44110835	44114D1F	44117BE8	44119753	44119F34
4411937 6	4411741	44114135	4410FAF3	4410A195	44103572	43FB6F6D	43F26A4C	43E85131	43DD2ED6
43D10F35	43C3FF7C	43B60E05	43A74A44	4397C4BC	43878EEA	43768B34	43655CD6	435387CA	434150B2
432ECCBF	431C119B	429354AA	C29B1ECE	C31C8D9F	C32F4759	C341C88A	C383FB94	C365CA09	C3771EA6
C387E481	C398075A	C3A773AD	C3B616D8	C3C3DF2E	C3D0BC12	C3DC9E0B	C3E776E1	C3F139A9	C3F9DADA
C4101505	C4107919	C410C978	C41105C8	C4112DCD	C4114160	C4114076	C4112B1E	C4110I7C	C410C3D2
C4107277	C4100DDA	C3F967F5	C3F0D026	C3E72127	C3DC6721	C3D0AF61	C3C40840	C3B6810F	C3A82A03
C3991420	43137F9A	4329A9F4	433FA273	43554EB6	436A94AA	437F5AB1	439387C1	43A70389	4389B692
43CB8A60	43DC6990	43EC3FF5	43FAFAB4	44108885	44114D90	4411FDE8	44129BBB	44131D82	44136B47
4413E1F5	44142113	44144866	44145 7D0	44144F51	44142F07	4413F729	4413A80E	44134224	4412C5F6
44123428	44118D74	44 10D2AD	44100489	43F24940	43E33489	43031FF1	43C21DD9	43B04243	439DA1D0
438A51D3	4376683D	4361FB85	434D228E	4337F493	43226908	42CF79AA	428A8BCD	C31E3E3A	C3338357
C348EFFD	C35DDD09	C37263B1	C3846D99	C399E4E7	C3ACB456	C3BEC748	C3D009EA	C3E06926	C3EFD2D6
C3FE35C6	C410881C	C4117A7D	C418299F	C418C487	C4134810	C4138C89	C4141717	C4145BC7	C4148B8D
C414A0B7	C414A08A	C4140927	C4148A97	C4141AFD	C4130898	C41346BF	C4120CE5	C4121E96	C4116B79
C410A44A	C3FC9E3C	C3EDD32B	C3D0F3D9	C3CD1201	C3BB40AB	C3A89413	C3982198	C380FFA1	C36C4584
C3570B6A	C3416A31	C32B7B5D	C319588B9	41E34D3E	43171E44	43D3D99	43432BC8	43588F80	430DEDC3
4382980E	4396A67A	43A9FDDC	43BC89EA	43CE3357	43DEE4F6	43EE8AD5	43FD1257	4410A6A5	44116832
441214E8	4412ACDB	4413BCE8	441396F3	4413E9BC	441424EF	44144856	44145 3D8	44144 77A	4414235C
4413E7BE	441394F7	4413B7C	4412ABDC	441216BE	44116CDF	4410AF16	43FDE4CC	43EF8011	4419CABC
44196EDE	4418F47A	44185C1B	4417A66F	4416D44B	4415E6A7	4414DE9D	4413BD68	4412846D	4411351D
43FD111E	43B89FA2	43CD19E1	43B39D9F	439949C5	437E3E35	43629B9C	43468344	432A1689	42D7885E
C2F35D8D	C32B023F	C3483B04	C3644EED	C37FED5D	C39AF67B	C3B54B54	C3CE0E02	C3E701C9	C3FEEB3A
C4115504	C412A786	C413E4CA	C41508B7A	C4161A5E	C4171057	C417EC68	C418ADAE	C4198305	C419DCE9
C41A4985	C41A9981	C41ACBA9	C41AE002	C41AD785	C41AB129	C41A6D81	C41A0CE0	C4190F89	C418F698
C4184229	C4177333	C4168A98	C4158655	C4147081	C4134148	C411FCFB	C410A4EE	C3F3A906	C3D8F816
C3C3543E	C3A9DBC3	C38FA167	C374CAD5	C3597283	C33DB696	C321B5C5	C28BF3D2	43160885	4332B0CF
434E8AE1	436A0CDA	438614D1	439F6617	43B9413A	43D22839	43EA1DDE	44101B6D	44116C4F	44128412
4413E61A	441509F4	44 300345	441 EBCE	4417B96C	44186B1B	4418FFF9	44197744	4419008E	441A0ACC
441A2638	441A2273	441 9FF72	4410BD53	441 95C58	4418DCEC	44183F9F	44178525	4416A858	44158C3D
4414AFEC	44130AAB	44184DDB	4410FAFB	43F93A6B	43E19908	43C8E84C	43AF4627	4394D180	4379AAEF
435DF2AD	4341CA4B	43255 38E	42080786	C313FCEC	C33092B7	C34CEF50	C360F195	C3847909	C39F65F7
C3B99997	C3D2F634	C3E59F4B	C4102B9A	C4118EB7	C412DDC7	C4141760	C4487F4C	C4 43CA60	C42B7F2
423F6666	4238E9A4	42384E2A	42349B4E	4230D51A	422CFDD6	42291599	4225194C	4221082A	421CD328
42188CB5	42144D41	42103668	41C773F3	4196491E	4184F25C	4195EFE0	41C3EEBE	41F8353E	4213C5EA
4217A6F2	42184EC5	421F1174	42228 7DD	4225CF84	4228E4A0	422BBB28	422E56EC	4238C8AE	423300D9
42352B86	423732CC	4239 1C 60	423AED48	423CA829	423E4C68	423FD4F9	42413 9BF	42426E87	42436 57C
42440E4E	42445 9E6	42443C 17	4243AEA0	4242B22B	42414DBC	423F8CDA	4230 7D0C	42302BCF	4238A558
4235F41E	423320BC	4230322B	422D2E8C	422A1BEA	4226FD8D	4223D611	4220A9F5	421D036A	421A60EA
421765BF	42148CB7	4211FD40	41FE4B34	41E7AC99	41DF3BEF	41B63E54	41FB033A	4211A331	42140256
4216A4DE	42196E47	421C4E57	421F3E34	42223F87	42254CFT	42286598	42288B82	422ECA5F	42321A11
423578A4	4238E297	423C4FDE	423FB3C1	4242FBA6	42460C55	4248BCA6	424ACF64	4248F769	4248FA32
424ADA5F	4248D104	42462687	42431688	423FC74F	423C4DF0	42388543	42350194	423133F7	422D4C56
42294413	4225130D	4220C979	421C75A7	42182F98	42141C3F	42106C49	41D71C71	41BA04D8	41B722C5
41CEB289	41F6763E	42128B78	4215F028	42195ACA	421CAA20	421FCDD3	42228DD4	422576BF	4227FBD6
422A5025	422C77BF	422E76ED	423057C5	42322A7C	41952FA9	418D2831	41869E73	41814 2DF	417CD119
41791355	4175EDB1	41731A68	4170A943	416E7897	416C83C7	416AB730	41690864	41677F96	41660 82D
4164A287	41634AA2	4161FD0A	41608 6A2	415F7492	415E3424	415CF2B7	415BADAE	415A623F	41590D85
4157AC4E	41563AFB	41548 56C	41531 6C2	415159 2E	414F78A1	414D6363	414B1790	41408457	4145980C
41423DDB	413E523E	413985 2C	413434BD	412D979E	4125A106	411C2234	41111C8A	404EC6CB	42178527
4216C3B3	421615D9	421580A6	421503C0	42149C0B	42144587	4213FD3F	42138FB5	42138AC9	42135CB0
42133406	42130F8A	4212EEF3	4212D109	42128573	42129BC4	421283A1	42124CBF	421256DD	421241C4
42122D42	42121928	42120556	4211F19A	4211DDD1	4211C9D3	42118577	4211A092	42118AF2	42117462
42115CA2	42114368	4211285D	42110815	4210EB0A	4210C796	42109FEA	42107 2E3	42103F2F	42100 2F7
41FBBD94	41F66C30	41EFFE39	41E82E6F	41DE0F84	41D39E48	41C71659	41B9EE3E	41A03207	41A18D7F
4197F51A	418FD4CF	41893EB	41839D09	417F00EA	417B1BF2	4177C6F3	4174E029	41725318	41700CB4
416DFF01	416C1F04	416A6400	4168C6E7	416741F0	4165D03D	41646DB4	41631BBB	4161C81F	4160TEF8
415F387E	415DF20F	415CA901	415B5A99	415A03EF	4158A1DF	415730E2	4155ACEF	41541151	4152586F
41507B7C	414E721F	414C31EA	424FE0ED	424C3EEF	42486AC0	4244838E	424091F5	423C9421	42388 3C2
423459CE	42301DC7	422BA5EC	4227199C	42226FBE	421DAF2F	4218E09D	42140C6B	41F38BA3	41A67EBD
4159853B	40C4F32A	C1419423	C1908D03	C1E0CE26	C21320C3	C21832E1	C21D2044	C221B412	C225AEC3
C228D72B	C22B0EEC	C22C5F4A	C22CF528	C22D0FA0	C22CED2A	C22CC039	C22CAC66	C22CC882	C22D21C7
C22D8E45	C22E9ECF	C22FBFCE	C2311A32	C232A3AE	C2344E8F	C236091E	C237BCB0	C2394D2C	C23A9993
C23B7EB0	C23BDBFD	C23B9A98	C23AB299	C2392C7E	C2371CDB	C2349EC5	C231CD4D	C22E8F90	C22B8727
C2282FED	C224C10B	C2213E74	C21DAA7E	C21A0701	C2165613	C2129A2E	C1ED607A	C1B0C475	C173F663
C1371BA1	405A64C7	41421EFF	417E0D21	41B91DBF	41F2EAB4	4212B0D7	42161359	42195467	421C76C4
421F8259	42228395	42258A15	4228A6B3	422BE993	422F6050	4233146F	42370A51	423B408A	423FAF87
4244491D	4248F665	424D8FAC	4251BAB5	42545ABD	42537973	4250 3C5E	424C739D	4248A63A	4244EF96
42414A0E	423DA45E	4239EB 16	42360E66	4232045D	422DC93E	42295EB4	4224CACC	422016FF	421B4E94
42167CA2	4211A9C4	41CDA9BD	4180F4F4	413443CF	C118CB2D	C166984B	C1B55859	C2104D54	C21542F2
C21A1AB9	C21EAB85	C222C46A	C2263774	C28E536	C22AC3BC	C228DE9F	C22C5285	C22C4800	C22BEEC1

BDW

77 lines +6 words (-1)

775 words
4
3100 bytes

C4144CB9	C4140B82	C413B388	C413451F	C412C0B4	C41226CD	C411780C	C410B52B	C3FDEFB5	C3EF667A
C3DFC714	C3CF22F3	C3BD8CD6	C3A818B6	C397DBAF	C383E8E9	C36F607F	C35A8162	C344D740	C32F0B61
C319078C	C22E5E6F	43133F30	43294D40	433F29DB	4354BABE	4369E5FA	437E9212	4392A61E	43A609F0
43B8A631	43CA6484	43D82FA4	43EAF380	43F99D5B	441071BE	441135F3	4411E593	44127FD2	44130404
44137196	4413C813	44140723	44142E8C	44143E2F	4414360C	44141640	4413DF04	441390AA	44132BA4
4412B078	44121FCA	44117A53	4410C0E2	43FF45EB	43F15C05	43E26138	43D26754	43C18122	43AFC250
439D3F59	438A0D68	43764246	4361F442	434D3A17	43382AD8	4322DDD6	42D6A8E6	C2817707	C31D9099
C332E976	C3480ABF	C35CDD6F	C3714AD6	C3853CB2	C3989D40	C3AB5752	C3BD565F	C3CE869E	C3DED510
C3EE2F9B	C3FC8515	C4109C55	C4115E16	C4120CB5	C412A767	C4132D76	C4139E42	C413F940	C4143DFC
C4146C1B	C414835A	C414838F	C4148CA8	C4143EAE	C413F9C5	C4139E29	C4132C32	C412A451	C41AC652
C41ADFF8	C41ADC09	C41ABA96	C41A7BCF	C41A2000	C419A796	C419131A	C4186330	C417989B	C416B439
C415B702	C414A208	C4137676	C412358F	C410E0AE	C3F79422	C3E00CFF	C3C78EF2	C3AE3493	C394197D
C3795A3A	C35E1421	C3426543	C3266C44	C2A4846C	4311E73D	432E0297	4349E9FD	43657DB4	43809E2F
439B2C35	43B50904	43CE1676	43E63728	43FD4E9A	44113415	44127F51	4413B50F	4414D3D5	4415DA45
4416C71B	4417992E	44184F78	4418E90E	4419652B	4419C32A	441A028A	441A22F1	441A2429	441A0622
4419C8F3	44196CDA	4418F23B	441859A0	4417A3BA	4416D15F	4415E386	4414DB4B	4413B9ED	441280C7
44113154	43FCD2C0	43E55FDF	43CCD91D	43B35C43	43990838	437DFCDE	43628ADE	43464 37F	4329D876
42D3BB6F	C2F70B99	C32C0AF1	C348714F	C36482A5	C3801E5F	C39B24AF	C3B576AD	C3CEF67E	C3E7B772
C3FF0E24	C4115709	C412A963	C413E682	C4150D11	C4161BD6	C41711B6	C417EDB1	C418AEE4	C419548D

RECORD 8337 OF FILE 1
LENGTH = 3332 BYTES

228

0D040000	00E40200	4237F593	423C57B7	4240B3E0	4244F5FE	424907F3	424C0559	42505022	425374EE
42564C43	4258E15C	42587208	4255EE2A	4253466B	42506EF6	424D5CDD	424A0A37	424675AD	4242A260
423E9746	423A5DF1	42360082	42318832	422CFC4C	4228624C	42238EB3	421F15D0	421A6C34	4215C633
4211279F	41C924ED	41806 1A5	41380CA3	C1101819	C1586899	C1A13B48	C1EAF02A	C2135D54	C218219F
C21CFBB5	C221E772	C226DC 1B	C22BCC50	C230A626	C23562F5	C2398644	C23DAC37	C241081D	C24396D9
C2452A8C	C248B03F	C245411C	C24419D9	C242B050	C240AD4D	C23EC56C	C23CD8C0	0C1C0000	00000000
0000ACF7	04CACE80	0000EA60	44ACF780	4126E1E7	C33E0EC7	C32AA930	C3166383	C22049F5	43125C89
4326A90A	433AC411	434EA8FF	43622F78	43754780	4387DB8A	4399D694	43AB2436	43BBB0BD	43CB6939
43DA3B96	43EB16B0	43F4EA60	44100A79	44100407	44114A83	4411CD39	44123B86	44129480	4412D8D4
44130706	44131F35	44132136	44130CFA	4412E28B	4412A20B	44124BBB	4411BFF2	4411BFE2	4410C9D7
441020B6	43F647CD	43E95FF3	43DB629F	43CC9FF3	43BC6959	43AB9179	4399EC1C	43878E15	43748D2C
43610003	434CBDF7	43389F06	4323FBB0	42F2CD80	C25B45D3	C31A0EA8	C32F48C0	C343C97D	C357F7F8
C36BBBAB	C37EFC94	C391A353	C3A3994C	C3B4C8C0	C3C51CEF	C3D48233	C3E2E618	C3F03776	C3FC6684
C410764E	C411125E	C41199E3	C4120C45	C4126904	C412AFBE	C412E02A	C412FA1E	C412F087	C412EA72
C412C104	C4128170	C4128C39	C411C1AB	C4114260	C410AEFA	C4100834	C3F4BDD1	C3E63002	C3DA010A
C3CBCAF6	C3BC2AB4	C3A8B364	C39A784C	C3888D72	C3760780	C362FBE0	C34F0035	C338AABA	C3279 1EE
C3134C8A	42109B3F	43156881	4329AA59	433DB058	43518AEA	4364FCC9	4377FD0D	438A7643	439C5384
43AD8085	43BDE985	43CD7C47	43DC264E	43E9D6CF	43F67DD0	441020C7	4410C74F	44115AAF	4411DA32
4412453B	44129843	4412DBDB	441306AB	44131875	44131A11	44130276	4412D4AF	44129085	4412375D
4411C86F	44114492	4410AC57	4204BFBA	431D43FC	43311B00	43448A88	43580017	436AFC6D	437D7376
438F5D73	43A0A63A	43B13A4E	43C100EF	43CFFA2E	43DE0301	43EB1151	43F71612	44102034	4410BCC2
44114652	4411BC3D	44121DF5	44126AFE	4412A2F6	4412C591	4412D298	4412C9F8	4412A8A4	44127787
44122E5E	4411CFE3	44115CA5	4410D51F	441059E4	43F0890A	43EC8000	43DF90D3	43D160A0	43C24076
43B241C5	43A16723	438FCC3B	437D8583	436AA916	43574CBA	434387A3	432F7168	43182217	42682142
C2DC6017	C322D72	C3366B0D	C34A47C8	C35E09E1	C37139FA	C383E08F	C395E77D	C3A73049	C3B7BE16
C3C764D5	C3D61990	C3E3CA82	C3F0872E	C3FBE87A	C410628B	C410F33C	C411BF71	C411D69B	C4122845
C4126417	C41289D3	C4129956	C412929A	C4127584	C41242D4	C411FA44	C4119C68	C41129BF	C410A2DD
C4100870	C3F583AB	C3E9C150	C3DCBEAE	C3CE88AB	C3BFC93A	C3AFF9AA	C39F8EAC	C38E0CFB	C37C1888
C369963E	C3569B8B	C3433E4B	C32F94AE	C3188522	C27B63A7	42C61657	43204820	43342077	43478B1D
435B050E	436DE8A1	43805DA1	43922E8D	43A358C0	43B3D760	43C38898	43D26D93	43E04567	43ED301D
43F90EC8	44103D3A	44100D1F	44118DE6	44110DEC	44122FA4	44127997	4412AE65	4412C8C7	4412D788
4412CB99	4412A9F1	4412 72AF	44122604	4411C43D	44114DBE	4410C308	4410284AA	43F73594	43EAFD91
43DDB05A	C41A85FD	C41AA1DF	C41A9FA5	C41A7F59	C41A4126	C419E555	C419C51	C418D6A2	C41824F1
C4175804	C41670BE	C41570 22	C4145749	C413276D	C411E1DE	C4108806	C3F1B8BE	C3D9D93D	C3C103BB
C3A751 8E	C3BCE03E	C371CD 27	C356373F	C33A3E05	C31E018B	C21A25A3	431A8EB8	433700AB	43530279
436EA33D	4389C260	43A43FB9	43BDFBBB	43D6D798	43EE856C	44105785	44118B4C	4412EA06	44142126
44153639	44163 1E7	4417 12F8	4417D852	44180AFA	44198C1B	44197902	4419C720	4419F60C	441A0585
4419F570	4419C5D8	441976F0	44190913	44187CC2	4417D2A4	44170B86	44162859	44152A33	44141248
4412E1F0	44119AA1	44103DEA	43EC07A2	43D4012F	43B888EC	43A17DA5	4386AF28	4368 3E29	434F4BF7
4332FA6F	43166BBB	C263DD12	C322DFED	C33F5885	C35B85E0	C37746D1	C3927ADE	C3AD0256	C3C6BE96
C3DF920C	C3F76D64	C410E0EA	C4123834	C4137A64	C414A616	C415B9FF	C416B4F2	C41795DE	C4185BD2
C41905FC	C41993A7	C41A0440	C41A5755	C41A8C92	C41AA3C4	C41A9CDB	C41A77E5	C41A3510	C419D4AD
C419572A	C418BD14	C4180719	C4173683	C4164A8B	C4154645	C41429C2	C412F66D	C411AD9B	C41050BA
C3EE14DB	C3D60F02	C3BD1500	C3A342E8	C388B5DC	C36D8BEE	C351E404	C335DDB6	C319992D	422C8FDA
431F27E9	433B628F	435757EA	4372E71D	438DEF9D	43A85154	43C1ECCC	43DAA358	43F25737	424BB220
4248FC24	42460E71	4242FF5E	423FDBF1	423CAC91	42397738	42364073	42330BFB	422FDD4A	422CB83F
4229B1B7	4226C239	4223E7E8	42212686	421E9023	421C2088	4219DEF3	4217D4C4	4216161 3	4214BACD
4213DACF	421388CC	4213D0 60	4214AE68	42161451	4217F41F	421A3927	421CD24F	421FAD03	4222BC84
4225ECDF	42293E39	422CAAF0	42302A55	42338A43	4237473D	423AD872	423E6A1F	4241E8A2	424557B3
4248A46C	424BC343	424E9976	4250EF8E	42525E54	42526DF0	425121CD	424EEC86	424C39E3	4249409A
424618F3	4242CBC4	423F5B80	423BC868	423812FF	42343DFB	4230478E	422C2C74	4227F0C8	42239819
421F18AB	421A7081	42159BF6	42108909	41AE42BF	41209DE9	00000000	00000000	00000000	00000000
4175F0B1	41D8AE3A	4212B17A	42177B0F	421C1223	422081E7	4224C957	4228EDA4	422CEF43	4230CE6C

MAGSAT

SELECT DATA FOR MODEL W/ ADJ, TAPE

79-094A-01I, 02M

THESE DATA SETS HAVE BEEN RESTORED. ORIGINALLY THERE WAS ONE 9-TRACK, 1600 BPI TAPE WRITTEN IN BINARY. THERE IS ONE RESTORED TAPE. THE DR TAPE IS A 3480 CARTRIDGE AND THE DS TAPE IS 9-TRACK, 6250 BPI. THE ORIGINAL TAPE WAS CREATED ON AN IBM 360 COMPUTER AND WAS RESTORED ON AN IBM 9021 COMPUTER. THE DR AND DS NUMBER ALONG WITH THE CORRESPONDING D NUMBER AND THE TIME SPAN IS AS FOLLOWS:

DR#	DS#	D#	FILES	TIME SPAN
DR004911	DS004911	D045109	1-15	11/05/79 - 04/20/80

MAGSAT

SELECT DATA FOR FIELD MODEL, TAPE

79-094A-01J, 02N

THESE DATA SETS HAVE BEEN RESTORED. ORIGINALLY THEY CONTAINED ONE 9-TRACK, 1600 BPI TAPE WRITTEN IN BINARY. THERE IS ONE RESTORED TAPE. THE DR TAPE IS A 3480 CARTRIDGE AND THE DS TAPE IS 9-TRACK, 6250 BPI. THE ORIGINAL TAPE WAS CREATED ON AN IBM 360 COMPUTER AND WAS RESTORED ON THE MRS COMPUTER. THE DR AND DS NUMBERS ALONG WITH THE CORRESPONDING D NUMBER AND TIME SPAN IS AS FOLLOWS:

DR#	DS#	D#	FILES	TIME SPAN
DR005284	DS005284	D045110	1-15	11/05/79 - 04/20/80

REQ. AGENT	REQ. NO.	ACQ. AGENT
DEW	V0140	HKH

MAGSAT

79-094A-01I/02M

79-094A-01J/02N

SELECT DATA FOR FIELD MODEL WITH AND WITHOUT ATTITUDE ADJUSTMENT

This data set consists of 2 tapes, one for each of the ids. The tapes are 1600 bpi, VBS, 9 track, Bin. Each tape has 15 files on it. The tapes were created on an IBM 360 computer. The D and C numbers are as follows:

79-094A-01I/02M

D#	C#	Files	Time Span
D-45109	C-22390	15	11/5/79-4/20/80

79-094A-01J/02N

D#	C#	Files	Time Span
D-45110	C-22391	15	11/5/79-4/20/80

5/29/81

MAGSAT FINE ATTITUDE
DATA TAPE FOR SELECTED TIMES
OF 15 QUIET DAYS
CORRECTED FOR ATTITUDE BIASES AND EXTERNAL FIELDS

79-094A-01 I
-02 M

The data set consists of MAGSAT scalar and vector component data for 15 magnetically quiet days (November 5, 1979-April 20, 1980). The data for each day is further selected from specified time intervals (see Table 1) judged to be undisturbed. This data is identified in the format description with a flag (IA(22,I) through IA(25,I)) set to the value 2. Data for which the flag is set to 0 is either vector component data for which no fine attitude information was available or data which is outside of the specified time intervals. The data has been corrected for the attitude biases and the external fields identified in Table 2. The scalar data is no longer independent data, but is calculated from the vector component data after the corrections are applied. The attitude and external field correction values were obtained by least squares fitting a parametric magnetic field model to the fine data set for the given day. Data for each day is written on a separate file.

Table 1: Selected Time Intervals

File	Date	Time Intervals (HHMMSS)
1	Nov 5, 79	5000-10400; 105753-112920; 115300-121700; 232820-240000
2	Nov 6, 79	3000-92000; 102450-110350; 112000-114300; 115843-123000; 131000-240000
3	Dec 13, 79	0-54000; 105200-120000
4	Dec 25, 79	0-4800; 13000-61000; 103600-110000; 121000-123300
5	Jan 9, 80	2500-55000; 114835-121140; 155000-165000; 173000-182000
6	Jan 10, 80	11500-34000; 72500-95500; 110000-112100; 115200-130000; 223600-234000
7	Jan 18, 80	3000-6000; 13800-53000; 112800-115100
8	Jan 19, 80	22700-70000; 103600-110700; 112500-124000; 224000-235500
9	Feb 12, 80	0-64000; 101000-112100; 150000-190000; 231300-240000
10	Feb 13, 80	4600-11700; 20000-90000; 130000-152000
11	March 3, 80	3700-10800; 14600-71800; 111000-115600; 122000-140000
12	March 15, 80	3200-73000; 110500-121400; 160000-202000
13	April 18, 80	43000-90000; 171000-181000
14	April 19, 80	4600-10900; 15500-54500; 114400-115900
15	April 20, 80	53500-91500; 12000-130500; 180500-190500

Table 2: Attitude and External Field Corrections

Date	External Field Correction (e_1, e_2, e_3) nT	Attitude Correction (Roll, Pitch, Yaw) arc sec.
Nov 5, 79	25.9; -1.5; -.6	4.; -4.; -14.
Nov 6, 79	20.9; -1.5; -.6	4.; -4.; -14.
Dec 15, 79	13.0; -1.7; -3.1	-11.; -9.; 18.
Dec 25, 79	8.5; -.5; -.3	4.; -22.; 21.
Jan 9, 80	22.5; 2.4; -4.	7.; -9.; 35.
Jan 10, 80	22.5; 2.4; -4.	7.; -9.; 35.
Jan 18, 80	23.2; 2.7; .2	5.; -20.; 53.
Jan 19, 80	23.2; 2.7; .2	5.; -20.; 53.
Feb 12, 80	17.0; 1.5; -2.9	-26; -7; 94
Feb 13, 80	17.0; 1.5; -2.9	-26; -7; 94
March 3, 80	14.2; -.7; -2.8	-22; -8; 94
March 15, 80	9.3; -1.4; -1.5	-35; -3; 79
April 18, 80	22.2; .3; -4.3	-67; -14; 87
April 19, 80	22.2; .3; -4.3	-67; -14; 87
April 20, 80	22.2; .3; -4.3	-67; -14; 87

File 1, line 1 of the data and the FORTRAN source which produced it are shown below.

```
      WRITE(6,100)(IA(L,1),L=1,2),(A(L,1),L=3,7),(A(L,1),L=11,14),
     .  (A(L,1),L=16,18),(IA(L,1),L=22,25),(A(L,1),L=26,27),IA(28,1),
100   FORMAT(1X,I5,I10,F6.0,2X,F7.1,F8.3,F10.5,F9.4,F8.0,4F7.0,2X,
     .  2F7.3,/1X,4I7,2F7.3,I7)
```

```
44313      4320 -987.    -665.6  79.900 -79.88026  41.2176    2426.-10572. 41920. 43301. -6671.     0.778  0.6
     2      2      2      2 -0.112  0.037     599
```

SPECIAL MAGSAT DATA TAPE FORMAT

FOR CORRECTED DATA

15 FILES--ONE DAY ON EACH FILE

The following FORTRAN source reads the unformatted IBM binary data in blocks of 100 entries.

```
REAL*4 A(28,100)
DIMENSION IA (28,100)
EQUIVALENCE (A(1,1),IA(1,1))
READ (Unit) A
```

Array element definitions:

IA(1,I) = MJD
IA(2,I) = Milliseconds of day
A(3,I) = x position in celestial coordinates } Km x is toward vernal equinox
A(4,I) = y position in celestial coordinates
A(5,I) = time in years from 1900
A(6,I) = geocentric latitude (degrees)
A(7,I) = longitude (degrees) −180 to +180
A(8,I) = not used (reserved for D data)
A(9,I) = not used (reserved for I data)
A(10,I) = not used (reserved for H data)
A(11,I) = N (north component corrected for quaternian bias and external field)
A(12,I) = E (east component corrected for quaternian bias and external field)
A(13,I) = V (vertical component corrected for quaternian bias and external field)
A(14,I) = B (scalar component computed for vector components)
IA(15,I) = altitude in meters (above ~~6321.0~~ km) (6371.0 Km)
A(16,I) = Z position in celestial coordinates
A(17,I) = quaternian q_1 (not corrected)
A(18,I) = quaternian q_2 (not corrected)
IA(19,I) = not used
IA(20,I) = not used
IA(21,I) = not used
IA(22,I) = flag for N component 0-non-selected data, 2-selected data
IA(23,I) = flag for E component 0-non-selected data, 2-selected data
IA(24,I) = flag for V component 0-non-selected data, 2-selected data
IA(25,I) = flag for B component 0-non-selected data, 2-selected data
A(26,I) = quaternian q_3 (not corrected)
A(27,I) = quaternian q_4 (not corrected)
IA(28,I) = not used

045109
79-094A-01I/02m
11/05/79- 04/20/80
Select Field Model
w/o Attitude Adj.

DUMP OF TAPE D01

INPUT TAPE D01 ON MT1
DATA INPUT H9 NF 15 FL 1 1 1 SR 15 1 1 SR 15 LAST 1

FILE 1 RECORD 1 LENGTH 22404BYTES

(0)	57840000	2BC40000	0000AC96	00000056	C398BE07	436214FE	424FD80C	42406A88	4267AA09	00000000
(40)	00000000	00000000	44245BE5	C227434A	44C5986E	44C8E9AC	00056968	4417B23E	403637DB	BF5DBB29
(80)	00000000	00000000	00000000	00000000	00000000	00000000	00000000	C0E28EBA	4069FD4B	000003E7
(120)	0000AC96	0000F14E	C3A9C09A	4376BC04	424FD80C	423C7A2E	42652439	00000000	00000000	00000000
(160)	442CC35C	423F783C	44C30B8E	44C81DB1	00056BCF	4416DCF1	403E50F8	BF93C3C4	00000000	00000000
(200)	00000000	00000000	00000000	00000000	00000000	C0E0719E	4069CB44	000003E7	0000AC96	0001E1CD
(240)	C3B9E3A5	438AC24D	424FD80C	4238844E	42631D91	00000000	00000000	00000000	4435C40B	4295095C
(280)	44BEA169	44C61182	0005705D	4415EB03	40461F20	BFD3457F	00000000	00000000	00000000	00000000
(320)	00000000	00000000	00000000	C0DE39E1	40692AD7	000003E7	0000AC96	0002D52C	C3C94895	439E530A
(360)	424FD80C	42347D5F	4261684C	00000000	00000000	00000000	443F543D	42C5FFD4	44B8211E	44C2B79B
(400)	0005772C	4414D9E4	404DA754	C011A6C8	00000000	00000000	00000000	00000000	00000000	00000000
(440)	00000000	C0DB7A7D	4068FE46	000003E7	0000AC96	0003C5A9	C3D77ED1	43B0DF1D	424FD80C	42307F72
(480)	425FF5B7	00000000	00000000	00000000	4448F736	42CAD0A2	44AFA560	44BE3344	00057FFD	4413B163
(520)	40559317	C014DC48	00000000	00000000	00000000	00000000	00600000	00000000	00000000	C0D8A7A2
(560)	40681BB5	000003E7	0000AC96	0004B628	C3E4A4C1	43C28BBC	424FD80C	422C7F7A	425EAFEB	00000000
(600)	00000000	00000000	44528F91	42AC323D	44A51535	44B89400	00058AD9	44126FE9	405CDB43	C0193FA6
(640)	00000000	00000000	00000000	00000000	00000000	00000000	00000000	C0D583EA	40676140	000003E7
(680)	0000AC96	0005A79C	C3F0B582	43D3531C	424FD80C	42287A3D	425D8AA9	00000000	00000000	00000000
(720)	445BEFB7	4268D1A1	44986386	44B1F963	000597BB	441115A9	406445E6	C01D01EA	00000000	00000000
(760)	00000000	00000000	00000000	00000000	00000000	C0D1FC71	4066B140	000003E7	0000AC96	0006981A
(800)	C3FB899E	43E2FE33	424FD80C	42247888	425C8059	00000000	00000000	00000000	4464C259	4174D1E3
(840)	4489BC2D	44AAA7DA	0005A674	43FA71E8	406BB9BC	C0207408	00000000	00000000	00000000	00000000
(880)	00000000	00000000	00000000	C0CE6C33	40655461	000003E7	0000AC96	00078897	C4105209	43F18B1C
(920)	424FD80C	422076CC	425B89FC	00000000	00000000	00000000	446CD2DA	C277806A	44792DF2	44A2DF37
(960)	0005B6F3	43E24CB0	40729E5B	C024C30A	00000000	00000000	00000000	00000000	00000000	00000000
(1000)	00000000	C0CA5BEA	40647D18	000003E7	0000AC96	00087A86	C410D7AB	43FEFB98	424FD80C	421C6F39
(1040)	425AA1E7	00000000	00000000	00000000	4473D71E	C3113C4C	4466DEE2	449AED6B	0005C946	4308E220
(1080)	4079DA6E	C027FBA4	00000000	00000000	00000000	00000000	00000000	00000000	00000000	C0C62DE8
(1120)	406310F1	000003E7	0000AC96	00096B04	C4114746	4410B163	424FD80C	42186E79	4259C781	00000000
(1160)	00000000	00000000	4479A606	C31B160B	44532B96	44935F3F	0005DD11	43AEA04F	4080B558	C02BC3D2
(1200)	00000000	00000000	00000000	00000000	00000000	00000000	C0C1C401	4061847E	000003E7	0000AC96
(1240)	0000AC96	000A5B82	C411A135	44115E1C	424FD80C	42146EAE	4258F6BB	00000000	00000000	00000000
(1280)	447DEFC8	C3261A03	443E547B	448C898F	0005F259	439382CE	40874B52	C02F919E	00000000	00000000
(1320)	00000000	00000000	00000000	00000000	00000000	C0BCE795	40605A26	000003E7	0000AC96	000B4C00
(1360)	C411E513	4411F519	424FD80C	42107016	42582D6D	00000000	00000000	00000000	44808CAF	C332C563
(1400)	4428B495	4486E0AF	00060903	4377AC1C	408E285C	C032A11A	00000000	00000000	00000000	00000000
(1440)	00000000	00000000	00000000	C0B80C56	405E499D	000003E7	0000AC96	000C3DEF	C41212CB	4412765A
(1480)	424FD80C	41C6CCDC	425768AA	00000000	00000000	00000000	44815DB6	C340EC77	4412A979	4482C4A6
(1520)	00062109	435B1385	40946BB9	C0367C51	00000000	00000000	00000000	00000000	00000000	00000000
(1560)	00000000	C0B2C8AC	405C99CF	000003E7	0000AC96	000D2E6D	C41229A9	4412DFC6	424FD80C	41871409
(1600)	4256A93E	00000000	00000000	00000000	448058AF	C351571A	C3318B11	44807C00	00063A10	433E3453
(1640)	409AA1F2	C039AF24	00000000	00000000	00000000	00000000	00000000	00000000	00000000	C0AD5820
(1680)	405AD30C	000003E7	0000AC96	000E20D6	C41229DE	4413324C	424FD80C	4146F600	4255EB22	00000000
(1720)	00000000	00000000	447D7F63	C36521A2	C41864B4	448000A3	00065444	4320CBD3	40A0C720	C03CBBD2
(1760)	00000000	00000000	00000000	00000000	00000000	00000000	00000000	C0A7E07D	40586767	000003E7
(1800)	0000AC96	000F1154	C412137C	44136C4A	424FD80C	40778E87	4255301A	00000000	00000000	00000000
(1840)	4478FF11	C37CB3C4	C42C6188	44811D4B	00066F23	42375DD3	40A64D6E	C0403BCB	00000000	00000000
(1880)	00000000	00000000	00000000	00000000	00000000	C0A20442	4056A069	000003E7	0000AC96	001003BE
(1920)	C411E653	44138E78	424FD80C	C1386478	425473F4	00000000	00000000	00000000	4472FDD3	C3992B2C
(1960)	C43EF72D	44837370	00068AF7	C31A205E	40AC1643	C042F7DA	00000000	00000000	00000000	00000000
(2000)	00000000	00000000	00000000	C09C0A70	405431A6	000003E7	0000AC96	0010F43B	C411A365	44139832
(2040)	424FD80C	C1779CA4	4253B889	00000000	00000000	00000000	446BDF4C	C3BA4F6D	C44F87EF	4486869B
(2080)	0006A727	C3375A2B	40B1770E	C046057F	00000000	00000000	00000000	00000000	00000000	00000000
(2120)	00000000	C095ECD4	40519E63	000003E7	0000AC96	0011E534	C4114A9E	441389D2	424FD80C	C1B6D037
(2160)	4252FAC6	00000000	00000000	00000000	4463EBB8	C3E01BE6	C45E0B6F	4489EE24	0006C3DA	C3545EB4
(2200)	40B67B9E	C0490FF7	00000000	00000000	00000000	00000000	00000000	00000000	00000000	C08F7480
(2240)	404F7D44	000003E7	0000AC96	0012D5B3	C410DCD8	4413638D	424FD80C	C1F5BCEB	42523A2D	00000000
(2280)	00000000	00000000	44589602	C410A03E	C46A54AF	448D514B	0006E0D2	C37BED01	40BB8363	C04B[illegible]

```
( 21720)  00000000  00000000  00000000  41100000  000003E7  0000AD3D  0068A07F  C3451641  432CA721  42504D19
( 21760)  C24EB54E  C259C187  00000000  00000000  00000000  43D8D8E4  C4444D13  44A44D72  44B272F1  00055A92
( 21800)  C419BFC0  00000000  00000000  00000000  00000000  00000000  00000000  00000000  00000000  00000000
( 21840)  00000000  41100000  000003E7  0000AD3D  006918FC  C349F2C9  433A758B  42504D19  C24D0985  C25F563E
( 21880)  00000000  00000000  00000000  4410F0F3  C443AFF8  44A4968B  44B2C47B  00056176  C4199849  00000000
( 21920)  00000000  00000000  00000000  00000000  00000000  00000000  00000000  00000000  00000000  41100000
( 21960)  000003E7  0000AD3D  00699178  C34EB7C9  43483147  42504D19  C24B478F  C263A97A  00000000  00000000
( 22000)  00000000  441480A7  C442F521  44A47B53  44B2C48C  00056870  C41968AB  00000000  00000000  00000000
( 22040)  00000000  00000000  00000000  00000000  00000000  00000000  00000000  41100000  000003E7  0000AD3D
( 22080)  006A09F4  C35363CE  4355D61A  42504D19  C2497694  C2671858  00000000  00000000  00000000  4418281B
( 22120)  C441D67D  44A41791  44B2732E  00056F7A  C41930F6  00000000  00000000  00000000  00000000  00000000
( 22160)  00000000  00000000  00000000  00000000  00000000  41100000  000003E7  0000AD3D  006A8270  C357F561
( 22200)  43635FB2  42504D19  C2479B1D  C269E1FE  00000000  00000000  00000000  441BD2DD  C4405E63  44A36A4D
( 22240)  44B1D608  00057695  C418F13E  00000000  00000000  00000000  00000000  00000000  00000000  00000000
( 22280)  00000000  00000000  00000000  41100000  000003E7  0000AD3D  006AFAED  C35C6B1E  4370C9E8  42504D19
( 22320)  C245B81C  C26C318F  00000000  00000000  00000000  442D483C  442C3112  C4A5263B  44B0DAE0  00057DBD
( 22360)  C418A997  408A9269  40D2B171  00000000  00000000  00000000  00000000  00000000  00000000  00000000
( 22400)  4012F9E3
```

File 15 First Record

```
FILE      15  RECORD      13  LENGTH      148BYTES
(      0)  00940000  00900200  00000000  00000000  00000000  00000000  402AA624  4048E0AC  000003E7  0000AD3D
(     40)  05078E59  C3866514  43EDD59A  42504D19  C231A886  C251503A  00000000  00000000  00000000  4447579E
(     80)  4418CB69  C45A9023  4475ECA3  0005D04F  C4141A5D  407E5AED  40CC3FC3  00000000  00000000  00000000
(    120)  00000000  00000000  00000000  00000000  402CE454  404C6728  000003E7
```

FILE	INPUT RECS.	DATA RECORDS INPUT	MAX. SIZE	READ ERROR SUMMARY PERM	ZERO B	SHORT	UNDEF.	INPUT RETRIES #RECS.	TOTAL#
15	13	14	22404	0	0	0	0	0	0

```
EOJ        DUMP STOPPED AFTER FILE   15        # OF PERMANENT READ ERRORS  0

START TIME 05/25/82  14:11:44        STOP TIME 05/25/82  14:12:32
```

```
$$  /
$ASS IN TD3
$EXEC TPDUPC BS
```

D 45110
79-094A-015/02N
11/05/79-04/20/80
Select Field Model
w/ Att. ADJ.

DUMP OF TAPE DO-2

INPUT TAPE DO-2 ON MT4
DATA INPUT H9 NF 15 FL 1 1 1 SR 15 1 1 SR 15 LAST 1

FILE 1 RECORD 1 LENGTH 22404BYTES

(0)	57840000	2BC40000	0000AC96	00000056	C398BE07	436214FE	424FD80C	42406A88	4267AA09	00000000
(40)	00000000	00000000	442451B9	C228CE7D	44C5AF70	44C8FDEC	00056968	4417B23E	403637DB	BF5DBB29
(80)	00000000	00000000	00000000	00000000	00000000	00000000	00000000	C0E28EBA	4069FD4B	000003E7
(120)	0000AC96	0000F14E	C3A9C09A	4376BC04	424FD80C	423C7A2E	42652439	00000000	00000000	00000000
(160)	442CB783	423E0E33	44C321A6	44C83010	00056BCF	4416DCF1	403E50F8	BF93C3C4	00000000	00000000
(200)	00000000	00000000	00000000	00000000	00000000	C0E0719E	4069CB44	000003E7	0000AC96	0001E1CD
(240)	C3B9E3A5	438AC24D	424FD80C	4238844E	42631D91	00000000	00000000	00000000	4435B699	4293C6E6
(280)	44BEB678	44C62260	0005705D	4415EB03	40461F20	BFD3457F	00000000	00000000	00000000	00000000
(320)	00000000	00000000	00000000	C0DE39E1	40692AD7	000003E7	0000AC96	0002D52C	C3C94895	439E530A
(360)	424FD80C	42347D5F	4261684C	00000000	00000000	443F4544	42C4EB9B	44B83504	44C2C653	
(400)	0005772C	4414D9E4	404DA754	C011A6C8	00000000	00000000	00000000	00000000	00000000	00000000
(440)	00000000	C0DB7A7D	4068FE46	000003E7	0000AC96	0003C5A9	C3D77ED1	43B0DF1D	424FD80C	42307F72
(480)	425FF5B7	00000000	00000000	00000000	4448E6C6	42C9EE8E	44AFB808	44BE3F5F	00057FFD	4413B163
(520)	40559317	C014DC48	00000000	00000000	00000000	00000000	00000000	00000000	00000000	C0D8A7A2
(560)	40681BB5	000003E7	0000AC96	0004B628	C3E4A4C1	43C28BBC	424FD80C	422C7F7A	425EAFEB	00000000
(600)	00000000	00000000	44527DC4	42AB827F	44A52682	44B89C0F	00058AD9	44126FE9	405CDB43	C0193FA6
(640)	00000000	00000000	00000000	00000000	00000000	00000000	00000000	C0D583EA	40676140	000003E7
(680)	0000AC96	0005A79C	C3F0B582	43D3531C	424FD80C	42287A3D	425D8AA9	00000000	00000000	00000000
(720)	445BDCA1	4268573D	44987361	44B1FCF3	000597BB	441115A9	406445E6	C01D01EA	00000000	00000000
(760)	00000000	00000000	00000000	00000000	00000000	C0D1FC71	4066B140	000003E7	0000AC96	0006981A
(800)	C3FB899E	43E2FE33	424FD80C	4224788B	425C8059	00000000	00000000	00000000	4464AE0E	41708CF0
(840)	4489CA85	44AAA740	0005A674	43FA71E8	406BB9BC	C0207408	00000000	00000000	00000000	00000000
(880)	00000000	00000000	00000000	C0CE6C33	40655461	000003E7	0000AC96	00078897	C4105209	43F18B1C
(920)	424FD80C	422076CC	425B89FC	00000000	00000000	00000000	446CBD7B	C27792C8	44793AB2	44A2DAEB
(960)	0005B6F3	43E24CB0	40729E5B	C024C30A	00000000	00000000	00000000	00000000	00000000	00000000
(1000)	00000000	C0CA5BEA	40647D18	000003E7	0000AC96	00087A86	C410D7AB	43FEFB98	424FD80C	421C6F39
(1040)	425AA1E7	00000000	00000000	00000000	4473C0BD	C3113A52	4466E9FB	449AE38E	0005C946	43C8E220
(1080)	4079DA6E	C027FBA4	00000000	00000000	00000000	00000000	00000000	00000000	00000000	C0C62DE8
(1120)	406310F1	000003E7	0000AC96	00096B04	C4114746	4410B163	424FD80C	42186E79	4259C781	00000000
(1160)	00000000	00000000	44798EC4	C31B1140	445334FE	44935036	0005DD11	43AEA04F	4080B558	C02BC3D2
(1200)	00000000	00000000	00000000	00000000	00000000	00000000	C0C1C401	4061847E	000003E7	
(1240)	0000AC96	000A5B82	C411A135	44115E1C	424FD80C	42146EAE	4258F6BB	00000000	00000000	00000000
(1280)	447DD7C2	C32612C1	443E5C23	448C765F	0005F259	439382CE	40874B52	C02F919E	00000000	00000000
(1320)	00000000	00000000	00000000	00000000	00000000	C0BCE795	40605A26	000003E7	0000AC96	000B4C00
(1360)	C411E513	4411F519	424FD80C	42107016	42582D6D	00000000	00000000	00000000	44807401	C332BC00
(1400)	4428BA7D	4486C9C0	00060903	4377AC1C	408E285C	C032A11A	00000000	00000000	00000000	00000000
(1440)	00000000	00000000	00000000	C0B80C56	405E499D	000003E7	0000AC96	000C3DEF	C41212CB	4412765A
(1480)	424FD80C	41C6CCDC	425768AA	00000000	00000000	00000000	44814480	C340E175	4412AD93	4482AAE4
(1520)	00062109	435B1385	40946BB9	C0367C51	00000000	00000000	00000000	00000000	00000000	00000000
(1560)	00000000	C0B2C8AC	405C99CF	000003E7	0000AC96	000D2E6D	C41229A9	4412DFC6	424FD80C	41871409
(1600)	4256A93E	00000000	00000000	00000000	44803F14	C3514AE4	C331662D	448061E4	00063A10	433E3453
(1640)	409AA1F2	C039AF24	00000000	00000000	00000000	00000000	00000000	00000000	00000000	C0AD5820
(1680)	405AD30C	000003E7	0000AC96	000E20D6	C41229DE	4413324C	424FD80C	4146F600	4255EB22	00000000
(1720)	00000000	00000000	447D6583	C36514B1	C4186432	447FE4DE	00065444	4320CBD3	40A0C720	C03CBBD2
(1760)	00000000	00000000	00000000	00000000	00000000	00000000	00000000	C0A7E07D	40586767	000003E7
(1800)	0000AC96	000F1154	C412137C	44136C4A	424FD80C	40778E87	4255301A	00000000	00000000	00000000
(1840)	4478E510	C37CA6C6	C42C62D4	44810264	00066F23	42375DD3	40A64D6E	C0403BCB	00000000	00000000
(1880)	00000000	00000000	00000000	00000000	00000000	C0A20442	4056A069	000003E7	0000AC96	001003BE
(1920)	C411E653	44138E78	424FD80C	C1386478	425473F4	00000000	00000000	00000000	4472E3D6	C3991E70
(1960)	C43EFA41	44835D6B	00068AF7	C31A205E	40AC1643	C042F7DA	00000000	00000000	00000000	00000000
(2000)	00000000	00000000	00000000	C09C0A70	405431A6	000003E7	0000AC96	0010F43B	C411A365	44139832
(2040)	424FD80C	C1779CA4	4253B889	00000000	00000000	00000000	446BC579	C3BA4367	C44F8CC3	4486731C
(2080)	0006A727	C3375A2B	40B1770E	C046057F	00000000	00000000	00000000	00000000	00000000	00000000
(2120)	00000000	C095ECD4	40519E63	000003E7	0000AC96	0011E534	C4114A9E	441389D2	424FD80C	C1B6D037
(2160)	4252FAC6	00000000	00000000	00000000	4463D230	C3E01103	C45E11FF	4489E008	0006C3DA	C3545EB4
(2200)	40867B9E	C0490FF7	00000000	00000000	00000000	00000000	00000000	00000000	00000000	C08F7480
(2240)	404F7D44	000003E7	0000AC96	0012D5B3	C410DCD8	4413638D	424FD80C	C1F5BCEB	42523A2D	00000000
(2280)	00000000	00000000	445B7CEB	C4109FA4	C46A5CEF	448D468E	0006E0D2	C370ED01	40B88363	C04B8753

```
( 21720)  00000000  00000000  00000000  41100000  000003E7  0000AD3D  0068A07F  C3451641  432CA721  42504D19
( 21760)  C24EB54E  C259C187  00000000  00000000  00000000  43D8D8E4  C4444D13  44A44D72  44B272F1  00055A92
( 21800)  C419BFC0  00000000  00000000  00000000  00000000  00000000  00000000  00000000  00000000  00000000
( 21840)  00000000  41100000  000003E7  0000AD3D  006918FC  C349F2C9  433A758B  42504D19  C24D0985  C25F563E
( 21880)  00000000  00000000  00000000  4410F0F3  C443AFF8  44A4968B  44B2C47B  00056176  C4199849  00000000
( 21920)  00000000  00000000  00000000  00000000  00000000  00000000  00000000  00000000  00000000  41100000
( 21960)  000003E7  0000AD3D  00699178  C34EB7C9  43483147  42504D19  C24B478F  C263A97A  00000000  00000000
( 22000)  00000000  441480A7  C442F521  44A47B53  44B2C48C  00056870  C41968AB  00000000  00000000  00000000
( 22040)  00000000  00000000  00000000  00000000  00000000  00000000  00000000  41100000  000003E7  0000AD3D
( 22080)  006A09F4  C35363CE  4355D61A  42504D19  C2497694  C2671858  00000000  00000000  00000000  44182818
( 22120)  C441D67D  44A41791  44B2732E  00056F7A  C41930F6  00000000  00000000  00000000  00000000  00000000
( 22160)  00000000  00000000  00000000  00000000  00000000  41100000  000003E7  0000AD3D  006A8270  C357F561
( 22200)  43635FB2  42504D19  C2479B1D  C269E1FE  00000000  00000000  00000000  441BD2DD  C4405E63  44A36A4D
( 22240)  44B1D608  00057695  C418F13E  00000000  00000000  00000000  00000000  00000000  00000000  00000000
( 22280)  00000000  00000000  00000000  41100000  000003E7  0000AD3D  006AFAED  C35C6B1E  4370C9E8  42504D19  File 15
( 22320)  C245B81C  C26C318F  00000000  00000000  00000000  442D48CF  442C36E2  C4A53464  44B0E9A9  00057DBD  First Record
( 22360)  C418A997  408A9269  40D2B171  00000000  00000000  00000000  00000000  00000000  00000000  00000000
( 22400)  4012F9E3
```

```
FILE      15  RECORD      13  LENGTH      148BYTES
(     0)  00940000  00900200  00000000  00000000  00000000  00000000  402AA624  4048E0AC  000003E7  0000AD3D
(    40)  05078E59  C3866514  43EDD59A  42504D19  C231A886  C251503A  00000000  00000000  00000000  44474ABA
(    80)  4418CB98  C45A9A97  4475EEF8  0005D04F  C4141A5D  407E5AED  40CC3FC3  00000000  00000000  00000000
(   120)  00000000  00000000  00000000  00000000  402CE454  404C6728  000003E7
```

FILE	INPUT RECS.	DATA RECORDS INPUT	MAX. SIZE	READ ERROR SUMMARY PERM	ZERO B	SHORT	UNDEF.	INPUT RETRIES #RECS.	TOTAL#
15	13	14	22404	0	1	0	0	1	1

```
EOJ        DUMP STOPPED AFTER FILE   15        # OF PERMANENT READ ERRORS  0

START TIME 05/25/82  14:22:41        STOP TIME 05/25/82  14:24:22
```

```
$$
$ASS IN MT2
$EXEC TPDUMP BS
```

MAGSAT

INVESTIGATOR-B QUIET TIME DATA

79-094A-01K, 020

THESE DATA SETS HAVE BEEN RESTORED. THERE WERE ORIGINALLY THREE 9-TRACK, 6250 BPI TAPES, BLOCKED, WRITTEN IN BINARY. THE FIRST TWO D TAPES HAD 3 C TAPES THAT WERE UNBLOCKED AND THE THIRD D TAPE HAD JUST ONE C TAPE, UNBLOCKED. THE C TAPES WERE 9-TRACK, 1600 BPI. ALL OF THE D AND C TAPES WERE RESTORED. THERE ARE FIVE RESTORED TAPES. THE DR TAPES ARE 3480 CARTRIDGES AND THE DS TAPES ARE 9-TRACK, 6250 BPI. THE ORIGINAL TAPES WERE CREATED ON AN IBM 360 COMPUTER AND WERE RESTORED ON AN IBM 9021 COMPUTER. THE DR AND DS NUMBERS ALONG WITH THE CORRESPONDING D OR C NUMBER AND TIME SPAN IS AS FOLLOWS:

DR#	DS#	D,C#	FILES	TIME SPAN
DR005339	DS005339	D045320	1	11/02/79 - 01/19/80
DR005340	DS005340	D046637	1	01/19/80 - 03/26/80
DR005341	DS005341	D046638	1	03/27/80 - 05/19/80
DR005342	DS005342	C021758	1	11/02/79 - 12/03/79
		C021759	2	12/03/79 - 01/08/80
		C021760	3	01/08/80 - 01/19/80
DR05343	DS005343	C021761	1	01/19/80 - 02/21/80
		C021762	2	02/21/80 - 03/19/80
		C021763	3	03/19/80 - 03/26/80
		C021764	4	03/27/80 - 05/19/80

REQ. AGENT	RD #	ACQ. AGENT
DEW		HKH

MAGSAT

79-094A-01K/020

INVESTIGATOR B QUIET TIME DATA

This data set consists of 3 tapes. The tapes were created on an IBM 360 computer, and are 9 track, BIN, with 1 file of data. The 'D' tapes are 6250 BPI and the 'C' tapes are 1600 BPI. The 'D' and 'C' numbers and time spans follow:

D#	C#	Time Span
D-45320	C-21758 C-21759 C-21760	11/02/79 - 01/19/80
D-46637	C-21761 C-21762 C-21763	01/19/80 - 03/25/80
D-46638	C-21764	03/27/80 - 05/19/80

D46637
Inves B Quiet time
1/19/80- 3/26/80
[redacted]
79-094A-01K,020

FECCFD 1 CF FILE 1
LENGTH = 30000 BYTES

75300000	08E80000	00000001	00000002	000CACE1	00000483	422034C7	41291C50	421462E2	C11DED0C
002A8CA8	00554ECC	C1651241	415AED1B	C26A5FCF	423DF3A5	00000011	00000011	451869F0	451869F0
451669F0	451869F0	451869F0	451E69F0	413C0000	41300000	41500000	41E00000	C295E666	C2E1E666
41E00000	41C00000	C2116666	C2353333	42105C62	415AC5D5	40404040	D4C7E2F4	F8F17EF2	40404040
40404040	40404040	40404040	40404040	40404040	40404040	404040D4	C7E2E34D	F461F8F1	60F25C40
40404040	40C5E7E3	40404040	C6D6D5C4	C1E34DF2	C5F36EF6	C6F1F14B	F45D4040	40404040	40404DF1
F46BF650	40C5D7D6	C3C840F1	F9F8F04B	40404040	40404040	0000000E	0000000E	00000000	437BC000
4418E333	00000000	C4752333	C37CC28F	434FFD71	433A5E56	C2D53166	42380778	42480EE3	42127FF3
4155D5D0	C132A5E3	41287D56	C11AA71E	3FA65E75	00000000	00000000	00000000	4415E4E3	C37A4D9A
43ED3666	C3885029	4330E7D7	4316ED37	42410356	C23B2E30	416B7AE1	41A722D1	C13CC648	C115161E
3F68D8BC	C06872E0	00000000	00000000	00000000	C3E517D7	C2C75810	436F7F65	434E363D	4318CE19
43105144	4229E25E	411A14E4	C03C63F1	411E7AE1	4126D451	C11C04EA	C0314E3C	40822661	00000000
00000000	00000000	C314E517	4310F204	C2FC3A1D	4334C0E7	C31A372F	C24A4FEC	C2EFF6C9	4214E7ED
C1AE58E2	C1C1FE16	C159DED3	41272546	C0268D65	C0544DD1	00000000	00000000	00000000	42D428E4
C3100B37	42345E8C	C3129D37	42CC1C25	C2A1FF3B	41375233	C1C24C5E	C1735954	4157CE92	C11D3127
4031BDA5	40CEF34D	C022617C	00000000	00000000	00000000	422DDBE1	42566673	C2969AE1	C24DE461
425C5EE4	C23013F1	41DD6E2F	406EECCC	41465C52	C1391EF0	4147E426	C0E115CE	408A43FE	40DA3055
00000000	00000000	00000000	C1E99E46	425D3B62	4246F656	C22B0666	C1227B4A	4211464C	C26B9021
41A48754	41280625	C11078D5	413517C2	C05CACDE	C07E4A23	C0E3B646	00000000	00000000	00000000
C252E64C	C21E2E4F	C152FD22	41FE5A6E	4211EEE6	C217013A	C15F2C3D	C11D5F07	4161432D	416E17C2
40A978D5	4115E979	C036872E	4028A050	00000000	00000000	00000000	4173E717	C2118F83	413C2CA5
C2163EED	419228F6	4210244D	C1D4D3C3	C1EC6B3E	C0D2A365	4116A36E	41246BF1	41180143	4050DED3
C0DED517	00000000	00000000	00000000	C214F113	41F75557	41EA7D56	C1510000	C16D5486	418FDB8C
415AD517	C15AC28F	4122F766	C150C227	413130EE	C0A0ECF2	C65EE6A7	402CE4B6	00000000	00000000
00000000	4113DE23	405A0903	412E5810	415CF955	C1440DE4	C024AF4F	C1150B0F	4131EE63	C038D4FE
C166EEC5	C083404F	411E645A	C02B0E5A	C0164C30	00000000	00000000	00000000	40DA0275	411F3A93
C118E8EE	C13385F0	407CC63F	C04FAACE	C125B3D0	C041D14E	C117A5FC	C11E17C2	4111A71E	41383D71
40D02DE0	405346DC	00000000	00000000	00000000	40673150	405E2EB2	412483E4	C1163D71	406288CE
4026C419	C041DE6A	401EA4A9	BF15BE74	C115766D	4CE05C2E	40ECF41F	EF2E460E	C07D4FDF	00000000
00000000	00000000	C076A7F0	40424745	4113EC25	C035E6EE	C0E15B57	C016SAD4	40DC0EEF	40428F5C
40FA8C15	40353F7D	C01E703E	C05C3C5F	C0EB5223	40721565	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	42198027	C1AE97F6	C158F213	C0DDD57F	40ECF41F	4118A027	41114EA2	00000000	00000000
00000000	00000000	00000000	00000000	C2166DD5	41CC75A7	407FEC57	C1653674	411CC227	C11D4C30
4123794A7	C1273ECD	00000000	00000000	00000000	00000000	00000000	00000000	C1CDEEEE	C214C8A1
41E17A78	C12DD97F	C16E8CE7	C03E8EAC	40EE0DED	4026E54B	00000000	00000000	00000000	00000000
00000000	00000000	413F295F	411404EA	C155CF4E	C0751E2B	40BFF2E5	C134EA4B	408F1412	40A617C2
00000000	00000000	00000000	00000000	00000000	00000000	C0C85F07	C11EA512	415E6E51	C140CE70
C172CFAB	4118A858	40E5D639	C0E0EBEE	00000000	00000000	00000000	00000000	00000000	00000000
4111E2EB	4118096C	C11EE2EE	4138E3BD	40A00000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	C11E52A3	C12B4C30	C0EDC5D6	4112EA7F	409D566D	413D7732
C1156944	411664C3	00000000	00000000	00000000	00000000	00000000	00000000	C11476C9	40F10CB3
40FD844D	C03EC289	C0816F00	C0AF3B64	411CC77A	4117ECC6	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000002	00000002	0000ACE1	00151066	000004E3	44133372	C2534B7	C2533DDD	C2532S3C	C2531DE0
C2530EDD	C252FC49	C252E642	C252CCE7	C252E05C	C2525CC6	C2526E45	C2526DDA	C252213E	C251F6FF
C251CA73	C2519EC4	C2516B11	C2513E60	C2510426	C250CE35	C2505BBE	C2505DDA	C25023A0	C24FE82F
C24FA858	C24F6DEC	C24F2F44	C24EEFAA	C24EAF36	C24E6DEF	C1BE25E5	C1E5E211	C21148EF	C213F277
C21651C6	C21924BB	C21BAB0	C21E1CD6	C2207E60	C222CD75	C2250E67	C2272EEC	C2294060	C22B3D0C
C22D2518	C22EF89D	C230B83A	C232C44E	C233FDA2	C235E4EB	C23EFA75	C23E5F74	C23SE490	C23AFA6A
C23C31D2	C23D5E90	C23E7838	C23FE6E6	C240BD34	C241E6CB	441A7AE0	441A7B4F	441A7EED	441A7C2E
441A7C5A	441A7D08	441A7D77	441A7DE6	441A7E55	441A7EC4	441A7F34	441A7FA3	441A8014	441A8084
441A80F4	441A8165	441A81D5	441A8246	441A82B6	441A8327	441A8395	441A840A	441A847B	441A84ED
441A85SF	441A85D0	441A8642	441A86E4	441A8726	441A8795	4214E1A1	4214D2B2	4214C41E	42148E54
4214A804	42149A7A	42148D46	4214E0E6	421473CE	4214675A	4214SBAA	42145006	421444AA	42143986
42142EA3	42142402	421419A1	42140F7F	42140E5A	4213FEFC	4213F27F	4213E947	4213E044	4213D777
4213CEDC	4213C670	4213BEE2	4213BE40	4213AE6E	42456444	42453EC5	42450C56	4244DFE8	
4244B233	42448406	42445533	42442SD2	4243FED3	4243C53F	42435418	42436268	4243302E	4242FC76
4242CA3D	4242968A	42426258	42422CEE	4241F8A6	4241C325	42418D37	42415EE5	4241202B	4240E913
4240E15D	424079CA	424041A2	42400522	423FD052	423F5731	C236EFFB	C236E125	C23671AD	C2366184

42410396	C23E2B30	416E7AE1	41A722C1	C13CC6A8	C115161E	3F6EDBEC	C06E72E0	00000000	00000000
00000000	C38517D7	C2C79810	4367F785	434E363D	4318CE19	43105144	4229E25E	411A14E4	C03C63F1
41167AE1	4126DA51	C11C04EA	C0314E3C	40822681	00000000	00000000	00000000	C314E517	4310F204
C2FC3A1D	43340FE7	C31A372F	C24A4FEC	C2EFF6C9	4214E76D	C1AE5EE2	C1C1FB16	C159DED3	41272546
C0268DE9	C0944D01	00000000	00000000	00000000	42042EE4	C3100B37	42345EEC	C3129D37	42C61C29
C2A1FF3B	4137923A	C1C24C98	C17359B4	4197CB92	C11D3127	4031BDA5	40CEF34D	C022617C	00000000
00000000	00000000	422DDBE1	42960873	C2969AE1	C24DB461	425C5EB4	C23013F1	41DD6E2F	406EECC0
41465C92	C13916F0	4147E426	C0E119CE	40EA43FE	40DA3055	00000000	00000000	00000000	C1E99EA6
425D3B02	4246F858	C22B0666	C1227B4A	4211464C	C26B9021	41A48754	41280625	C11078D5	413517C2
C05CAC08	C07B4A23	C083B646	00000000	00000000	00000000	C2528E4C	C21B2E4F	C152FD22	41FE9A6E
4211EEE6	C2170134	C19F2C3D	C11D5F07	4161432D	416E17C2	40A978D5	4115E579	C036872B	4028A090
00000000	00000000	00000000	4173E717	C2118F83	413C2CA5	C2163EED	419228F6	4210244D	C1D4D3C3
C1ECE83E	C0D2A305	4116A36E	412463F1	411801A3	4050DED3	C0DED917	00000000	00000000	00000000
C214F113	41F79097	418A7D56	C1510000	C16D5A86	418FDBEC	419AD917	C15AC28F	4122F766	C150C227
413130EE	C0A0E0F2	C098E8A7	402C84E6	00000000	00000000	00000000	41130B23	405A0903	412E5810
415CF909	C1440D84	C024AF4F	C1150E0F	4131EE63	C03BD4FE	C166BFC5	C0E3404F	411E645A	C02B089A
C0164C30	00000000	00000000	00000000	40DA0275	411F3A93	C118B8BB	C13365F0	407CC63F	C04FAACE
C125E3D0	C041D14E	C117A9FC	C11E17C2	4111A71E	41383D71	40D02DE0	40534EDC	00000000	00000000
00000000	40673190	409E2EE2	412483E4	C1163D71	4062BECE	40260419	C041DE6A	401EA4A9	EF15B574
C1157660	4080902E	40ECF41F	EF25460E	C07D4FDF	00000000	00000000	00000000	C076A7F0	40424745
41135C29	C0351EB8	C0815B57	C0169AD4	40DC0EEF	4042BF5C	40FA8C15	40353F7D	C01E703B	C05C3C9F
C0EB923A	40721965	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	4219E027	C1AE97F6	C158F213
C0DD097F	408CF41F	4118A027	411145A2	00000000	00000000	00000000	00000000	00000000	00000000
C2166DD9	41CC79A7	407FEC57	C169367A	411CC227	C11D4C30	412379A7	C1273BCD	00000000	00000000
00000000	00000000	00000000	00000000	C1CDEBEE	C214CEA1	41B17A7E	C12DD97F	C16E8CE7	C03B8EAC
40EECDED	4026594E	00000000	00000000	00000000	00000000	00000000	00000000	413F295F	411404EA
C195CFAB	C075182B	40EFF2E5	C134EA4B	408F1412	40A617C2	00000000	00000000	00000000	00000000
00000000	00000000	C0685F07	C11EA512	415B6B51	C140CE70	C172CFAB	4118A85E	40E5D639	C0E0EBEE
00000000	00000000	00000000	00000000	00000000	00000000	4111E2EB	4118096C	C11EE2EB	4138E3BD
40A00000	C1295B57	404E7803	C11A57ED	00000080	00000000	00000000	00000000	00000000	00000000
C11892A3	C12E4C30	C0BDC5D6	41126A7F	405D566D	413D7732	C1156944	4116E4C3	00000000	00000000
00000000	00000000	00000000	00000000	C11476C9	40F10CB3	40FDE44D	C03ED2E9	C0816F00	C0AF3B64
411CC77A	41176DC6	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	451869F0	451869F0	451869F0	C8B80000	00000001	00000001	00000C24	000008C2
424A10EE	41E3C57E	42218441	41E67939	C4DEDCC0	C5C669D0	421183F3	41563EF0	C24CECFE	425B743F
00000025	00000025	451869F0	451869F0	451869F0	451869F0	451869F0	451869F0	C2220000	C21A0000
41600000	41400000	C2683333	42776666	41900000	41F00000	429F3333	427C999A	C2250271	C22998C7
40404040	C4C7E2F4	F8F17BF2	40404040	40404040	40404040	40404040	40404040	40404040	40404040
404040D4	C7E2E34D	F461F8F1	60F25D40	4040D5D6	40C5E7E3	40404040	C6D6D9D4	C1E34DF2	C9F36EF6
C6F1F14E	F45C4040	40404040	40404DF1	F46BF65D	40C5D7D6	C3C640F1	F9F8F04E	40404040	40404040
0000000E	00000008	00000000	437BC000	4418E333	00000000	C4752333	C37CC28F	434FFD71	433A9B96
C2D93168	4230778D	42480BE3	42127FF3	4155D5D0	C132A5E3	41287D56	C11AA71E	3FA85879	00000000
00000000	00000000	4415E4E3	C37A4D9A	43ED3666	C3E85C29	4330E7D7	43165D37	42410396	C23E2B30
416B7AE1	41A722D1	C13CC6A8	C115161E	3F6EDBEC	C06E72B0	00000000	00000000	00000000	C38517D7
C2C79810	4367F785	434E363D	4318CE19	43105144	4229E25E	411A14E4	C03C63F1	41167AE1	4126DA51
C11C04EA	C0314E3C	40822681	00000000	00000000	00000000	C314E517	4310F204	C2FC3A1D	43340FE7
C31A372F	C24A4FEC	C2EFF6C9	4214E76D	C1AE58E2	C1C1FE16	C159DED3	41272546	C0268DE9	C0944D01
00000000	00000000	00000000	42042EE4	C3100B37	42345EEC	C3129D37	42C61C29	C2A1FF3B	4137923A
C1C24C98	C17359B4	4197CB92	C11D3127	4031BDA5	40CEF34D	C022617C	00000000	00000000	00000000
422DDBE1	42960873	C2969AE1	C24CB461	425C5EB4	C23013F1	41DD6E2F	406EECC0	41465C92	C13916F0
4147E426	C0E119CE	408A43FE	40DA3055	00000000	00000000	00000000	C1E99EA6	425D3E02	4246F858
C22B0666	C1227B4A	4211464C	C26B9021	41A48754	41280625	C11078D5	413517C2	C05CAC08	C07B4A23
C083B646	00000000	00000000	00000000	C2528E4C	C21B2E4F	C152FD22	41FE9A6E	4211EEE6	C2170134
C19F2C3D	C11D5F07	4161432D	416E17C2	40A978D5	4115E579	C036872B	4028A090	00000000	00000000
00000000	4173E717	C2118F83	413C2CA5	C2163EED	419228F6	4210244D	C1D4D3C3	C1ECE83E	C0D2A305
4116A36E	412463F1	411801A3	4050DED3	C0DED917	00000000	00000000	00000000	C214F113	41F79097
418A7D56	C1510000	C16D5A86	418FDBEC	419AD917	C15AC28F	4122F766	C150C227	413130EE	C0A0E0F2
C098E8A7	402C84E6	00000000	00000000	00000000	41130E23	405A0903	412E5810	415CF909	C1440D84
C024AF4F	C1150E0F	4131EE63	C03BD4FE	C166BFC5	C0E34C4F	411E645A	C02B089A	C0164C30	00000000
00000000	00000000	40DA0275	411F3A93	C118B8BB	C13365F0	407CC63F	C04FAACE	C125E3D0	C041D14E
C117A9FC	C11E17C2	4111A71E	41383D71	40D02DE0	40534EDC	00000000	00000000	00000000	40673190
409E2EB2	412483E4	C1163D71	4062BECE	40260419	C041DE6A	401EA4A9	EF15B574	C1157660	4080902E
40ECF41F	EF25460E	C07D4FDF	00000000	00000000	00000000	C076A7F0	40424745	41135C29	C0351EB8
C0815B57	C0169AD4	40DC0EEF	40428F5C	40FA8C15	40353F7D	C01E703B	C05C3C9F	C0EB923A	40721965
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	00000000	4219E027	C1AE97F6	C158F213	C0DD097F	408CF41F